

Data Path : C:\DOCUMENTS AND SETTINGS\AYUL\DESKTOP\BF051415\
 Data File : BF079257.D
 Acq On : 15 May 2015 5:45
 Operator : TP/IZ
 Sample : G2245-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TBTA-MW-1-GW

Quant Time: Aug 05 04:10:25 2015
 Quant Method : C:\DOCUMENTS AND SETTINGS\AYUL\DESKTOP\BF051415\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 20 05:08:22 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	0.00	152	0	0.00	ng	-7.13
21) Naphthalene-d8	0.00	136	0	0.00	ng	-8.71
38) Acenaphthene-d10	0.00	164	0	0.00	ng	-10.88
63) Phenanthrene-d10	0.00	188	0	0.00	ng	-12.72
75) Chrysene-d12	16.09	240	205377	20.00	ng	0.07
86) Perylene-d12	17.81	264	214947	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	0.00	112	0	0.00	ng	
7) Phenol-d6	0.00	99	0	0.00	ng	
23) Nitrobenzene-d5	0.00	82	0	0.00	ng	
41) 2,4,6-Tribromophenol	0.00	330	0	0.00	ng	
44) 2-Fluorobiphenyl	0.00	172	0	0.00	ng	
78) Terphenyl-d14	14.81	244	800820	93.35	ng	0.09


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\DOCUMENTS AND SETTINGS\AYUL\DESKTOP\BF051415\
Data File : BF079257.D
Acq On : 15 May 2015 5:45
Operator : TP/IZ
Sample : G2245-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TBTA-MW-1-GW

Quant Time: Aug 05 04:10:25 2015
Quant Method : C:\DOCUMENTS AND SETTINGS\AYUL\DESKTOP\BF051415\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 20 05:08:22 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.00 ng

Expected RT: 7.13 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45

Instrument :

BNA_F

ClientSampleId :

TBTA-MW-1-GW



Tot Ion: 152

Sig Exp Ratio

152 100

150 154.8

115 61.7



#5

2-Fluorophenol

Concen: 0.00 ng

Expected RT: 5.42 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45


Tgt Ion: 112


Sig Exp Ratio

112 100

64 55.2

63 28.4





#7

Phenol-d6

Concen: 0.00 ng

Expected RT: 6.71 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45

Instrument :

BNA_F

ClientSampleId :

TBTA-MW-1-GW



Tot Ion: 99

Sig Exp Ratio

99 100

42 21.4

71 32.9



#21

Naphthalene-d8

Concen: 0.00 ng

Expected RT: 8.71 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45

Tgt Ion: 136


Sig Exp Ratio


136 100

137 11.0

54 8.6

68 6.1







#23
 Nitrobenzene-d5
 Concen: 0.00 ng
 Expected RT: 7.83 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45


Instrument :
 BNA_F
 ClientSampleId :
 TBTA-MW-1-GW


Tot Ion: 82
 Sig Exp Ratio
 82 100
 128 37.1
 54 57.8



#38
 Acenaphthene-d10
 Concen: 0.00 ng
 Expected RT: 10.88 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45

Tgt Ion: 164
 Sig Exp Ratio
 164 100
 162 101.7
 160 45.7







#41
 2,4,6-Tribromophenol
 Concen: 0.00 ng
 Expected RT: 11.86 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45


Instrument :
 BNA_F
 ClientSampleId :
 TBTA-MW-1-GW


Tot Ion: 330
 Sig Exp Ratio
 330 100
 332 96.1
 141 34.8



#44
 2-Fluorobiphenyl
 Concen: 0.00 ng
 Expected RT: 10.06 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45

Tgt Ion: 172
 Sig Exp Ratio
 172 100
 171 35.4
 170 24.3







#63
 Phenanthrene-d10
 Concen: 0.00 ng
 Expected RT: 12.72 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45




Instrument :
 BNA_F
 ClientSampleId :
 TBTA-MW-1-GW

Tot Ion: 188
 Sig Exp Ratio
 188 100
 94 11.7
 80 12.2



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 16.09 min Scan# 1304
 Delta R.T. 0.07 min
 Lab File: BF079257.D
 Acq: 15 May 2015 5:45

Tgt Ion: 240 Resp: 205377
 Ion Ratio Lower Upper
 240 100
 120 13.4 8.6 12.8#
 236 25.6 21.0 31.6





#78

Terphenyl-d14

Concen: 93.35 ng

RT: 14.81 min Scan# 1192

Delta R.T. 0.09 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45

Instrument :

BNA_F

ClientSampleId :

TBTA-MW-1-GW


Tot Ion:244 Resp: 800820

Ion Ratio Lower Upper

244 100

212 6.2 5.6 8.4




122 7.6 10.5 15.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 17.81 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BF079257.D

Acq: 15 May 2015 5:45


Tgt Ion:264 Resp: 214947

Ion Ratio Lower Upper

264 100

260 24.8 19.2 28.8

265 21.9 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

