

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080417\
 Data File : BF097355.D
 Acq On : 4 Aug 2017 14:52
 Operator : SJ/JU
 Sample : I4588-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 E2-CONCRETE-BATCH-16

Quant Time: Aug 04 17:10:41 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 04 16:25:29 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.44	152	94149	20.00	ng	0.00
21) Naphthalene-d8	7.72	136	408273	20.00	ng	0.00
38) Acenaphthene-d10	9.46	164	157979	20.00	ng	-0.01
63) Phenanthrene-d10	10.93	188	280373	20.00	ng	0.00
75) Chrysene-d12	13.55	240	250654	20.00	ng	-0.01
86) Perylene-d12	14.89	264	192708	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.04	112	500404	80.12	ng	0.00
7) Phenol-d6	6.10	99	821241	115.18	ng	-0.01
23) Nitrobenzene-d5	7.01	82	500132	71.86	ng	0.00
41) 2,4,6-Tribromophenol	10.25	330	77072	61.75	ng	-0.01
44) 2-Fluorobiphenyl	8.80	172	788524	84.71	ng	0.00
78) Terphenyl-d14	12.52	244	655105	53.29	ng	0.00
Target Compounds						
10) Phenol	6.12	94	46854	5.540	ng	87
20) 3+4-Methylphenols	6.92	107	20786	3.088	ng	# 64
49) Dimethylphthalate	9.20	163	107983	9.001	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080417\
Data File : BF097355.D
Acq On : 4 Aug 2017 14:52
Operator : SJ/JU
Sample : I4588-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
E2-CONCRETE-BATCH-16

Quant Time: Aug 04 17:10:41 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 04 16:25:29 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.44 min Scan# 791
 Delta R.T. -0.00 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Instrument :
 BNA_F
 ClientSampleId :
 E2-CONCRETE-BATCH-16

Tot Ion:152 Resp: 94149
 Ion Ratio Lower Upper
 152 100
 150 158.5 126.2 189.2
 115 64.6 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 80.123 ng
 RT: 5.04 min Scan# 553
 Delta R.T. 0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Tgt Ion:112 Resp: 500404
 Ion Ratio Lower Upper
 112 100
 64 65.3 46.0 69.0
 63 33.4 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.183 ng

RT: 6.10 min Scan# 734

Delta R.T. -0.01 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52

Instrument :

BNA_F

ClientSampleId :

E2-CONCRETE-BATCH-16


Tot Ion: 99 Resp: 821241

Ion Ratio Lower Upper

99 100

42 24.8 13.5 20.3#




71 31.5 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 5.540 ng

RT: 6.12 min Scan# 736

Delta R.T. -0.01 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52


Tgt Ion: 94 Resp: 46854

Ion Ratio Lower Upper

94 100

65 34.3 9.9 49.9



66 53.7 23.1 63.1




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0





#20

3+4-Methylphenols

Concen: 3.088 ng

RT: 6.92 min Scan# 872

Delta R.T. 0.03 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52

Instrument :

BNA_F

ClientSampleId :

E2-CONCRETE-BATCH-16

Tot Ion:107 Resp: 20786


Ion Ratio Lower Upper

107 100

108 89.4 71.0 111.0

77 33.3 90.5 130.5#

79 31.5 8.4 48.4






Abundance Ion 107.00 (106.70 to 107.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BF0

Ion 79.00 (78.70 to 79.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.72 min Scan# 1009

Delta R.T. -0.00 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52

Tgt Ion:136 Resp: 408273


Ion Ratio Lower Upper

136 100

137 10.7 8.5 12.7

54 10.7 4.9 7.3#

68 5.6 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.863 ng
 RT: 7.01 min Scan# 888
 Delta R.T. -0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52




Instrument :
 BNA_F
 ClientSampleId :
 E2-CONCRETE-BATCH-16


Tot Ion: 82 Resp: 500132
 Ion Ratio Lower Upper
 82 100
 128 46.1 34.0 51.0
 54 69.4 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.46 min Scan# 1304
 Delta R.T. -0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Tgt Ion: 164 Resp: 157979
 Ion Ratio Lower Upper
 164 100
 162 103.9 82.6 123.8
 160 45.1 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 61.747 ng
 RT: 10.25 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Instrument :
 BNA_F
 ClientSampleId :
 E2-CONCRETE-BATCH-16

Tot Ion:330 Resp: 77072
 Ion Ratio Lower Upper
 330 100
 332 95.2 76.6 115.0
 141 39.4 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.708 ng
 RT: 8.80 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Tgt Ion:172 Resp: 788524
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.6 44.4
 170 24.6 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 9.001 ng
RT: 9.20 min Scan# 1260
Delta R.T. -0.01 min
Lab File: BF097355.D
Acq: 4 Aug 2017 14:52

Instrument :
BNA_F
ClientSampleId :
E2-CONCRETE-BATCH-16

Tot Ion:163 Resp: 107983
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 10.0 8.4 12.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 10.93 min Scan# 1555
Delta R.T. -0.01 min
Lab File: BF097355.D
Acq: 4 Aug 2017 14:52

Tgt Ion:188 Resp: 280373
Ion Ratio Lower Upper
188 100
94 10.7 9.4 14.2
80 10.6 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.55 min Scan# 2000

Delta R.T. -0.01 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52

Instrument :

BNA_F

ClientSampleId :

E2-CONCRETE-BATCH-16


Tot Ion:240 Resp: 250654

Ion Ratio Lower Upper

240 100

120 16.4 5.8 8.8#




236 25.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.287 ng

RT: 12.52 min Scan# 1824

Delta R.T. -0.01 min

Lab File: BF097355.D

Acq: 4 Aug 2017 14:52


Tgt Ion:244 Resp: 655105

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0



122 15.3 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 14.89 min Scan# 2228
 Delta R.T. -0.01 min
 Lab File: BF097355.D
 Acq: 4 Aug 2017 14:52

Instrument :
 BNA_F
 ClientSampleId :
 E2-CONCRETE-BATCH-16

Tot Ion:264 Resp: 192708
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.5 29.3
 265 20.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

