

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080422\
 Data File : BF129573.D
 Acq On : 04 Aug 2022 16:53
 Operator : CG\JU
 Sample : PB146580BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB146580BL

Quant Time: Aug 05 02:08:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 02:05:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	184274	20.000	ng	0.00
21) Naphthalene-d8	8.139	136	766212	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	428661	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	747082	20.000	ng	0.00
76) Chrysene-d12	14.033	240	506985	20.000	ng	0.00
86) Perylene-d12	15.509	264	392888	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	1403471	124.068	ng	0.00
7) Phenol-d6	6.504	99	1760280	123.801	ng	-0.01
23) Nitrobenzene-d5	7.422	82	1157775	82.485	ng	-0.01
42) 2,4,6-Tribromophenol	10.692	330	531766	129.030	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	2105361	75.978	ng	0.00
79) Terphenyl-d14	12.974	244	2379265	88.537	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080422\
Data File : BF129573.D
Acq On : 04 Aug 2022 16:53
Operator : CG\JU
Sample : PB146580BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB146580BL

Quant Time: Aug 05 02:08:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 02:05:37 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53




Instrument :
BNA_F
ClientSampleId :
PB146580BL


Tgt Ion:152 Resp: 184274
Ion Ratio Lower Upper
152 100
150 154.6 123.7 185.5
115 60.8 49.9 74.9



#5
2-Fluorophenol
Concen: 124.068 ng
RT: 5.498 min Scan# 546
Delta R.T. 0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53

Tgt Ion:112 Resp: 1403471
Ion Ratio Lower Upper
112 100
64 61.6 53.3 79.9
63 32.3 28.0 42.0









#7
Phenol-d6
Concen: 123.801 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53

Instrument :
BNA_F
ClientSampleId :
PB146580BL

Tgt Ion: 99 Resp: 1760280




Ion	Ratio	Lower	Upper
99	100		
42	18.9	17.3	25.9
71	36.3	28.9	43.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.139 min Scan# 995
Delta R.T. -0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53

Tgt Ion: 136 Resp: 766212

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	7.9	7.5	11.3
68	5.5	4.7	7.1









#23
Nitrobenzene-d5
Concen: 82.485 ng
RT: 7.422 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53




Instrument :
BNA_F
ClientSampleId :
PB146580BL


Tgt Ion: 82 Resp: 1157775
Ion Ratio Lower Upper
82 100
128 43.5 34.0 51.0
54 51.3 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1294
Delta R.T. -0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53

Tgt Ion: 164 Resp: 428661
Ion Ratio Lower Upper
164 100
162 102.0 79.5 119.3
160 43.6 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 129.030 ng

RT: 10.692 min Scan# 1434

Delta R.T. -0.006 min

Lab File: BF129573.D

Acq: 04 Aug 2022 16:53

Instrument :

BNA_F

ClientSampleId :

PB146580BL





Tgt Ion:330 Resp: 531766

Ion Ratio Lower Upper

330 100

332 101.8 76.8 115.2

141 34.8 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 75.978 ng

RT: 9.216 min Scan# 1178

Delta R.T. -0.006 min

Lab File: BF129573.D

Acq: 04 Aug 2022 16:53




Tgt Ion:172 Resp: 2105361


Ion Ratio Lower Upper

172 100

171 35.6 28.8 43.2

170 24.0 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53




Instrument :
BNA_F
ClientSampleId :
PB146580BL


Tgt Ion:188 Resp: 747082
Ion Ratio Lower Upper
188 100
94 9.8 7.0 10.6
80 10.8 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 1997
Delta R.T. -0.006 min
Lab File: BF129573.D
Acq: 04 Aug 2022 16:53

Tgt Ion:240 Resp: 506985
Ion Ratio Lower Upper
240 100
120 10.8 8.9 13.3
236 25.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 88.537 ng
 RT: 12.974 min Scan# 1817
 Delta R.T. -0.006 min
 Lab File: BF129573.D
 Acq: 04 Aug 2022 16:53

Instrument :
 BNA_F
 ClientSampleId :
 PB146580BL

Tgt Ion:244 Resp: 2379265
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 13.6 8.8 13.2#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2248
 Delta R.T. -0.006 min
 Lab File: BF129573.D
 Acq: 04 Aug 2022 16:53

Tgt Ion:264 Resp: 392888
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.4 27.6
 265 21.6 17.2 25.8

