

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080516\
 Data File : BF089654.D
 Acq On : 6 Aug 2016 6:59
 Operator : UM/SJ
 Sample : H4351-04
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-4A

Quant Time: Aug 08 00:54:47 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 01:39:23 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.44	152	43808	20.00	ng	-0.01
21) Naphthalene-d8	9.47	136	169860	20.00	ng	0.00
38) Acenaphthene-d10	12.29	164	70609	20.00	ng	-0.01
63) Phenanthrene-d10	14.69	188	105108	20.00	ng	-0.01
75) Chrysene-d12	18.38	240	87321	20.00	ng	-0.01
86) Perylene-d12	20.05	264	75059	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	389360	148.97	ng	0.02
7) Phenol-d6	6.98	99	507849	143.23	ng	0.00
23) Nitrobenzene-d5	8.35	82	314584	102.44	ng	-0.01
41) 2,4,6-Tribromophenol	13.59	330	71670	123.00	ng	0.00
44) 2-Fluorobiphenyl	11.26	172	552608	101.71	ng	0.00
78) Terphenyl-d14	17.05	244	307343	69.48	ng	0.00
Target Compounds						
49) Dimethylphthalate	11.94	163	107083	19.35	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080516\
Data File : BF089654.D
Acq On : 6 Aug 2016 6:59
Operator : UM/SJ
Sample : H4351-04
Misc :
ALS Vial : 56 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-4A

Quant Time: Aug 08 00:54:47 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 01:39:23 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.44 min Scan# 512

Delta R.T. -0.01 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59

Instrument :

BNA_F

ClientSampleId :

SB-4A


Tgt Ion:152 Resp: 43808

Ion Ratio Lower Upper

152 100

150 161.4 125.5 188.3




115 73.0 52.0 78.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 148.97 ng

RT: 5.34 min Scan# 328

Delta R.T. 0.02 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59


Tgt Ion:112 Resp: 389360

Ion Ratio Lower Upper

112 100

64 60.3 49.9 74.9



63 31.7 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.23 ng

RT: 6.98 min Scan# 472

Delta R.T. 0.00 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59

Instrument :

BNA_F

ClientSampleId :

SB-4A


Tgt Ion: 99 Resp: 507849

Ion Ratio Lower Upper




99 100

42 17.6 13.7 20.5

71 36.9 29.0 43.4



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.47 min Scan# 690

Delta R.T. 0.00 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59

Tgt Ion: 136 Resp: 169860


Ion Ratio Lower Upper

136 100



137 10.4 8.6 12.8


54 6.3 6.0 9.0

68 4.8 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 102.44 ng
 RT: 8.35 min Scan# 592
 Delta R.T. -0.01 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59

Instrument :
 BNA_F
 ClientSampleId :
 SB-4A

Tgt Ion: 82 Resp: 314584
 Ion Ratio Lower Upper
 82 100
 128 42.8 35.4 53.0
 54 46.1 36.4 54.6




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.29 min Scan# 936
 Delta R.T. -0.01 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59

Tgt Ion: 164 Resp: 70609
 Ion Ratio Lower Upper
 164 100
 162 106.6 85.7 128.5
 160 46.1 38.2 57.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 123.00 ng
 RT: 13.59 min Scan# 1050
 Delta R.T. 0.00 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59

Instrument :
 BNA_F
 ClientSampled :
 SB-4A

Tgt Ion: 330 Resp: 71670
 Ion Ratio Lower Upper
 330 100
 332 95.9 77.0 115.6
 141 46.6 38.6 57.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 101.71 ng
 RT: 11.26 min Scan# 846
 Delta R.T. 0.00 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59

Tgt Ion: 172 Resp: 552608
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.9 43.3
 170 23.3 19.0 28.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 19.35 ng

RT: 11.94 min Scan# 906

Delta R.T. -0.02 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59

Instrument :

BNA_F

ClientSampleId :

SB-4A


Tgt Ion:163 Resp: 107083

Ion Ratio Lower Upper

163 100

194 3.3 2.7 4.1




164 9.6 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.69 min Scan# 1146

Delta R.T. -0.01 min

Lab File: BF089654.D

Acq: 6 Aug 2016 6:59


Tgt Ion:188 Resp: 105108

Ion Ratio Lower Upper

188 100

94 9.7 6.5 9.7



80 10.8 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.38 min Scan# 1469
 Delta R.T. -0.01 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59




Instrument :
 BNA_F
 ClientSampleId :
 SB-4A


Tgt Ion:240 Resp: 87321
 Ion Ratio Lower Upper
 240 100
 120 16.4 10.6 15.8#
 236 25.3 20.6 30.8



#78
 Terphenyl-d14
 Concen: 69.48 ng
 RT: 17.05 min Scan# 1353
 Delta R.T. 0.00 min
 Lab File: BF089654.D
 Acq: 6 Aug 2016 6:59

Tgt Ion:244 Resp: 307343
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.4 9.6
 122 11.7 12.2 18.2#






#86
Perylene-d12
Concen: 20.00 ng
RT: 20.05 min Scan# 1615
Delta R.T. 0.00 min
Lab File: BF089654.D
Acq: 6 Aug 2016 6:59

Instrument :
BNA_F
ClientSampleId :
SB-4A

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.7	28.1
265	20.8	16.5	24.7



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

