

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080615\
 Data File : BF080911.D
 Acq On : 7 Aug 2015 3:43
 Operator : TP/UM
 Sample : G3196-09
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-4

Quant Time: Aug 07 05:47:56 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF080615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 07 03:17:12 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	66734	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	249015	20.00	ng	-0.01
38) Acenaphthene-d10	9.85	164	124826	20.00	ng	0.00
63) Phenanthrene-d10	11.32	188	237763	20.00	ng	0.00
75) Chrysene-d12	13.95	240	213034	20.00	ng	-0.01
86) Perylene-d12	15.36	264	171504	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	278804	66.60	ng	0.00
7) Phenol-d6	6.44	99	287033	49.81	ng	0.00
23) Nitrobenzene-d5	7.38	82	479591	90.73	ng	0.00
41) 2,4,6-Tribromophenol	10.64	330	173267	129.23	ng	0.00
44) 2-Fluorobiphenyl	9.17	172	728986	83.24	ng	0.00
78) Terphenyl-d14	12.91	244	684393	67.73	ng	0.00
Target Compounds						
32) Benzoic acid	7.81	122	5754	2.09	ng	Qvalue 89
49) Dimethylphthalate	9.56	163	21796	2.20	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080615\
Data File : BF080911.D
Acq On : 7 Aug 2015 3:43
Operator : TP/UM
Sample : G3196-09
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-4

Quant Time: Aug 07 05:47:56 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF080615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 07 03:17:12 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.81 min Scan# 413
Delta R.T. -0.00 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Instrument :
BNA_F
ClientSampleId :
MW-4

Tot Ion:152 Resp: 66734
Ion Ratio Lower Upper
152 100
150 154.9 132.2 198.2
115 63.9 54.9 82.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 66.60 ng
RT: 5.39 min Scan# 289
Delta R.T. -0.00 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Tgt Ion:112 Resp: 278804
Ion Ratio Lower Upper
112 100
64 78.1 58.0 87.0
63 41.2 29.8 44.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 49.81 ng

RT: 6.44 min Scan# 381

Delta R.T. -0.00 min

Lab File: BF080911.D

Acq: 7 Aug 2015 3:43

Instrument :


BNA_F

ClientSampled :

MW-4

Tot Ion: 99 Resp: 287033




Ion	Ratio	Lower	Upper
99	100		
42	16.1	16.8	25.2#
71	29.2	27.4	41.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 525


Delta R.T. -0.01 min

Lab File: BF080911.D

Acq: 7 Aug 2015 3:43

Tgt Ion: 136 Resp: 249015

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.6	12.8
54	15.1	7.5	11.3#
68	7.7	4.2	6.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 90.73 ng
RT: 7.38 min Scan# 463
Delta R.T. -0.00 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Instrument :
BNA_F
ClientSampled :
MW-4

Tot Ion: 82 Resp: 479591
Ion Ratio Lower Upper
82 100
128 46.2 31.8 47.6
54 54.7 48.6 72.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): BF0
Ion 54.00 (53.70 to 54.70): BF0






#32
Benzoic acid
Concen: 2.09 ng
RT: 7.81 min Scan# 501
Delta R.T. -0.06 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Tgt Ion:122 Resp: 5754
Ion Ratio Lower Upper
122 100
105 133.9 101.6 141.6
77 89.2 80.9 120.9



Abundance Ion 122.00 (121.70 to 122.70): BF0
Ion 105.00 (104.70 to 105.70): BF0
Ion 77.00 (76.70 to 77.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.85 min Scan# 679

Delta R.T. -0.00 min

Lab File: BF080911.D

Acq: 7 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

MW-4


Tot Ion:164 Resp: 124826

Ion Ratio Lower Upper

164 100

162 104.5 81.5 122.3




160 47.4 35.9 53.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 129.23 ng

RT: 10.64 min Scan# 748

Delta R.T. -0.00 min

Lab File: BF080911.D

Acq: 7 Aug 2015 3:43


Tgt Ion:330 Resp: 173267

Ion Ratio Lower Upper

330 100

332 95.9 74.1 111.1



141 41.9 30.1 45.1




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 83.24 ng
RT: 9.17 min Scan# 620
Delta R.T. -0.00 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Instrument :
BNA_F
ClientSampleId :
MW-4

Tot Ion:172 Resp: 728986
Ion Ratio Lower Upper
172 100
171 36.5 29.0 43.4
170 24.6 19.9 29.9




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 2.20 ng
RT: 9.56 min Scan# 654
Delta R.T. -0.01 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Tgt Ion:163 Resp: 21796
Ion Ratio Lower Upper
163 100
194 3.8 2.3 3.5#
164 11.8 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 808
Delta R.T. -0.00 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Instrument :
BNA_F
ClientSampled :
MW-4

Tot Ion:188 Resp: 237763
Ion Ratio Lower Upper
188 100
94 10.4 10.2 15.2
80 11.9 11.4 17.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.95 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF080911.D
Acq: 7 Aug 2015 3:43

Tgt Ion:240 Resp: 213034
Ion Ratio Lower Upper
240 100
120 10.9 6.4 9.6#
236 26.1 20.2 30.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 67.73 ng
 RT: 12.91 min Scan# 947
 Delta R.T. -0.00 min
 Lab File: BF080911.D
 Acq: 7 Aug 2015 3:43

Instrument :
 BNA_F
 ClientSampleId :
 MW-4

Tot Ion:244 Resp: 684393
 Ion Ratio Lower Upper
 244 100
 212 7.5 5.9 8.9
 122 13.5 10.6 16.0



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.36 min Scan# 1161
 Delta R.T. -0.00 min
 Lab File: BF080911.D
 Acq: 7 Aug 2015 3:43

Tgt Ion:264 Resp: 171504
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.0 28.4
 265 21.6 17.0 25.6

