

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080624\
 Data File : BF138826.D
 Acq On : 07 Aug 2024 01:34
 Operator : RC/JU
 Sample : P3441-01RE
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-02-08012024RE

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/08/2024
 Supervised By :mohammad ahmed 08/08/2024

Quant Time: Aug 07 03:22:30 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 17:50:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	43161	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	169060	20.000	ng	0.00
39) Acenaphthene-d10	9.869	164	81910	20.000	ng	-0.01
64) Phenanthrene-d10	11.357	188	117967	20.000	ng	-0.01
76) Chrysene-d12	13.998	240	84666	20.000	ng	# 0.00
86) Perylene-d12	15.456	264	70272	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	224499	80.292	ng	0.00
7) Phenol-d6	6.481	99	290025	77.258	ng	0.00
23) Nitrobenzene-d5	7.404	82	188401	54.485	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	47593	70.933	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	334398	61.340	ng	-0.01
79) Terphenyl-d14	12.939	244	260805	51.574	ng	0.00
Target Compounds						Qvalue
75) Fluoranthene	12.568	202	20189	3.560	ng	96
78) Pyrene	12.798	202	24008	3.012	ng	97
81) Benzo(a)anthracene	13.986	228	12932	2.218	ng	# 92
83) Chrysene	14.021	228	12288	2.336	ng	# 92
88) Benzo(b)fluoranthene	15.033	252	14813m	3.400	ng	
90) Benzo(a)pyrene	15.398	252	10129	2.764	ng	# 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080624\
Data File : BF138826.D
Acq On : 07 Aug 2024 01:34
Operator : RC/JU
Sample : P3441-01RE
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE

Quant Time: Aug 07 03:22:30 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 17:50:01 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE



Tgt Ion:152 Resp: 4316
Ion Ratio Lower Upper
152 100
150 154.7 126.0 189.0
115 64.3 51.7 77.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024



#5
2-Fluorophenol
Concen: 80.292 ng
RT: 5.469 min Scan# 574
Delta R.T. -0.000 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34


Tgt Ion:112 Resp: 224499
Ion Ratio Lower Upper
112 100
64 67.7 54.2 81.4
63 37.3 28.7 43.1





#7
Phenol-d6
Concen: 77.258 ng
RT: 6.481 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE




Tgt Ion: 99 Resp: 290025
Ion Ratio Lower Upper
99 100
42 22.9 17.4 26.0
71 38.0 28.1 42.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34



Tgt Ion:136 Resp: 169060
Ion Ratio Lower Upper
136 100
137 10.8 8.9 13.3
54 9.1 8.6 12.8
68 4.9 4.8 7.2





#23

Nitrobenzene-d5

Concen: 54.485 ng

RT: 7.404 min Scan# 904

Delta R.T. -0.006 min

Lab File: BF138826.D

Acq: 07 Aug 2024 01:34

Instrument :

BNA_F

ClientSampleId :

BU-02-08012024RE

Tgt Ion: 82 Resp: 18840

Ion Ratio Lower Upper

82 100

128 42.5 32.8 49.2





54 60.3 48.3 72.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/08/2024

Supervised By :mohammad ahmed 08/08/2024



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 1322

Delta R.T. -0.011 min

Lab File: BF138826.D

Acq: 07 Aug 2024 01:34




Tgt Ion:164 Resp: 81910


Ion Ratio Lower Upper

164 100

162 102.6 79.4 119.0


160 43.7 35.1 52.7





#42
2,4,6-Tribromophenol
Concen: 70.933 ng
RT: 10.663 min Scan# 1458
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE




Tgt Ion: 330 Resp: 4759
Ion Ratio Lower Upper
330 100
332 97.9 76.4 114.6
141 41.5 31.1 46.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024




#45
2-Fluorobiphenyl
Concen: 61.340 ng
RT: 9.192 min Scan# 1207
Delta R.T. -0.012 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Tgt Ion: 172 Resp: 334398
Ion Ratio Lower Upper
172 100
171 36.4 28.3 42.5
170 23.6 18.8 28.2





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 11796
Delta R.T. -0.012 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE



Tgt Ion:188 Resp: 11796
Ion Ratio Lower Upper
188 100
94 8.6 7.6 11.4
80 9.5 8.6 12.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024



#75
Fluoranthene
Concen: 3.560 ng
RT: 12.568 min Scan# 1781
Delta R.T. -0.012 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34

Tgt Ion:202 Resp: 20189
Ion Ratio Lower Upper
202 100
101 9.8 0.0 31.2
203 18.9 0.0 37.3





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.998 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF138826.D


Acq: 07 Aug 2024 01:34

Instrument :

BNA_F

ClientSampleId :

BU-02-08012024RE



Tgt Ion:240 Resp: 84660




Ion	Ratio	Lower	Upper
240	100		
120	10.2	10.2	15.4
236	25.6	19.8	29.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/08/2024

Supervised By :mohammad ahmed 08/08/2024



#78

Pyrene

Concen: 3.012 ng

RT: 12.798 min Scan# 1820




Delta R.T. -0.012 min


Lab File: BF138826.D

Acq: 07 Aug 2024 01:34

Tgt Ion:202 Resp: 24008


Ion	Ratio	Lower	Upper
202	100		
200	19.9	16.8	25.2
203	19.2	13.8	20.6





#79
 Terphenyl-d14
 Concen: 51.574 ng
 RT: 12.939 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF138826.D
 Acq: 07 Aug 2024 01:34




Instrument :
 BNA_F
 ClientSampleId :
 BU-02-08012024RE




Tgt Ion:244 Resp: 26080
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 10.1 9.6 14.4

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 08/08/2024
 Supervised By :mohammad ahmed 08/08/2024




#81
 Benzo(a)anthracene
 Concen: 2.218 ng
 RT: 13.986 min Scan# 2022
 Delta R.T. -0.006 min
 Lab File: BF138826.D
 Acq: 07 Aug 2024 01:34




Tgt Ion:228 Resp: 12932
 Ion Ratio Lower Upper
 228 100
 226 30.0 22.1 33.1
 229 24.9 15.4 23.0#





#83
Chrysene
Concen: 2.336 ng
RT: 14.021 min Scan# 2030
Delta R.T. -0.012 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE



Tgt Ion:228 Resp: 1228
Ion Ratio Lower Upper
228 100
226 32.0 23.7 35.5
229 24.8 15.0 22.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.456 min Scan# 2272
Delta R.T. -0.012 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34


Tgt Ion:264 Resp: 70272
Ion Ratio Lower Upper
264 100
260 23.7 19.0 28.6
265 22.6 17.0 25.6





#88
Benzo(b)fluoranthene
Concen: 3.400 ng m
RT: 15.033 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34




Instrument :
BNA_F
ClientSampleId :
BU-02-08012024RE




Tgt Ion:252 Resp: 1481
Ion Ratio Lower Upper
252 100
253 26.1 17.5 26.3
125 12.5 8.9 13.3

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/08/2024
Supervised By :mohammad ahmed 08/08/2024



#90
Benzo(a)pyrene
Concen: 2.764 ng
RT: 15.398 min Scan# 2262
Delta R.T. -0.006 min
Lab File: BF138826.D
Acq: 07 Aug 2024 01:34



Tgt Ion:252 Resp: 10129
Ion Ratio Lower Upper
252 100
253 27.0 17.3 25.9#
125 12.5 9.5 14.3

