

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080717\
 Data File : BF097435.D
 Acq On : 7 Aug 2017 18:02
 Operator : SJ/JU
 Sample : I4638-10
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Quant Time: Aug 08 05:26:14 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 07 16:02:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.41	152	106550	20.00	ng	0.00
21) Naphthalene-d8	7.69	136	409303	20.00	ng	0.00
38) Acenaphthene-d10	9.43	164	170850	20.00	ng	0.00
63) Phenanthrene-d10	10.91	188	256225	20.00	ng	0.00
75) Chrysene-d12	13.53	240	214297	20.00	ng	0.00
86) Perylene-d12	14.87	264	164408	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.00	112	587210	83.08	ng	0.00
7) Phenol-d6	6.09	99	709939	87.98	ng	0.00
23) Nitrobenzene-d5	6.98	82	465509	66.72	ng	-0.01
41) 2,4,6-Tribromophenol	10.23	330	112487	83.33	ng	0.00
44) 2-Fluorobiphenyl	8.77	172	618050	61.39	ng	0.00
78) Terphenyl-d14	12.49	244	430960	41.00	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.17	163	87706	6.760	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080717\
Data File : BF097435.D
Acq On : 7 Aug 2017 18:02
Operator : SJ/JU
Sample : I4638-10
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-COMP

Quant Time: Aug 08 05:26:14 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 07 16:02:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.41 min Scan# 786
Delta R.T. 0.00 min
Lab File: BF097435.D
Acq: 7 Aug 2017 18:02

Instrument :
BNA_F
ClientSampleId :
SP-COMP

Tot Ion:152 Resp: 106550
Ion Ratio Lower Upper
152 100
150 156.5 126.2 189.2
115 65.7 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 83.080 ng
RT: 5.00 min Scan# 547
Delta R.T. 0.00 min
Lab File: BF097435.D
Acq: 7 Aug 2017 18:02

Tgt Ion:112 Resp: 587210
Ion Ratio Lower Upper
112 100
64 68.2 46.0 69.0
63 34.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 87.983 ng

RT: 6.09 min Scan# 731

Delta R.T. 0.00 min

Lab File: BF097435.D

Acq: 7 Aug 2017 18:02

Instrument :


BNA_F

ClientSampleId :

SP-COMP

Tot Ion: 99 Resp: 709939

Ion	Ratio	Lower	Upper
99	100		
42	22.4	13.5	20.3#
71	32.2	24.5	36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0

6.09

800000

600000



400000

200000

0

Time-->

6.00 6.10 6.20



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.69 min Scan# 1004


Delta R.T. -0.01 min

Lab File: BF097435.D

Acq: 7 Aug 2017 18:02

Tgt Ion: 136 Resp: 409303

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.5	12.7
54	10.1	4.9	7.3#
68	5.5	4.1	6.1



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0

7.69

600000


400000


200000

0

Time-->

7.60 7.70 7.80 7.90









#23
 Nitrobenzene-d5
 Concen: 66.720 ng
 RT: 6.98 min Scan# 883
 Delta R.T. -0.01 min
 Lab File: BF097435.D
 Acq: 7 Aug 2017 18:02




Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP


Tot Ion: 82 Resp: 465509
 Ion Ratio Lower Upper
 82 100
 128 44.0 34.0 51.0
 54 68.8 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.43 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF097435.D
 Acq: 7 Aug 2017 18:02

Tgt Ion:164 Resp: 170850
 Ion Ratio Lower Upper
 164 100
 162 101.7 82.6 123.8
 160 44.5 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 83.331 ng
 RT: 10.23 min Scan# 1435
 Delta R.T. -0.01 min
 Lab File: BF097435.D
 Acq: 7 Aug 2017 18:02

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Tot Ion:330 Resp: 112487
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 115.0
 141 39.5 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 61.392 ng
 RT: 8.77 min Scan# 1188
 Delta R.T. 0.00 min
 Lab File: BF097435.D
 Acq: 7 Aug 2017 18:02

Tgt Ion:172 Resp: 618050
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.6 44.4
 170 24.1 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 6.760 ng
RT: 9.17 min Scan# 1256
Delta R.T. -0.01 min
Lab File: BF097435.D
Acq: 7 Aug 2017 18:02

Instrument :
BNA_F
ClientSampleId :
SP-COMP

Tot Ion:163 Resp: 87706
Ion Ratio Lower Upper
163 100
194 2.8 2.6 4.0
164 9.4 8.4 12.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 10.91 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF097435.D
Acq: 7 Aug 2017 18:02

Tgt Ion:188 Resp: 256225
Ion Ratio Lower Upper
188 100
94 11.4 9.4 14.2
80 11.5 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.53 min Scan# 1997

Delta R.T. -0.01 min

Lab File: BF097435.D

Acq: 7 Aug 2017 18:02

Instrument :

BNA_F

ClientSampleId :

SP-COMP


Tot Ion:240 Resp: 214297

Ion Ratio Lower Upper

240 100

120 15.0 5.8 8.8#




236 26.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 41.002 ng

RT: 12.49 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF097435.D

Acq: 7 Aug 2017 18:02


Tgt Ion:244 Resp: 430960

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0



122 15.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 14.87 min Scan# 2224
 Delta R.T. 0.00 min
 Lab File: BF097435.D
 Acq: 7 Aug 2017 18:02

Instrument :
 BNA_F
 ClientSampleId :
 SP-COMP

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.5	29.3
265	22.4	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

