

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080717\
 Data File : BF097460.D
 Acq On : 8 Aug 2017 6:28
 Operator : SJ/JU
 Sample : I4628-01
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RW-3

Quant Time: Aug 08 08:08:16 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 07 16:02:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.41	152	85010	20.00	ng	0.00
21) Naphthalene-d8	7.69	136	331796	20.00	ng	0.00
38) Acenaphthene-d10	9.43	164	113532	20.00	ng	0.00
63) Phenanthrene-d10	10.91	188	164361	20.00	ng	0.00
75) Chrysene-d12	13.53	240	160529	20.00	ng	0.00
86) Perylene-d12	14.87	264	109915	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.00	112	368222	65.30	ng	0.00
7) Phenol-d6	6.08	99	316957	49.23	ng	0.00
23) Nitrobenzene-d5	6.99	82	568903	100.59	ng	0.00
41) 2,4,6-Tribromophenol	10.23	330	124791	139.12	ng	0.00
44) 2-Fluorobiphenyl	8.77	172	735615	109.96	ng	0.00
78) Terphenyl-d14	12.49	244	546363	69.39	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.17	163	20478	2.375	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080717\
Data File : BF097460.D
Acq On : 8 Aug 2017 6:28
Operator : SJ/JU
Sample : I4628-01
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RW-3

Quant Time: Aug 08 08:08:16 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 07 16:02:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.41 min Scan# 786
Delta R.T. 0.00 min
Lab File: BF097460.D
Acq: 8 Aug 2017 6:28

Instrument :
BNA_F
ClientSampleId :
RW-3

Tot Ion:152 Resp: 85010
Ion Ratio Lower Upper
152 100
150 158.7 126.2 189.2
115 64.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 65.297 ng
RT: 5.00 min Scan# 547
Delta R.T. 0.00 min
Lab File: BF097460.D
Acq: 8 Aug 2017 6:28

Tgt Ion:112 Resp: 368222
Ion Ratio Lower Upper
112 100
64 64.0 46.0 69.0
63 32.5 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 49.234 ng

RT: 6.08 min Scan# 730

Delta R.T. -0.01 min

Lab File: BF097460.D

Acq: 8 Aug 2017 6:28

Instrument :

BNA_F

ClientSampleId :

RW-3





Tot Ion: 99 Resp: 316957

Ion Ratio Lower Upper

99 100

42 23.5 13.5 20.3#

71 31.8 24.5 36.7



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.69 min Scan# 1004

Delta R.T. -0.01 min

Lab File: BF097460.D

Acq: 8 Aug 2017 6:28

Tgt Ion: 136 Resp: 331796




Ion Ratio Lower Upper


136 100

137 11.0 8.5 12.7

54 10.2 4.9 7.3#

68 6.0 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 100.586 ng
 RT: 6.99 min Scan# 884
 Delta R.T. -0.01 min
 Lab File: BF097460.D
 Acq: 8 Aug 2017 6:28




Instrument :
 BNA_F
 ClientSampleId :
 RW-3


Tot Ion: 82 Resp: 568903
 Ion Ratio Lower Upper
 82 100
 128 46.7 34.0 51.0
 54 66.9 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.43 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF097460.D
 Acq: 8 Aug 2017 6:28

Tgt Ion:164 Resp: 113532
 Ion Ratio Lower Upper
 164 100
 162 101.2 82.6 123.8
 160 43.8 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 139.118 ng
 RT: 10.23 min Scan# 1435
 Delta R.T. -0.01 min
 Lab File: BF097460.D
 Acq: 8 Aug 2017 6:28




Instrument :
 BNA_F
 ClientSampleId :
 RW-3


Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	76.6	115.0
141	38.9	31.4	47.2



#44
 2-Fluorobiphenyl
 Concen: 109.961 ng
 RT: 8.77 min Scan# 1188
 Delta R.T. 0.00 min
 Lab File: BF097460.D
 Acq: 8 Aug 2017 6:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.6	44.4
170	23.8	19.8	29.8









#49
Dimethylphthalate
Concen: 2.375 ng
RT: 9.17 min Scan# 1256
Delta R.T. -0.01 min
Lab File: BF097460.D
Acq: 8 Aug 2017 6:28

Instrument :
BNA_F
ClientSampleId :
RW-3

Tot Ion:163 Resp: 20478
Ion Ratio Lower Upper
163 100
194 4.0 2.6 4.0#
164 12.7 8.4 12.6#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 10.91 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF097460.D
Acq: 8 Aug 2017 6:28

Tgt Ion:188 Resp: 164361
Ion Ratio Lower Upper
188 100
94 10.8 9.4 14.2
80 10.8 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.53 min Scan# 1997

Delta R.T. -0.01 min

Lab File: BF097460.D

Acq: 8 Aug 2017 6:28

Instrument :

BNA_F

ClientSampleId :

RW-3


Tot Ion:240 Resp: 160529

Ion Ratio Lower Upper

240 100

120 14.6 5.8 8.8#




236 25.7 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 69.393 ng

RT: 12.49 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF097460.D

Acq: 8 Aug 2017 6:28


Tgt Ion:244 Resp: 546363

Ion Ratio Lower Upper

244 100

212 6.8 6.0 9.0



122 16.2 10.3 15.5#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 14.87 min Scan# 2225
Delta R.T. 0.01 min
Lab File: BF097460.D
Acq: 8 Aug 2017 6:28

Instrument :
BNA_F
ClientSampleId :
RW-3

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.5	29.3
265	21.2	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

