

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080720\
 Data File : BF121229.D
 Acq On : 7 Aug 2020 14:00
 Operator : JU/CG
 Sample : L3575-01RX
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FK-0D015-03-016RX

Quant Time: Aug 07 14:51:22 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 29 14:55:43 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	146515	20.00	ng	-0.01
21) Naphthalene-d8	8.07	136	572228	20.00	ng	-0.01
39) Acenaphthene-d10	9.83	164	292677	20.00	ng	0.00
64) Phenanthrene-d10	11.32	188	573800	20.00	ng	0.00
76) Chrysene-d12	13.96	240	451688	20.00	ng	0.00
86) Perylene-d12	15.42	264	367082	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.43	112	1677	0.19	ng	0.01
7) Phenol-d6	6.44	99	45779	3.97	ng	0.00
23) Nitrobenzene-d5	7.36	82	624300	63.13	ng	-0.02
42) 2,4,6-Tribromophenol	0.00	330	0	0.00	ng	
45) 2-Fluorobiphenyl	9.16	172	1157233	59.03	ng	0.00
79) Terphenyl-d14	12.91	244	1159046	55.78	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.55	163	135642	6.424	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080720\
Data File : BF121229.D
Acq On : 7 Aug 2020 14:00
Operator : JU/CG
Sample : L3575-01RX
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FK-0D015-03-016RX

Quant Time: Aug 07 14:51:22 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 29 14:55:43 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.79 min Scan# 800
Delta R.T. -0.01 min
Lab File: BF121229.D
Acq: 7 Aug 2020 14:00

Instrument :
BNA_F
ClientSampleId :
FK-0D015-03-016RX

Tot Ion:152 Resp: 146515
Ion Ratio Lower Upper
152 100
150 157.8 125.6 188.4
115 59.4 46.2 69.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 0.188 ng
RT: 5.43 min Scan# 568
Delta R.T. 0.01 min
Lab File: BF121229.D
Acq: 7 Aug 2020 14:00

Tgt Ion:112 Resp: 1677
Ion Ratio Lower Upper
112 100
64 42.3 43.9 65.9#
63 28.9 22.7 34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 3.965 ng

RT: 6.44 min Scan# 740

Delta R.T. -0.01 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00

Instrument :

BNA_F

ClientSampleId :

FK-0D015-03-016RX





Tot Ion: 99 Resp: 45779

Ion Ratio Lower Upper

99 100

42 16.3 13.5 20.3

71 29.9 25.0 37.4



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.07 min Scan# 1018

Delta R.T. -0.01 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00

Tgt Ion: 136 Resp: 572228




Ion Ratio Lower Upper


136 100

137 11.1 9.0 13.4

54 8.0 6.1 9.1

68 6.3 5.0 7.6









#23
 Nitrobenzene-d5
 Concen: 63.129 ng
 RT: 7.36 min Scan# 896
 Delta R.T. -0.02 min
 Lab File: BF121229.D
 Acq: 7 Aug 2020 14:00




Instrument :
 BNA_F
 ClientSampleId :
 FK-0D015-03-016RX


Tot Ion: 82 Resp: 624300
 Ion Ratio Lower Upper
 82 100
 128 46.8 39.2 58.8
 54 48.5 37.8 56.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.83 min Scan# 1317
 Delta R.T. -0.01 min
 Lab File: BF121229.D
 Acq: 7 Aug 2020 14:00

Tgt Ion:164 Resp: 292677
 Ion Ratio Lower Upper
 164 100
 162 102.1 82.2 123.2
 160 45.6 37.2 55.8





#42

2,4,6-Tribromophenol

Concen: 0.000 ng

Expected RT: 10.63 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00

Instrument :

BNA_F

ClientSampleId :

FK-0D015-03-016RX



Tot Ion: 330

Sig Exp Ratio

330 100

332 95.1

141 30.1



#45

2-Fluorobiphenyl

Concen: 59.034 ng

RT: 9.16 min Scan# 1202

Delta R.T. -0.01 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00




Tgt Ion:172 Resp: 1157233


Ion Ratio Lower Upper

172 100

171 35.6 29.0 43.4

170 24.3 19.6 29.4





#50

Dimethylphthalate

Concen: 6.424 ng

RT: 9.55 min Scan# 1269

Delta R.T. -0.02 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00

Instrument :

BNA_F

ClientSampleId :

FK-0D015-03-016RX


Tot Ion:163 Resp: 135642

Ion Ratio Lower Upper




163 100

194 3.7 3.0 4.4

164 9.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.32 min Scan# 1570

Delta R.T. 0.00 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00


Tgt Ion:188 Resp: 573800

Ion Ratio Lower Upper



188 100


94 9.2 8.0 12.0

80 9.8 8.3 12.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.96 min Scan# 2019

Delta R.T. 0.00 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00

Instrument :

BNA_F

ClientSampleId :

FK-0D015-03-016RX


Tot Ion:240 Resp: 451688

Ion Ratio Lower Upper

240 100

120 11.7 9.3 13.9




236 25.7 21.1 31.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 55.780 ng

RT: 12.91 min Scan# 1840

Delta R.T. 0.00 min

Lab File: BF121229.D

Acq: 7 Aug 2020 14:00


Tgt Ion:244 Resp: 1159046

Ion Ratio Lower Upper

244 100

212 7.0 5.7 8.5



122 11.0 8.3 12.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.42 min Scan# 2266
 Delta R.T. 0.01 min
 Lab File: BF121229.D
 Acq: 7 Aug 2020 14:00

Instrument :
 BNA_F
 ClientSampleId :
 FK-0D015-03-016RX

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.9	29.9
265	21.7	17.8	26.8



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

