

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080721\
 Data File : BF124986.D
 Acq On : 7 Aug 2021 21:42
 Operator : JU/CG
 Sample : M3297-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 128

Quant Time: Aug 08 09:11:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 06 11:27:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	6560	20.000	ng	0.00
21) Naphthalene-d8	8.110	136	23570	20.000	ng	0.00
39) Acenaphthene-d10	9.863	164	11978	20.000	ng	0.00
64) Phenanthrene-d10	11.351	188	17839	20.000	ng	0.00
76) Chrysene-d12	13.998	240	12811	20.000	ng	0.00
86) Perylene-d12	15.462	264	9745	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.445	112	32404	80.917	ng	0.00
7) Phenol-d6	6.463	99	41214	81.619	ng	0.00
23) Nitrobenzene-d5	7.392	82	26536	58.896	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	8434	78.814	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	51319	62.692	ng	0.00
79) Terphenyl-d14	12.945	244	41206	54.256	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	11.910	149	3041	2.688	ng	Qvalue # 85
84) Bis(2-ethylhexyl)phtha...	13.974	149	11105	17.826	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080721\
Data File : BF124986.D
Acq On : 7 Aug 2021 21:42
Operator : JU/CG
Sample : M3297-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
128

Quant Time: Aug 08 09:11:13 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 06 11:27:24 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 806
Delta R.T. -0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42




Instrument :
BNA_F
ClientSampled :
128


Tgt Ion:152 Resp: 6560
Ion Ratio Lower Upper
152 100
150 160.1 117.6 176.4
115 69.3 47.1 70.7



#5
2-Fluorophenol
Concen: 80.917 ng
RT: 5.445 min Scan# 571
Delta R.T. 0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:112 Resp: 32404
Ion Ratio Lower Upper
112 100
64 61.3 44.2 66.2
63 32.5 26.2 39.2









#7
Phenol-d6
Concen: 81.619 ng
RT: 6.463 min Scan# 744
Delta R.T. 0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42




Instrument :
BNA_F
ClientSampled :
128


Tgt Ion: 99 Resp: 41214
Ion Ratio Lower Upper
99 100
42 23.2 23.5 35.3#
71 33.8 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:136 Resp: 23570
Ion Ratio Lower Upper
136 100
137 11.7 9.8 14.6
54 9.4 6.4 9.6
68 4.3 3.3 4.9





#23

Nitrobenzene-d5

Concen: 58.896 ng

RT: 7.392 min Scan# 902

Delta R.T. -0.006 min

Lab File: BF124986.D

Acq: 7 Aug 2021 21:42

Tgt Ion: 82 Resp: 26536





Ion	Ratio	Lower	Upper
82	100		
128	42.4	40.6	60.8
54	56.4	49.6	74.4

Instrument :

BNA_F

ClientSampleId :

128



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.863 min Scan# 1322




Delta R.T. -0.006 min


Lab File: BF124986.D

Acq: 7 Aug 2021 21:42

Tgt Ion:164 Resp: 11978


Ion	Ratio	Lower	Upper
164	100		
162	98.4	81.3	121.9
160	40.7	38.0	57.0








#42
2,4,6-Tribromophenol
Concen: 78.814 ng
RT: 10.657 min Scan# 1457
Delta R.T. 0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Instrument :
BNA_F
ClientSampled :
128







Tgt Ion:330 Resp: 8434
Ion Ratio Lower Upper
330 100
332 94.7 76.2 114.4
141 45.4 44.6 66.8



#45
2-Fluorobiphenyl
Concen: 62.692 ng
RT: 9.186 min Scan# 1207
Delta R.T. -0.006 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:172 Resp: 51319
Ion Ratio Lower Upper
172 100
171 33.7 26.5 39.7
170 22.1 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.351 min Scan# 1575
Delta R.T. 0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42




Instrument :
BNA_F
ClientSampled :
128


Tgt Ion:188 Resp: 17839
Ion Ratio Lower Upper
188 100
94 9.1 6.7 10.1
80 9.3 7.5 11.3



#74
Di-n-butylphthalate
Concen: 2.688 ng
RT: 11.910 min Scan# 1670
Delta R.T. 0.000 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:149 Resp: 3041
Ion Ratio Lower Upper
149 100
150 14.5 7.4 11.2#
104 0.0 4.1 6.1#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 2025
Delta R.T. 0.006 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42




Instrument :
BNA_F
ClientSampled :
128


Tgt Ion:240 Resp: 12811
Ion Ratio Lower Upper
240 100
120 12.6 10.8 16.2
236 25.0 21.6 32.4



#79
Terphenyl-d14
Concen: 54.256 ng
RT: 12.945 min Scan# 1846
Delta R.T. 0.006 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:244 Resp: 41206
Ion Ratio Lower Upper
244 100
212 6.3 5.9 8.9
122 8.9 9.0 13.4#









#84
Bis(2-ethylhexyl)phthalate
Concen: 17.826 ng
RT: 13.974 min Scan# 2021
Delta R.T. 0.012 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Instrument :
BNA_F
ClientSampled :
128

Tgt Ion:	149	Resp:	11105
Ion Ratio	Lower	Upper	
149	100		
167	29.9	21.4	32.0
279	3.4	2.6	4.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.462 min Scan# 2274
Delta R.T. 0.018 min
Lab File: BF124986.D
Acq: 7 Aug 2021 21:42

Tgt Ion:	264	Resp:	9745
Ion Ratio	Lower	Upper	
264	100		
260	25.5	19.6	29.4
265	21.7	17.2	25.8

