

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080824\
 Data File : BF138872.D
 Acq On : 08 Aug 2024 18:31
 Operator : RC/JU
 Sample : P3488-03 5X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 08 18:54:41 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 17:50:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	42013	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	164751	20.000	ng	# 0.00
39) Acenaphthene-d10	9.869	164	79632	20.000	ng	-0.01
64) Phenanthrene-d10	11.357	188	109846	20.000	ng	-0.01
76) Chrysene-d12	13.992	240	76206	20.000	ng	#-0.01
86) Perylene-d12	15.457	264	67727	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	18909	6.948	ng	0.00
7) Phenol-d6	6.487	99	26062	7.132	ng	0.00
23) Nitrobenzene-d5	7.404	82	16436	4.878	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	3445	5.281	ng	0.00
45) 2-Fluorobiphenyl	9.192	172	30396	5.735	ng	-0.01
79) Terphenyl-d14	12.933	244	21751	4.779	ng	-0.01
Target Compounds						
						Qvalue
25) Isophorone	7.404	82	16438	2.857	ng	# 66
51) 2,6-Dinitrotoluene	9.869	165	10022	8.721	ng	# 19
57) 2,4-Dinitrotoluene	9.869	165	10022	6.836	ng	# 16


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080824\
Data File : BF138872.D
Acq On : 08 Aug 2024 18:31
Operator : RC/JU
Sample : P3488-03 5X
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :


Quant Time: Aug 08 18:54:41 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 17:50:01 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF138872.D
Acq: 08 Aug 2024 18:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:152 Resp: 42013
Ion Ratio Lower Upper
152 100
150 158.8 126.0 189.0
115 66.8 51.7 77.5



#5
2-Fluorophenol
Concen: 6.948 ng
RT: 5.469 min Scan# 574
Delta R.T. -0.000 min
Lab File: BF138872.D
Acq: 08 Aug 2024 18:31

Tgt Ion:112 Resp: 18909
Ion Ratio Lower Upper
112 100
64 69.5 54.2 81.4
63 41.9 28.7 43.1





#7

Phenol-d6

Concen: 7.132 ng

RT: 6.487 min Scan# 74

Delta R.T. -0.000 min


Lab File: BF138872.D

Acq: 08 Aug 2024 18:31




Instrument :

BNA_F

ClientSampleId :



Tgt Ion:	99	Resp:	26062
Ion Ratio	100	Lower	Upper
99	100		
42	23.7	17.4	26.0
71	40.0	28.1	42.1



#21

Naphthalene-d8

Concen: 20.000 ng




RT: 8.122 min Scan# 1025


Delta R.T. -0.006 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Tgt Ion:	136	Resp:	164751
Ion Ratio	100	Lower	Upper
136	100		
137	10.6	8.9	13.3
54	9.7	8.6	12.8
68	4.7	4.8	7.2





#23

Nitrobenzene-d5

Concen: 4.878 ng

RT: 7.404 min Scan# 903

Delta R.T. -0.006 min

Lab File: BF138872.D





Acq: 08 Aug 2024 18:31

Instrument :

BNA_F

ClientSampleId :

Tgt Ion:	82	Resp:	16436
Ion	Ratio	Lower	Upper
82	100		
128	40.8	32.8	49.2
54	63.1	48.3	72.5



#25

Isophorone

Concen: 2.857 ng




RT: 7.404 min Scan# 903


Delta R.T. -0.265 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Tgt Ion:	82	Resp:	16438
Ion	Ratio	Lower	Upper
82	100		
95	0.0	5.7	8.5#
138	0.0	13.7	20.5#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 11

Delta R.T. -0.011 min


Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:164 Resp: 79632

Ion Ratio Lower Upper

164 100

162 101.0 79.4 119.0

160 44.9 35.1 52.7



#42

2,4,6-Tribromophenol

Concen: 5.281 ng

RT: 10.663 min Scan# 1457

Delta R.T. -0.006 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31




Tgt Ion:330 Resp: 3445


Ion Ratio Lower Upper

330 100

332 92.8 76.4 114.6

141 44.8 31.1 46.7





#45

2-Fluorobiphenyl

Concen: 5.735 ng

RT: 9.192 min Scan# 1311

Delta R.T. -0.012 min


Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:172 Resp: 30396

Ion Ratio Lower Upper

172 100

171 35.2 28.3 42.5

170 24.5 18.8 28.2



#51

2,6-Dinitrotoluene

Concen: 8.721 ng

RT: 9.869 min Scan# 1322

Delta R.T. 0.200 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31




Tgt Ion:165 Resp: 10022


Ion Ratio Lower Upper

165 100

63 0.0 52.0 78.0#


89 0.0 47.0 70.6#








#57
2,4-Dinitrotoluene
Concen: 6.836 ng
RT: 9.869 min Scan# 11
Delta R.T. -0.200 min
Lab File: BF138872.D
Acq: 08 Aug 2024 18:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:165 Resp: 10022
Ion Ratio Lower Upper
165 100
63 0.0 46.3 69.5#
89 0.0 64.2 96.4#
182 0.0 2.5 3.7#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 1575
Delta R.T. -0.012 min
Lab File: BF138872.D
Acq: 08 Aug 2024 18:31

Tgt Ion:188 Resp: 109846
Ion Ratio Lower Upper
188 100
94 8.6 7.6 11.4
80 9.3 8.6 12.8





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.992 min Scan# 20

Delta R.T. -0.012 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:240 Resp: 76206

Ion Ratio Lower Upper

240 100

120 9.8 10.2 15.4#

236 25.4 19.8 29.8



#79

Terphenyl-d14

Concen: 4.779 ng

RT: 12.933 min Scan# 1843

Delta R.T. -0.012 min

Lab File: BF138872.D

Acq: 08 Aug 2024 18:31




Tgt Ion:244 Resp: 21751


Ion Ratio Lower Upper

244 100

212 8.3 5.4 8.2#

122 10.8 9.6 14.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.457 min Scan# 21

Delta R.T. -0.012 min


Lab File: BF138872.D

Acq: 08 Aug 2024 18:31

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:264 Resp: 67727

Ion Ratio Lower Upper

264 100

260 22.2 19.0 28.6

265 21.5 17.0 25.6

