

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080916\
 Data File : BF089697.D
 Acq On : 9 Aug 2016 19:58
 Operator : UM/SJ
 Sample : PB922711BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB92711BL

Quant Time: Aug 10 01:53:14 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 01:39:23 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	44339	20.00	ng	-0.03
21) Naphthalene-d8	9.44	136	189523	20.00	ng	-0.03
38) Acenaphthene-d10	12.26	164	90126	20.00	ng	-0.03
63) Phenanthrene-d10	14.65	188	165878	20.00	ng	-0.05
75) Chrysene-d12	18.37	240	106298	20.00	ng	-0.02
86) Perylene-d12	20.02	264	96353	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	296739	112.17	ng	0.02
7) Phenol-d6	6.98	99	389568	108.55	ng	0.00
23) Nitrobenzene-d5	8.32	82	239552	69.91	ng	-0.05
41) 2,4,6-Tribromophenol	13.55	330	63627	85.55	ng	-0.03
44) 2-Fluorobiphenyl	11.22	172	461940	66.61	ng	-0.03
78) Terphenyl-d14	17.03	244	371483	68.99	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.32	70	28768	11.10	ng	Qvalue # 84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080916\
Data File : BF089697.D
Acq On : 9 Aug 2016 19:58
Operator : UM/SJ
Sample : PB922711BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB92711BL

Quant Time: Aug 10 01:53:14 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 01:39:23 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.42 min Scan# 510
Delta R.T. -0.03 min
Lab File: BF089697.D
Acq: 9 Aug 2016 19:58

Instrument :
BNA_F
ClientSampleId :
PB92711BL

Tgt Ion:152 Resp: 44339
Ion Ratio Lower Upper
152 100
150 159.7 125.5 188.3
115 66.1 52.0 78.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.17 ng
RT: 5.34 min Scan# 328
Delta R.T. 0.02 min
Lab File: BF089697.D
Acq: 9 Aug 2016 19:58

Tgt Ion:112 Resp: 296739
Ion Ratio Lower Upper
112 100
64 56.8 49.9 74.9
63 30.3 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 108.55 ng

RT: 6.98 min Scan# 472

Delta R.T. 0.00 min

Lab File: BF089697.D

Acq: 9 Aug 2016 19:58

Instrument :

BNA_F

ClientSampleId :

PB92711BL


Tgt Ion: 99 Resp: 389568

Ion Ratio Lower Upper

99 100

42 17.4 13.7 20.5




71 37.7 29.0 43.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 11.10 ng

RT: 8.32 min Scan# 589

Delta R.T. 0.15 min

Lab File: BF089697.D

Acq: 9 Aug 2016 19:58

Tgt Ion: 70 Resp: 28768


Ion Ratio Lower Upper

70 100

42 48.6 40.2 60.2

101 0.0 7.8 11.6#

130 0.0 16.4 24.6#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): E

Ion 130.00 (129.70 to 130.70): E









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.44 min Scan# 687
Delta R.T. -0.03 min
Lab File: BF089697.D
Acq: 9 Aug 2016 19:58

Instrument :
BNA_F
ClientSampleId :
PB92711BL

Tgt Ion:	136	Resp:	189523
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	12.8
54	8.0	6.0	9.0
68	6.2	4.6	6.8




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 69.91 ng
RT: 8.32 min Scan# 589
Delta R.T. -0.05 min
Lab File: BF089697.D
Acq: 9 Aug 2016 19:58

Tgt Ion:	82	Resp:	239552
Ion	Ratio	Lower	Upper
82	100		
128	38.4	35.4	53.0
54	50.2	36.4	54.6



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.26 min Scan# 934
 Delta R.T. -0.03 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58

Instrument :
 BNA_F
 ClientSampleID :
 PB92711BL

Tgt Ion:164 Resp: 90126
 Ion Ratio Lower Upper
 164 100
 162 106.0 85.7 128.5
 160 47.0 38.2 57.4




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 85.55 ng
 RT: 13.55 min Scan# 1047
 Delta R.T. -0.03 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58

Tgt Ion:330 Resp: 63627
 Ion Ratio Lower Upper
 330 100
 332 97.3 77.0 115.6
 141 48.0 38.6 57.8



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 66.61 ng
 RT: 11.22 min Scan# 843
 Delta R.T. -0.03 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58




Instrument :
 BNA_F
 ClientSampleId :
 PB92711BL


Tgt Ion:172 Resp: 461940
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.9 43.3
 170 23.3 19.0 28.6



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.65 min Scan# 1143
 Delta R.T. -0.05 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58

Tgt Ion:188 Resp: 165878
 Ion Ratio Lower Upper
 188 100
 94 10.6 6.5 9.7#
 80 12.0 8.0 12.0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.37 min Scan# 1468
 Delta R.T. -0.02 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58

Instrument :
 BNA_F
 ClientSampleId :
 PB92711BL

Tgt Ion:240 Resp: 106298
 Ion Ratio Lower Upper
 240 100
 120 10.1 10.6 15.8#
 236 25.4 20.6 30.8




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#78
 Terphenyl-d14
 Concen: 68.99 ng
 RT: 17.03 min Scan# 1351
 Delta R.T. -0.02 min
 Lab File: BF089697.D
 Acq: 9 Aug 2016 19:58

Tgt Ion:244 Resp: 371483
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.4 9.6
 122 12.4 12.2 18.2



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.02 min Scan# 1613
Delta R.T. -0.02 min
Lab File: BF089697.D
Acq: 9 Aug 2016 19:58

Instrument :
BNA_F
ClientSampleId :
PB92711BL

Tgt Ion: 264 Resp: 96353
Ion Ratio Lower Upper
264 100
260 23.7 18.7 28.1
265 21.8 16.5 24.7

