

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080906\
 Data File : BF089690.D
 Acq On : 9 Aug 2016 16:19
 Operator : UM/SJ
 Sample : PB92784BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 09 17:46:37 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 01:39:23 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	39133	20.00	ng	-0.03
21) Naphthalene-d8	9.44	136	163354	20.00	ng	-0.03
38) Acenaphthene-d10	12.25	164	80463	20.00	ng	-0.05
63) Phenanthrene-d10	14.65	188	156967	20.00	ng	-0.05
75) Chrysene-d12	18.35	240	124568	20.00	ng	-0.03
86) Perylene-d12	20.02	264	92121	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	187543	80.32	ng	-0.01
7) Phenol-d6	6.95	99	255544	80.68	ng	-0.03
23) Nitrobenzene-d5	8.32	82	245464	83.11	ng	-0.05
41) 2,4,6-Tribromophenol	13.54	330	49247	74.17	ng	-0.05
44) 2-Fluorobiphenyl	11.21	172	464155	74.97	ng	-0.05
78) Terphenyl-d14	17.03	244	458623	72.68	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.32	70	28816	12.59	ng	Qvalue # 80


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080906\
Data File : BF089690.D
Acq On : 9 Aug 2016 16:19
Operator : UM/SJ
Sample : PB92784BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 09 17:46:37 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF080416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 01:39:23 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.42 min Scan# 510
Delta R.T. -0.03 min
Lab File: BF089690.D
Acq: 9 Aug 2016 16:19

Instrument :
BNA_F
ClientSampleId :

Tgt Ion:152 Resp: 39133
Ion Ratio Lower Upper
152 100
150 155.2 125.5 188.3
115 63.8 52.0 78.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 80.32 ng
RT: 5.30 min Scan# 325
Delta R.T. -0.01 min
Lab File: BF089690.D
Acq: 9 Aug 2016 16:19

Tgt Ion:112 Resp: 187543
Ion Ratio Lower Upper
112 100
64 59.3 49.9 74.9
63 30.7 26.1 39.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 80.68 ng

RT: 6.95 min Scan# 469

Delta R.T. -0.03 min

Lab File: BF089690.D

Acq: 9 Aug 2016 16:19

Instrument :

BNA_F

ClientSampled :


Tgt Ion: 99 Resp: 255544

Ion Ratio Lower Upper

99 100

42 15.7 13.7 20.5




71 33.8 29.0 43.4



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 12.59 ng

RT: 8.32 min Scan# 589

Delta R.T. 0.15 min

Lab File: BF089690.D

Acq: 9 Aug 2016 16:19

Tgt Ion: 70 Resp: 28816


Ion Ratio Lower Upper

70 100

42 42.7 40.2 60.2

101 0.0 7.8 11.6#

130 1.9 16.4 24.6#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): E

Ion 130.00 (129.70 to 130.70): E





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.44 min Scan# 687

Delta R.T. -0.03 min

Lab File: BF089690.D

Acq: 9 Aug 2016 16:19

Instrument :

BNA_F

ClientSampled :

Tgt Ion: 136 Resp: 163354


Ion Ratio Lower Upper

136 100

137 10.6 8.6 12.8

54 6.7 6.0 9.0

68 5.5 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 83.11 ng

RT: 8.32 min Scan# 589

Delta R.T. -0.05 min

Lab File: BF089690.D

Acq: 9 Aug 2016 16:19


Tgt Ion: 82 Resp: 245464

Ion Ratio Lower Upper

82 100

128 42.2 35.4 53.0



54 46.6 36.4 54.6




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.25 min Scan# 933
 Delta R.T. -0.05 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19

Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion:164 Resp: 80463
 Ion Ratio Lower Upper
 164 100
 162 103.1 85.7 128.5
 160 45.2 38.2 57.4




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 74.17 ng
 RT: 13.54 min Scan# 1046
 Delta R.T. -0.05 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19

Tgt Ion:330 Resp: 49247
 Ion Ratio Lower Upper
 330 100
 332 97.8 77.0 115.6
 141 48.3 38.6 57.8



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 74.97 ng
 RT: 11.21 min Scan# 842
 Delta R.T. -0.05 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:172 Resp: 464155
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.9 43.3
 170 23.2 19.0 28.6



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.65 min Scan# 1143
 Delta R.T. -0.05 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19

Tgt Ion:188 Resp: 156967
 Ion Ratio Lower Upper
 188 100
 94 8.1 6.5 9.7
 80 9.3 8.0 12.0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.35 min Scan# 1467
 Delta R.T. -0.03 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:240 Resp: 124568
 Ion Ratio Lower Upper
 240 100
 120 12.8 10.6 15.8
 236 24.6 20.6 30.8



#78
 Terphenyl-d14
 Concen: 72.68 ng
 RT: 17.03 min Scan# 1351
 Delta R.T. -0.02 min
 Lab File: BF089690.D
 Acq: 9 Aug 2016 16:19

Tgt Ion:244 Resp: 458623
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.4 9.6
 122 9.4 12.2 18.2#






#86
Perylene-d12
Concen: 20.00 ng
RT: 20.02 min Scan# 1613
Delta R.T. -0.02 min
Lab File: BF089690.D
Acq: 9 Aug 2016 16:19

Instrument :
BNA_F
ClientSampleId :

Tgt Ion:264 Resp: 92121
Ion Ratio Lower Upper
264 100
260 23.6 18.7 28.1
265 21.7 16.5 24.7



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

