

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080917\
 Data File : BF097521.D
 Acq On : 9 Aug 2017 17:51
 Operator : SJ/JU
 Sample : I4636-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SU-03-080417

Quant Time: Aug 09 18:46:30 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 07 16:02:51 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.40	152	110480	20.00	ng	-0.01
21) Naphthalene-d8	7.68	136	441013	20.00	ng	-0.02
38) Acenaphthene-d10	9.42	164	221929	20.00	ng	-0.02
63) Phenanthrene-d10	10.90	188	354942	20.00	ng	-0.02
75) Chrysene-d12	13.52	240	316442	20.00	ng	-0.02
86) Perylene-d12	14.86	264	218600	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.01	112	964303	131.58	ng	0.00
7) Phenol-d6	6.07	99	1084342	129.60	ng	-0.01
23) Nitrobenzene-d5	6.97	82	703784	93.62	ng	-0.02
41) 2,4,6-Tribromophenol	10.22	330	239951	136.84	ng	-0.02
44) 2-Fluorobiphenyl	8.76	172	1109716	84.86	ng	-0.01
78) Terphenyl-d14	12.49	244	1010809	65.13	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080917\
Data File : BF097521.D
Acq On : 9 Aug 2017 17:51
Operator : SJ/JU
Sample : I4636-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SU-03-080417

Quant Time: Aug 09 18:46:30 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 07 16:02:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.40 min Scan# 784
Delta R.T. -0.01 min
Lab File: BF097521.D
Acq: 9 Aug 2017 17:51

Instrument :
BNA_F
ClientSampleId :
SU-03-080417

Tot Ion:152 Resp: 110480
Ion Ratio Lower Upper
152 100
150 158.3 126.2 189.2
115 65.6 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 131.578 ng
RT: 5.01 min Scan# 548
Delta R.T. 0.01 min
Lab File: BF097521.D
Acq: 9 Aug 2017 17:51

Tgt Ion:112 Resp: 964303
Ion Ratio Lower Upper
112 100
64 65.7 46.0 69.0
63 33.9 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.603 ng

RT: 6.07 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF097521.D

Acq: 9 Aug 2017 17:51

Instrument :





BNA_F

ClientSampleId :

SU-03-080417

Tot Ion: 99 Resp: 1084342

Ion	Ratio	Lower	Upper
99	100		
42	24.6	13.5	20.3#
71	34.4	24.5	36.7



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.68 min Scan# 1002




Delta R.T. -0.02 min

Lab File: BF097521.D

Acq: 9 Aug 2017 17:51

Tgt Ion: 136 Resp: 441013

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.5	12.7
54	9.8	4.9	7.3#
68	4.8	4.1	6.1









#23
 Nitrobenzene-d5
 Concen: 93.618 ng
 RT: 6.97 min Scan# 882
 Delta R.T. -0.02 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51




Instrument :
 BNA_F
 ClientSampleId :
 SU-03-080417

Tot Ion: 82 Resp: 703784
 Ion Ratio Lower Upper
 82 100
 128 46.3 34.0 51.0
 54 67.5 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.42 min Scan# 1298
 Delta R.T. -0.02 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51

Tgt Ion:164 Resp: 221929
 Ion Ratio Lower Upper
 164 100
 162 101.4 82.6 123.8
 160 44.4 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 136.845 ng
 RT: 10.22 min Scan# 1433
 Delta R.T. -0.02 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51




Instrument :
 BNA_F
 ClientSampleId :
 SU-03-080417


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	76.6	115.0
141	37.6	31.4	47.2



#44
 2-Fluorobiphenyl
 Concen: 84.860 ng
 RT: 8.76 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.6	44.4
170	24.3	19.8	29.8









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 10.90 min Scan# 1549
 Delta R.T. -0.02 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51

Instrument :
 BNA_F
 ClientSampleId :
 SU-03-080417

Tot Ion:188 Resp: 354942
 Ion Ratio Lower Upper
 188 100
 94 11.1 9.4 14.2
 80 11.5 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.52 min Scan# 1995
 Delta R.T. -0.02 min
 Lab File: BF097521.D
 Acq: 9 Aug 2017 17:51

Tgt Ion:240 Resp: 316442
 Ion Ratio Lower Upper
 240 100
 120 15.4 5.8 8.8#
 236 26.3 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 65.127 ng

RT: 12.49 min Scan# 1819

Delta R.T. -0.01 min

Lab File: BF097521.D

Acq: 9 Aug 2017 17:51

Instrument :

BNA_F

ClientSampleId :

SU-03-080417


Tot Ion:244 Resp: 1010809

Ion Ratio Lower Upper

244 100

212 7.2 6.0 9.0




122 14.4 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 14.86 min Scan# 2223

Delta R.T. -0.01 min

Lab File: BF097521.D

Acq: 9 Aug 2017 17:51


Tgt Ion:264 Resp: 218600

Ion Ratio Lower Upper

264 100

260 23.4 19.5 29.3

265 20.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

