

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080921\
 Data File : BF125003.D
 Acq On : 9 Aug 2021 14:40
 Operator : JU/CG
 Sample : M3293-01DL 10X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 289DL

Manual Integrations
 APPROVED

mohammad
 8/10/2021 4:34:42 PM

Quant Time: Aug 09 15:05:37 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 09 11:03:44 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	6445	20.000	ng	0.00
21) Naphthalene-d8	8.104	136	24877	20.000	ng	# 0.00
39) Acenaphthene-d10	9.857	164	17259	20.000	ng	0.00
64) Phenanthrene-d10	11.345	188	20691	20.000	ng	# 0.00
76) Chrysene-d12	13.980	240	12656	20.000	ng	# 0.00
86) Perylene-d12	15.433	264	14076	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	3423	8.700	ng	-0.01
7) Phenol-d6	6.445	99	4205	8.476	ng	-0.01
23) Nitrobenzene-d5	7.375	82	2982	6.271	ng	-0.02
42) 2,4,6-Tribromophenol	10.645	330	927	6.012	ng	0.00
45) 2-Fluorobiphenyl	9.175	172	5785	4.905	ng	0.00
79) Terphenyl-d14	12.927	244	5265	7.017	ng	0.00
Target Compounds						Qvalue
52) Acenaphthene	9.892	154	4405	4.675	ng	92
55) Dibenzofuran	10.063	168	4046	2.748	ng	97
58) Fluorene	10.404	166	4732	4.191	ng	# 85
71) Phenanthrene	11.374	178	35305	31.455	ng	97
72) Anthracene	11.421	178	9684	8.601	ng	98
73) Carbazole	11.574	167	3834	3.713	ng	# 85
75) Fluoranthene	12.563	202	27562	23.737	ng	97
78) Pyrene	12.792	202	21047	21.113	ng	94
81) Benzo(a)anthracene	13.974	228	8680	10.524	ng	97
83) Chrysene	14.009	228	7124	8.935	ng	97
87) Indeno(1,2,3-cd)pyrene	16.880	276	4142	4.941	ng	# 83
88) Benzo(b)fluoranthene	15.015	252	8817m	8.921	ng	
89) Benzo(k)fluoranthene	15.039	252	3339m	3.714	ng	
90) Benzo(a)pyrene	15.374	252	6065	7.206	ng	95
92) Benzo(g,h,i)perylene	17.315	276	3652	5.166	ng	# 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080921\
Data File : BF125003.D
Acq On : 9 Aug 2021 14:40
Operator : JU/CG
Sample : M3293-01DL 10X
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
289DL

Manual Integrations
APPROVED

mohammad
8/10/2021 4:34:42 PM


Quant Time: Aug 09 15:05:37 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 09 11:03:44 2021
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:152 Resp: 6445
Ion Ratio Lower Upper
152 100
150 154.0 117.6 176.4
115 65.1 47.1 70.7

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM






#5
2-Fluorophenol
Concen: 8.700 ng
RT: 5.428 min Scan# 568
Delta R.T. -0.012 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40



Tgt Ion:112 Resp: 3423
Ion Ratio Lower Upper
112 100
64 65.4 44.2 66.2
63 36.3 26.2 39.2







Abundance Scan 745 (6.469 min): BF124934.D\data.ms (-73




#7
Phenol-d6
Concen: 8.476 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.012 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40

Tgt Ion:	99	Resp:	4205
Ion	Ratio	Lower	Upper
99	100		
42	28.8	23.5	35.3
71	33.3	25.6	38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.104 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40


Tgt Ion:	136	Resp:	24877
Ion	Ratio	Lower	Upper
136	100		
137	9.5	9.8	14.6#
54	7.4	6.4	9.6
68	5.3	3.3	4.9#



Instrument :
BNA_F
ClientSampled :
289DL

Manual Integrations
APPROVED

mohammad
8/10/2021 4:34:42 PM







#23
Nitrobenzene-d5
Concen: 6.271 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.018 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40

Instrument :
BNA_F
ClientSampled :
289DL

Tgt Ion: 82 Resp: 2982
Ion Ratio Lower Upper
82 100
128 33.6 40.6 60.8#
54 54.0 49.6 74.4




Manual Integrations
APPROVED


mohammad
8/10/2021 4:34:42 PM



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.857 min Scan# 1321
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40


Tgt Ion:164 Resp: 17259
Ion Ratio Lower Upper
164 100
162 93.7 81.3 121.9
160 41.5 38.0 57.0





#42
2,4,6-Tribromophenol
Concen: 6.012 ng
RT: 10.645 min Scan# 1455
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion: 330 Resp: 927
Ion Ratio Lower Upper
330 100
332 92.1 76.2 114.4
141 84.0 44.6 66.8#

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#45
2-Fluorobiphenyl
Concen: 4.905 ng
RT: 9.175 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Tgt Ion: 172 Resp: 5785
Ion Ratio Lower Upper
172 100
171 37.8 26.5 39.7
170 24.9 18.8 28.2





#52
Acenaphthene
Concen: 4.675 ng
RT: 9.892 min Scan# 1327
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:154 Resp: 4405
Ion Ratio Lower Upper
154 100
153 101.3 89.4 134.2
152 47.8 40.5 60.7

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#55
Dibenzofuran
Concen: 2.748 ng
RT: 10.063 min Scan# 1356
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Tgt Ion:168 Resp: 4046
Ion Ratio Lower Upper
168 100
139 39.1 32.7 49.1
169 15.7 11.2 16.8





#58
Fluorene
Concen: 4.191 ng
RT: 10.404 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:166 Resp: 4732
Ion Ratio Lower Upper
166 100
165 113.6 78.1 117.1
167 17.9 11.1 16.7#

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.345 min Scan# 1574
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Tgt Ion:188 Resp: 20691
Ion Ratio Lower Upper
188 100
94 9.9 6.7 10.1
80 11.8 7.5 11.3#





#71
Phenanthrene
Concen: 31.455 ng
RT: 11.374 min Scan# 1579
Delta R.T. 0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL



Tgt Ion:178 Resp: 35305
Ion Ratio Lower Upper
178 100
176 18.7 14.7 22.1
179 16.8 11.5 17.3




Manual Integrations
APPROVED


mohammad
8/10/2021 4:34:42 PM



#72
Anthracene
Concen: 8.601 ng
RT: 11.421 min Scan# 1587
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40


Tgt Ion:178 Resp: 9684
Ion Ratio Lower Upper
178 100
176 17.1 14.3 21.5
179 15.9 12.2 18.4





#73
 Carbazole
 Concen: 3.713 ng
 RT: 11.574 min Scan# 1613
 Delta R.T. -0.006 min
 Lab File: BF125003.D
 Acq: 9 Aug 2021 14:40




Instrument :
 BNA_F
 ClientSampled :
 289DL




Tgt Ion:	167	Resp:	3834
Ion Ratio	Lower	Upper	
167	100		
166	27.8	17.4	26.0#
139	21.5	11.0	16.4#

Manual Integrations
 APPROVED



mohammad
 8/10/2021 4:34:42 PM




#75
 Fluoranthene
 Concen: 23.737 ng
 RT: 12.563 min Scan# 1781
 Delta R.T. 0.006 min
 Lab File: BF125003.D
 Acq: 9 Aug 2021 14:40




Tgt Ion:	202	Resp:	27562
Ion Ratio	Lower	Upper	
202	100		
101	9.3	0.0	30.7
203	17.2	0.0	36.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.980 min Scan# 2022
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:240 Resp: 12656
Ion Ratio Lower Upper
240 100
120 9.7 10.8 16.2#
236 26.9 21.6 32.4

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#78
Pyrene
Concen: 21.113 ng
RT: 12.792 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Tgt Ion:202 Resp: 21047
Ion Ratio Lower Upper
202 100
200 21.5 15.3 22.9
203 19.4 13.4 20.0





#79
Terphenyl-d14
Concen: 7.017 ng
RT: 12.927 min Scan# 1843
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:244 Resp: 5265
Ion Ratio Lower Upper
244 100
212 7.8 5.9 8.9
122 10.1 9.0 13.4

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#81
Benzo(a)anthracene
Concen: 10.524 ng
RT: 13.974 min Scan# 2021
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40



Tgt Ion:228 Resp: 8680
Ion Ratio Lower Upper
228 100
226 24.7 21.6 32.4
229 20.3 15.6 23.4









#83
Chrysene
Concen: 8.935 ng
RT: 14.009 min Scan# 2027
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40

Instrument :
BNA_F
ClientSampled :
289DL

Tgt Ion:228 Resp: 7124
Ion Ratio Lower Upper
228 100
226 29.0 22.6 34.0
229 22.8 15.9 23.9




Manual Integrations
APPROVED


mohammad
8/10/2021 4:34:42 PM



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.433 min Scan# 2269
Delta R.T. -0.006 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40


Tgt Ion:264 Resp: 14076
Ion Ratio Lower Upper
264 100
260 23.5 19.6 29.4
265 18.4 17.2 25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.941 ng
RT: 16.880 min Scan# 2515
Delta R.T. -0.012 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40




Instrument :
BNA_F
ClientSampled :
289DL




Tgt Ion:276 Resp: 4142
Ion Ratio Lower Upper
276 100
138 16.8 24.1 36.1#
277 19.9 18.8 28.2

Manual Integrations
APPROVED



mohammad
8/10/2021 4:34:42 PM




#88
Benzo(b)fluoranthene
Concen: 8.921 ng m
RT: 15.015 min Scan# 2198
Delta R.T. 0.000 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40



Tgt Ion:252 Resp: 8817
Ion Ratio Lower Upper
252 100
253 23.5 16.8 25.2
125 11.5 9.8 14.8





#89

Benzo(k)fluoranthene

Concen: 3.714 ng m

RT: 15.039 min Scan# 2202

Delta R.T. -0.006 min

Lab File: BF125003.D

Acq: 9 Aug 2021 14:40

Tgt Ion:	252	Resp:	3339
Ion Ratio	Lower	Upper	
252	100		
253	21.1	17.8	26.8
125	12.1	7.2	10.8#

Instrument :





BNA_F

ClientSampled :

289DL

Manual Integrations
APPROVED

mohammad
8/10/2021 4:34:42 PM



#90

Benzo(a)pyrene

Concen: 7.206 ng




RT: 15.374 min Scan# 2259


Delta R.T. 0.000 min

Lab File: BF125003.D

Acq: 9 Aug 2021 14:40


Tgt Ion:	252	Resp:	6065
Ion Ratio	Lower	Upper	
252	100		
253	25.3	18.4	27.6
125	14.7	9.9	14.9





#92
Benzo(g,h,i)perylene
Concen: 5.166 ng
RT: 17.315 min Scan# 2589
Delta R.T. -0.012 min
Lab File: BF125003.D
Acq: 9 Aug 2021 14:40

Instrument :
BNA_F
ClientSampleId :
289DL



Tgt Ion:	276	Resp:	3652
Ion Ratio	Lower	Upper	
276	100		
277	23.1	22.0	33.0
138	36.3	22.2	33.4#

Manual Integrations
APPROVED

mohammad
8/10/2021 4:34:42 PM

