

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081017\
 Data File : BF097580.D
 Acq On : 11 Aug 2017 1:34
 Operator : SJ/JU
 Sample : I4697-02 5X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NYSEG-PH4-ESMI-1B

Manual Integrations
 APPROVED

sohil
 8/14/2017 6:35:33 PM

Quant Time: Aug 11 07:06:47 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 07 16:02:51 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.39	152	119166	20.00	ng	-0.02
21) Naphthalene-d8	7.67	136	448713	20.00	ng	-0.02
38) Acenaphthene-d10	9.42	164	170675	20.00	ng	-0.02
63) Phenanthrene-d10	10.89	188	223142	20.00	ng	-0.02
75) Chrysene-d12	13.53	240	177863	20.00	ng	-0.01
86) Perylene-d12	14.87	264	188055	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.00	112	142170	17.98	ng	0.00
7) Phenol-d6	6.07	99	195478	21.66	ng	-0.01
23) Nitrobenzene-d5	6.97	82	105130	13.74	ng	-0.02
41) 2,4,6-Tribromophenol	10.21	330	19228	14.26	ng	-0.02
44) 2-Fluorobiphenyl	8.75	172	139622	13.88	ng	-0.02
78) Terphenyl-d14	12.47	244	66666	7.64	ng	-0.02
Target Compounds						Qvalue
31) Naphthalene	7.69	128	352834	16.681	ng	99
37) 2-Methylnaphthalene	8.39	142	73183	5.465	ng	97
45) 1,1'-Biphenyl	8.85	154	48355	3.317	ng	98
48) Acenaphthylene	9.28	152	256416	15.572	ng	98
49) Dimethylphthalate	9.16	163	41542	3.205	ng	97
51) Acenaphthene	9.45	154	140700	14.506	ng	96
54) Dibenzofuran	9.62	168	234398	18.143	ng	99
57) Fluorene	9.96	166	245754	25.309	ng	98
70) Phenanthrene	10.92	178	1168433	97.727	ng	99
71) Anthracene	10.97	178	524441	42.827	ng	99
72) Carbazole	11.14	167	92390	7.672	ng	99
74) Fluoranthene	12.11	202	1363516	116.413	ng	99
77) Pvrene	12.33	202	1215083	83.447	ng	99
80) Benzo(a)anthracene	13.52	228	732449m	63.644	ng	
82) Chrysene	13.55	228	565398	50.313	ng	97
85) Indeno(1,2,3-cd)pyrene	16.06	276	247512	25.686	ng	91
87) Benzo(b)fluoranthene	14.52	252	653637m	57.821	ng	
88) Benzo(k)fluoranthene	14.54	252	292996m	27.200	ng	
89) Benzo(a)pvrene	14.82	252	561563	54.278	ng	98
90) Dibenzo(a,h)anthracene	16.05	278	47556m	5.605	ng	
91) Benzo(q,h,i)perylene	16.40	276	206606	23.221	ng	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA F\DATA\BF081017\
Data File : BF097580.D
Acq On : 11 Aug 2017 1:34
Operator : SJ/JU
Sample : I4697-02 5X
Misc :
ALS Vial : 22 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM

Quant Time: Aug 11 07:06:47 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 07 16:02:51 2017
Response via : Initial Calibration





#1





1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.39 min Scan# 800
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.7	126.2	189.2
115	62.9	52.2	78.2

Manual Integrations
APPROVED




sohil
8/14/2017 6:35:33 PM




#5

2-Fluorophenol
Concen: 17.985 ng
RT: 5.00 min Scan# 563
Delta R.T. -0.01 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.9	46.0	69.0
63	30.3	23.4	35.0





#7

Phenol-d6

Concen: 21.661 ng

RT: 6.07 min Scan# 746

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F

ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion: 99 Resp: 195478

Ion Ratio Lower Upper

99 100





42 22.9 13.5 20.3#

71 30.2 24.5 36.7

Manual Integrations
APPROVED

sohil

8/14/2017 6:35:33 PM



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.67 min Scan# 1018

Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tgt Ion: 136 Resp: 448713




Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 10.2 4.9 7.3#

68 6.0 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 13.745 ng
 RT: 6.97 min Scan# 898
 Delta R.T. -0.02 min
 Lab File: BF097580.D
 Acq: 11 Aug 2017 1:34

Instrument :
 BNA_F
 ClientSampleID :
 NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
82	100		
128	43.2	34.0	51.0
54	68.1	42.2	63.2




Manual Integrations
 APPROVED


sohil
 8/14/2017 6:35:33 PM



#31
 Naphthalene
 Concen: 16.681 ng
 RT: 7.69 min Scan# 1021
 Delta R.T. -0.02 min
 Lab File: BF097580.D
 Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.0	13.6
127	13.2	10.8	16.2









#37
2-Methylnaphthalene
Concen: 5.465 ng
RT: 8.39 min Scan# 1139
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
142	100		
141	87.2	71.3	106.9
115	31.4	27.1	40.7




Manual Integrations
APPROVED


sohil
8/14/2017 6:35:33 PM



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.42 min Scan# 1314
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.3	82.6	123.8
160	46.3	36.2	54.2





#41

2,4,6-Tribromophenol

Concen: 14.259 ng

RT: 10.21 min Scan# 1449

Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F


ClientSampleId :

NYSEG-PH4-ESMI-1B




Tot Ion:	330	Resp:	19228
Ion Ratio	Lower	Upper	
330	100		
332	96.3	76.6	115.0
141	51.5	31.4	47.2#

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 13.883 ng

RT: 8.75 min Scan# 1201




Delta R.T. -0.02 min


Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tgt Ion:	172	Resp:	139622
Ion Ratio	Lower	Upper	
172	100		
171	35.5	29.6	44.4
170	23.1	19.8	29.8

Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#45
1,1'-Biphenyl
Concen: 3.317 ng
RT: 8.85 min Scan# 1218
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B




Tot Ion	Ratio	Lower	Upper
154	100		
153	41.0	21.2	61.2
76	14.1	0.0	29.9

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM




Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 76.00 (75.70 to 76.70): BF0






#48
Acenaphthylene
Concen: 15.572 ng
RT: 9.28 min Scan# 1291
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.8	25.2
153	13.7	10.8	16.2



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E








#49
Dimethylphthalate
Concen: 3.205 ng
RT: 9.16 min Scan# 1270
Delta R.T. -0.03 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Resp	Lower	Upper
163	100			
194	3.4	2.6	4.0	
164	8.9	8.4	12.6	




Manual Integrations
APPROVED


sohil
8/14/2017 6:35:33 PM



#51
Acenaphthene
Concen: 14.506 ng
RT: 9.45 min Scan# 1320
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Resp	Lower	Upper
154	100			
153	117.2	90.5	135.7	
152	56.6	43.6	65.4	









#54
Dibenzofuran
Concen: 18.143 ng
RT: 9.62 min Scan# 1349
Delta R.T. -0.02 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Resp	Lower	Upper
168	100	234398		
139	38.8	30.6	45.8	
169	13.5	10.8	16.2	




Manual Integrations
APPROVED


sohil
8/14/2017 6:35:33 PM



#57
Fluorene
Concen: 25.309 ng
RT: 9.96 min Scan# 1407
Delta R.T. -0.03 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Resp	Lower	Upper
166	100	245754		
165	100.6	78.8	118.2	
167	14.4	10.6	16.0	





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 10.89 min Scan# 1565

Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F





ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion:188	Resp: 223142
Ion Ratio	Lower Upper
188 100	
94 12.5	9.4 14.2
80 13.4	10.2 15.2

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM



#70

Phenanthrene

Concen: 97.727 ng




RT: 10.92 min Scan# 1570


Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tgt Ion:178	Resp: 1168433
Ion Ratio	Lower Upper
178 100	
176 19.8	16.2 24.4
179 15.4	12.6 19.0





#71

Anthracene

Concen: 42.827 ng

RT: 10.97 min Scan# 1578

Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F


ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.8	23.8
179	16.2	12.7	19.1

Manual Integrations
APPROVED




sohil
8/14/2017 6:35:33 PM



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Carbazole

Concen: 7.672 ng

RT: 11.14 min Scan# 1607

Delta R.T. -0.01 min

Lab File: BF097580.D




Acq: 11 Aug 2017 1:34


Tgt Ion	Ratio	Lower	Upper
167	100		
166	22.3	18.1	27.1
139	13.9	11.7	17.5

Abundance Ion 167.00 (166.70 to 167.70): E

Ion 166.00 (165.70 to 166.70): E

Ion 139.00 (138.70 to 139.70): E





#74

Fluoranthene

Concen: 116.413 ng

RT: 12.11 min Scan# 1772

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F





ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion:	202	Resp:	1363516
Ion Ratio	Lower	Upper	
202	100		
101	13.0	0.0	33.2
203	17.7	0.0	38.1

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM



#75

Chrysene-d12

Concen: 20.000 ng




RT: 13.53 min Scan# 2013


Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tgt Ion:	240	Resp:	177863
Ion Ratio	Lower	Upper	
240	100		
120	14.6	5.8	8.8#
236	26.1	20.5	30.7





#77

Pvrene

Concen: 83.447 ng

RT: 12.33 min Scan# 1810

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F

ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion:202 Resp: 1215083

Ion Ratio Lower Upper

202 100

200 22.7 17.6 26.4


203 18.1 14.4 21.6

Manual Integrations

APPROVED

sohil




8/14/2017 6:35:33 PM



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 7.642 ng

RT: 12.47 min Scan# 1834

Delta R.T. -0.02 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34


Tgt Ion:244 Resp: 66666

Ion Ratio Lower Upper

244 100

212 6.8 6.0 9.0



122 14.6 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#80
Benzo(a)anthracene
Concen: 63.644 ng m
RT: 13.52 min Scan# 2011
Delta R.T. -0.01 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
228	100		
226	37.5	22.6	33.8#
229	21.7	16.3	24.5




Manual Integrations
APPROVED


sohil
8/14/2017 6:35:33 PM



#82
Chrysene
Concen: 50.313 ng
RT: 13.55 min Scan# 2017
Delta R.T. -0.01 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
228	100		
226	31.8	24.9	37.3
229	22.8	15.8	23.6





#85

Indeno(1,2,3-cd)pyrene

Concen: 25.686 ng

RT: 16.06 min Scan# 2443

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F


ClientSampleId :

NYSEG-PH4-ESMI-1B




Tot Ion:	276	Resp:	247512
Ion Ratio	Lower	Upper	
276	100		
138	29.1	27.8	41.6
277	21.4	20.2	30.4

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E



#86

Perylene-d12

Concen: 20.000 ng


RT: 14.87 min Scan# 2241

Delta R.T. 0.00 min



Lab File: BF097580.D


Acq: 11 Aug 2017 1:34

Tgt Ion:	264	Resp:	188055
Ion Ratio	Lower	Upper	
264	100		
260	23.6	19.5	29.3
265	22.6	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E





#87

Benzo(b)fluoranthene

Concen: 57.821 ng m

RT: 14.52 min Scan# 2182

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Instrument :

BNA_F





ClientSampleId :

NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
252	100		
253	23.2	18.1	27.1
125	16.0	9.8	14.8

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM



#88

Benzo(k)fluoranthene

Concen: 27.200 ng m




RT: 14.54 min Scan# 2185


Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
252	100		
253	22.0	18.4	27.6
125	14.7	13.1	19.7









#89
Benzo(a)pyrene
Concen: 54.278 ng
RT: 14.82 min Scan# 2233
Delta R.T. 0.00 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Instrument :
BNA_F
ClientSampleId :
NYSEG-PH4-ESMI-1B

Tot Ion	Ratio	Lower	Upper
252	100		
253	22.7	17.5	26.3
125	14.8	11.0	16.4




Manual Integrations
APPROVED




sohil
8/14/2017 6:35:33 PM



#90
Dibenzo(a,h)anthracene
Concen: 5.605 ng m
RT: 16.05 min Scan# 2442
Delta R.T. -0.01 min
Lab File: BF097580.D
Acq: 11 Aug 2017 1:34

Tgt Ion	Ratio	Lower	Upper
278	100		
139	0.0	16.6	24.8#
279	27.0	19.3	28.9





#91

Benzo(a,h,i)perylene

Concen: 23.221 ng

RT: 16.40 min Scan# 2502

Delta R.T. -0.01 min

Lab File: BF097580.D

Acq: 11 Aug 2017 1:34

Tot Ion	Ion	Ratio	Resp	Lower	Upper
276	100				
277	25.7	18.6	28.0		
138	36.0	25.4	38.0		

Instrument :

BNA_F

ClientSampleId :

NYSEG-PH4-ESMI-1B

Manual Integrations
APPROVED

sohil
8/14/2017 6:35:33 PM

