

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081122\
 Data File : BF129723.D
 Acq On : 11 Aug 2022 19:29
 Operator : CG\JU
 Sample : N4130-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB02

Quant Time: Aug 12 00:02:08 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 11 23:50:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	151188	20.000	ng	-0.01
21) Naphthalene-d8	8.110	136	618471	20.000	ng	-0.01
39) Acenaphthene-d10	9.869	164	328781	20.000	ng	-0.01
64) Phenanthrene-d10	11.357	188	559071	20.000	ng	#-0.01
76) Chrysene-d12	14.004	240	263665	20.000	ng	#-0.02
86) Perylene-d12	15.480	264	292138	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	1115156	120.154	ng	0.01
7) Phenol-d6	6.486	99	1398691	119.898	ng	0.00
23) Nitrobenzene-d5	7.398	82	894723	78.972	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	329920	104.373	ng	-0.01
45) 2-Fluorobiphenyl	9.186	172	1631567	76.767	ng	-0.01
79) Terphenyl-d14	12.945	244	1480490	105.932	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081122\
Data File : BF129723.D
Acq On : 11 Aug 2022 19:29
Operator : CG\JU
Sample : N4130-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB02

Quant Time: Aug 12 00:02:08 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 11 23:50:03 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.828 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29




Instrument :
BNA_F
ClientSampleId :
SB02


Tgt Ion:152 Resp: 151188
Ion Ratio Lower Upper
152 100
150 158.7 123.7 185.5
115 65.6 49.9 74.9



#5
2-Fluorophenol
Concen: 120.154 ng
RT: 5.481 min Scan# 543
Delta R.T. 0.011 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29

Tgt Ion:112 Resp: 1115156
Ion Ratio Lower Upper
112 100
64 57.5 53.3 79.9
63 30.1 28.0 42.0









#7
Phenol-d6
Concen: 119.898 ng
RT: 6.486 min Scan# 719
Delta R.T. -0.006 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29




Instrument :
BNA_F
ClientSampleId :
SB02


Tgt Ion: 99 Resp: 1398691
Ion Ratio Lower Upper
99 100
42 18.1 17.3 25.9
71 35.7 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.110 min Scan# 990
Delta R.T. -0.012 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29

Tgt Ion: 136 Resp: 618471
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 8.3 7.5 11.3
68 5.9 4.7 7.1









#23
Nitrobenzene-d5
Concen: 78.972 ng
RT: 7.398 min Scan# 80
Delta R.T. -0.012 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29




Instrument :
BNA_F
ClientSampleId :
SB02


Tgt Ion: 82 Resp: 894723
Ion Ratio Lower Upper
82 100
128 44.1 34.0 51.0
54 50.6 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1289
Delta R.T. -0.012 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29

Tgt Ion: 164 Resp: 328781
Ion Ratio Lower Upper
164 100
162 101.4 79.5 119.3
160 43.7 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 104.373 ng

RT: 10.663 min Scan# 1434

Delta R.T. -0.012 min

Lab File: BF129723.D

Acq: 11 Aug 2022 19:29

Instrument :

BNA_F

ClientSampleId :

SB02





Tgt Ion:330 Resp: 329920

Ion Ratio Lower Upper

330 100

332 103.2 76.8 115.2

141 34.9 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 76.767 ng

RT: 9.186 min Scan# 1173

Delta R.T. -0.012 min

Lab File: BF129723.D

Acq: 11 Aug 2022 19:29




Tgt Ion:172 Resp: 1631567


Ion Ratio Lower Upper

172 100

171 35.5 28.8 43.2

170 23.3 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.357 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29




Instrument :
BNA_F
ClientSampleId :
SB02


Tgt Ion:188 Resp: 559071
Ion Ratio Lower Upper
188 100
94 10.8 7.0 10.6#
80 10.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.004 min Scan# 1992
Delta R.T. -0.018 min
Lab File: BF129723.D
Acq: 11 Aug 2022 19:29

Tgt Ion:240 Resp: 263665
Ion Ratio Lower Upper
240 100
120 13.5 8.9 13.3#
236 25.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 105.932 ng
 RT: 12.945 min Scan# 1812
 Delta R.T. -0.012 min
 Lab File: BF129723.D
 Acq: 11 Aug 2022 19:29

Instrument :
 BNA_F
 ClientSampleId :
 SB02

Tgt Ion:244 Resp: 1480490
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 12.9 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.480 min Scan# 2243
 Delta R.T. -0.012 min
 Lab File: BF129723.D
 Acq: 11 Aug 2022 19:29

Tgt Ion:264 Resp: 292138
 Ion Ratio Lower Upper
 264 100
 260 24.4 18.4 27.6
 265 21.2 17.2 25.8

