

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081217\
 Data File : BF097651.D
 Acq On : 13 Aug 2017 00:13
 Operator : SJ/JU
 Sample : I4649-04 5X
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-14(0-10)COMP

Quant Time: Aug 14 07:13:55 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 15:55:57 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	125271	20.00	ng	0.00
21) Naphthalene-d8	9.53	136	459432	20.00	ng	0.00
38) Acenaphthene-d10	12.36	164	181524	20.00	ng	-0.01
63) Phenanthrene-d10	14.76	188	255183	20.00	ng	0.00
75) Chrysene-d12	18.45	240	197724	20.00	ng	-0.01
86) Perylene-d12	20.12	264	190803	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	103018	13.07	ng	0.07
7) Phenol-d6	7.12	99	136255	13.94	ng	0.06
23) Nitrobenzene-d5	8.43	82	60004	8.19	ng	0.01
41) 2,4,6-Tribromophenol	13.67	330	13681	9.91	ng	0.00
44) 2-Fluorobiphenyl	11.31	172	116182	9.66	ng	-0.01
78) Terphenyl-d14	17.10	244	60088	6.29	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081217\
Data File : BF097651.D
Acq On : 13 Aug 2017 00:13
Operator : SJ/JU
Sample : I4649-04 5X
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-14(0-10)COMP

Quant Time: Aug 14 07:13:55 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 15:55:57 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.50 min Scan# 989
Delta R.T. -0.01 min
Lab File: BF097651.D
Acq: 13 Aug 2017 00:13

Instrument :
BNA_F
ClientSampleId :
B-14(0-10)COMP

Tot Ion:152 Resp: 125271
Ion Ratio Lower Upper
152 100
150 155.6 126.2 189.2
115 64.0 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 13.071 ng
RT: 5.47 min Scan# 644
Delta R.T. 0.07 min
Lab File: BF097651.D
Acq: 13 Aug 2017 00:13

Tgt Ion:112 Resp: 103018
Ion Ratio Lower Upper
112 100
64 66.2 46.0 69.0
63 33.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 13.937 ng

RT: 7.12 min Scan# 924

Delta R.T. 0.06 min

Lab File: BF097651.D

Acq: 13 Aug 2017 00:13

Instrument :





BNA_F

ClientSampleId :

B-14(0-10)COMP

Tot Ion: 99 Resp: 136255

Ion	Ratio	Lower	Upper
99	100		
42	23.7	13.5	20.3#
71	28.7	24.5	36.7



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 9.53 min Scan# 1334




Delta R.T. -0.01 min


Lab File: BF097651.D

Acq: 13 Aug 2017 00:13

Tgt Ion: 136 Resp: 459432

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.5	12.7
54	10.4	4.9	7.3#
68	5.7	4.1	6.1









#23
 Nitrobenzene-d5
 Concen: 8.190 ng
 RT: 8.43 min Scan# 1147
 Delta R.T. 0.01 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13




Instrument :
 BNA_F
 ClientSampleId :
 B-14(0-10)COMP


Tot Ion: 82 Resp: 60004
 Ion Ratio Lower Upper
 82 100
 128 42.1 34.0 51.0
 54 65.8 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 12.36 min Scan# 1814
 Delta R.T. -0.01 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13

Tgt Ion:164 Resp: 181524
 Ion Ratio Lower Upper
 164 100
 162 104.3 82.6 123.8
 160 46.4 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 9.914 ng
 RT: 13.67 min Scan# 2037
 Delta R.T. 0.01 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13

Instrument :
 BNA_F
 ClientSampleId :
 B-14(0-10)COMP

Tot Ion:330 Resp: 13681
 Ion Ratio Lower Upper
 330 100
 332 103.7 76.6 115.0
 141 43.9 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 9.659 ng
 RT: 11.31 min Scan# 1636
 Delta R.T. -0.01 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13

Tgt Ion:172 Resp: 116182
 Ion Ratio Lower Upper
 172 100
 171 33.8 29.6 44.4
 170 23.6 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 14.76 min Scan# 2222
Delta R.T. -0.01 min
Lab File: BF097651.D
Acq: 13 Aug 2017 00:13




Instrument :
BNA_F
ClientSampleId :
B-14(0-10)COMP


Tot Ion:188 Resp: 255183
Ion Ratio Lower Upper
188 100
94 10.2 9.4 14.2
80 11.1 10.2 15.2



#75
Chrysene-d12
Concen: 20.000 ng
RT: 18.45 min Scan# 2850
Delta R.T. -0.01 min
Lab File: BF097651.D
Acq: 13 Aug 2017 00:13

Tgt Ion:240 Resp: 197724
Ion Ratio Lower Upper
240 100
120 16.6 5.8 8.8#
236 25.1 20.5 30.7









#78
 Terphenyl-d14
 Concen: 6.290 ng
 RT: 17.10 min Scan# 2621
 Delta R.T. -0.02 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13

Instrument :
 BNA_F
 ClientSampleId :
 B-14(0-10)COMP

Tot Ion:244 Resp: 60088
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 17.6 10.3 15.5#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 20.12 min Scan# 3134
 Delta R.T. -0.01 min
 Lab File: BF097651.D
 Acq: 13 Aug 2017 00:13

Tgt Ion:264 Resp: 190803
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.5 29.3
 265 21.3 17.2 25.8

