

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
 Data File : BF143362.D
 Acq On : 12 Aug 2025 19:32
 Operator : RC/JU
 Sample : Q2830-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BIN0009-DRIVEWAY-TP-WESTSIDE

Quant Time: Aug 13 01:01:02 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 12 13:25:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	148277	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	559429	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	289577	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	434333	20.000	ng	0.00
76) Chrysene-d12	14.086	240	367974	20.000	ng	0.00
86) Perylene-d12	15.574	264	418007	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	975862	113.808	ng	0.00
7) Phenol-d6	6.557	99	1258832	114.483	ng	0.00
23) Nitrobenzene-d5	7.486	82	781549	86.999	ng	0.00
42) 2,4,6-Tribromophenol	10.751	330	311566	147.223	ng	0.00
45) 2-Fluorobiphenyl	9.280	172	1376768	80.623	ng	0.00
79) Terphenyl-d14	13.033	244	1356864	65.832	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.062	149	6860	4.691	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143362.D
Acq On : 12 Aug 2025 19:32
Operator : RC/JU
Sample : Q2830-05
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BIN0009-DRIVEWAY-TP-WESTSIDE

Quant Time: Aug 13 01:01:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 806
Delta R.T. -0.006 min
Lab File: BF143362.D
Acq: 12 Aug 2025 19:32




Instrument :
BNA_F
ClientSampleId :
BIN0009-DRIVEWAY-TP-WESTSIDE


Tgt Ion:152 Resp: 148277
Ion Ratio Lower Upper
152 100
150 156.6 129.8 194.8
115 59.7 47.8 71.8



#5
2-Fluorophenol
Concen: 113.808 ng
RT: 5.563 min Scan# 573
Delta R.T. -0.000 min
Lab File: BF143362.D
Acq: 12 Aug 2025 19:32

Tgt Ion:112 Resp: 975862
Ion Ratio Lower Upper
112 100
64 66.4 52.1 78.1
63 33.9 26.6 39.8









#7
Phenol-d6
Concen: 114.483 ng
RT: 6.557 min Scan# 743
Delta R.T. -0.006 min
Lab File: BF143362.D
Acq: 12 Aug 2025 19:32




Instrument :
BNA_F
ClientSampleId :
BIN0009-DRIVEWAY-TP-WESTSIDE


Tgt Ion: 99 Resp: 1258832
Ion Ratio Lower Upper
99 100
42 21.1 16.6 25.0
71 33.1 26.2 39.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143362.D
Acq: 12 Aug 2025 19:32

Tgt Ion: 136 Resp: 559429
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.1 8.4 12.6
68 6.9 5.9 8.9





#23

Nitrobenzene-d5

Concen: 86.999 ng

RT: 7.486 min Scan# 901

Delta R.T. -0.006 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32

Instrument :

BNA_F

ClientSampleId :

BIN0009-DRIVEWAY-TP-WESTSIDE





Tgt Ion: 82 Resp: 781549

Ion Ratio Lower Upper

82 100

128 43.2 33.5 50.3

54 58.5 46.7 70.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.963 min Scan# 1321

Delta R.T. -0.006 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32




Tgt Ion:164 Resp: 289577


Ion Ratio Lower Upper

164 100

162 99.5 78.6 118.0

160 44.1 34.4 51.6









#42
 2,4,6-Tribromophenol
 Concen: 147.223 ng
 RT: 10.751 min Scan# 1456
 Delta R.T. -0.006 min
 Lab File: BF143362.D
 Acq: 12 Aug 2025 19:32




Instrument :
 BNA_F
 ClientSampleId :
 BIN0009-DRIVEWAY-TP-WESTSIDE


Tgt Ion:330 Resp: 311566
 Ion Ratio Lower Upper
 330 100
 332 94.8 78.1 117.1
 141 29.5 25.4 38.0



#45
 2-Fluorobiphenyl
 Concen: 80.623 ng
 RT: 9.280 min Scan# 1205
 Delta R.T. -0.006 min
 Lab File: BF143362.D
 Acq: 12 Aug 2025 19:32

Tgt Ion:172 Resp: 1376768
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.4 42.6
 170 23.7 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.451 min Scan# 1

Delta R.T. -0.000 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32

Instrument :

BNA_F

ClientSampleId :

BIN0009-DRIVEWAY-TP-WESTSIDE





Tgt Ion:188 Resp: 434333

Ion Ratio Lower Upper

188 100

94 10.5 8.8 13.2

80 11.2 9.7 14.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.086 min Scan# 2022

Delta R.T. -0.006 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32




Tgt Ion:240 Resp: 367974


Ion Ratio Lower Upper

240 100

120 11.5 9.0 13.6

236 25.6 19.9 29.9





#79

Terphenyl-d14

Concen: 65.832 ng

RT: 13.033 min Scan# 1843

Delta R.T. -0.000 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32

Instrument :

BNA_F

ClientSampleId :

BIN0009-DRIVEWAY-TP-WESTSIDE





Tgt Ion:244 Resp: 1356864

Ion Ratio Lower Upper

244 100

212 6.3 5.1 7.7

122 10.7 8.9 13.3



#84

Bis(2-ethylhexyl)phthalate

Concen: 4.691 ng

RT: 14.062 min Scan# 2018

Delta R.T. -0.001 min

Lab File: BF143362.D

Acq: 12 Aug 2025 19:32




Tgt Ion:149 Resp: 6860


Ion Ratio Lower Upper

149 100

167 29.2 21.4 32.0

279 4.0 3.2 4.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.574 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BF143362.D
 Acq: 12 Aug 2025 19:32

Instrument :
 BNA_F
 ClientSampleId :
 BIN0009-DRIVEWAY-TP-WESTSIDE

Tgt Ion:264 Resp: 418007
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.7 28.1
 265 21.4 17.2 25.8

