

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF081318\
 Data File : BF108132.D
 Acq On : 13 Aug 2018 22:32
 Operator : JU/SJ
 Sample : J4443-01
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SALEM-RD-SP

Quant Time: Aug 14 02:19:08 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 08 12:24:24 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.02	152	193259	20.00	ng	0.01
21) Naphthalene-d8	8.31	136	678527	20.00	ng	0.00
38) Acenaphthene-d10	10.07	164	305720	20.00	ng	0.00
63) Phenanthrene-d10	11.57	188	557926	20.00	ng	0.01
75) Chrysene-d12	14.23	240	444954	20.00	ng	0.01
86) Perylene-d12	15.81	264	286088	20.00	ng	0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	1133444	106.18	ng	0.02
7) Phenol-d6	6.64	99	1477910	104.19	ng	0.01
23) Nitrobenzene-d5	7.58	82	931185	76.58	ng	0.00
41) 2,4,6-Tribromophenol	10.87	330	317681	104.18	ng	0.00
44) 2-Fluorobiphenyl	9.38	172	1503272	78.94	ng	0.00
78) Terphenyl-d14	13.16	244	1461826	83.53	ng	0.01
Target Compounds						
49) Dimethylphthalate	9.77	163	138320	6.495	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF081318\
Data File : BF108132.D
Acq On : 13 Aug 2018 22:32
Operator : JU/SJ
Sample : J4443-01
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SALEM-RD-SP

Quant Time: Aug 14 02:19:08 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 08 12:24:24 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.02 min Scan# 797
Delta R.T. 0.01 min
Lab File: BF108132.D
Acq: 13 Aug 2018 22:32

Instrument :
BNA_F
ClientSampleId :
SALEM-RD-SP

Tgt Ion:152 Resp: 193259
Ion Ratio Lower Upper
152 100
150 151.9 124.6 186.8
115 57.4 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.181 ng
RT: 5.65 min Scan# 563
Delta R.T. 0.02 min
Lab File: BF108132.D
Acq: 13 Aug 2018 22:32

Tgt Ion:112 Resp: 1133444
Ion Ratio Lower Upper
112 100
64 71.6 47.9 71.9
63 38.4 23.7 35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 104.187 ng

RT: 6.64 min Scan# 732

Delta R.T. 0.01 min

Lab File: BF108132.D

Acq: 13 Aug 2018 22:32

Instrument :


BNA_F

ClientSampleId :




SALEM-RD-SP

Tgt Ion: 99 Resp: 1477910

Ion	Ratio	Lower	Upper
99	100		
42	23.7	14.5	21.7#
71	37.2	25.4	38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.31 min Scan# 1015


Delta R.T. 0.01 min

Lab File: BF108132.D



Acq: 13 Aug 2018 22:32


Tgt Ion: 136 Resp: 678527

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	10.3	6.6	9.8#
68	6.6	5.0	7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 76.580 ng
 RT: 7.58 min Scan# 892
 Delta R.T. 0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Instrument :
 BNA_F
 ClientSampleId :
 SALEM-RD-SP

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.7	36.1	54.1
54	59.8	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.07 min Scan# 1315
 Delta R.T. 0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.1	86.1	129.1
160	47.0	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 104.175 ng
 RT: 10.87 min Scan# 1450
 Delta R.T. 0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Instrument :
 BNA_F
 ClientSampleId :
 SALEM-RD-SP

Tgt Ion: 330 Resp: 317681
 Ion Ratio Lower Upper
 330 100
 332 95.9 77.0 115.6
 141 32.8 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.943 ng
 RT: 9.38 min Scan# 1198
 Delta R.T. 0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Tgt Ion: 172 Resp: 1503272
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.7 44.5
 170 24.8 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
 Dimethylphthalate
 Concen: 6.495 ng
 RT: 9.77 min Scan# 1264
 Delta R.T. -0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Instrument :
 BNA_F
 ClientSampleId :
 SALEM-RD-SP

Tgt Ion:163 Resp: 138320
 Ion Ratio Lower Upper
 163 100
 194 3.9 2.7 4.1
 164 9.9 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E






#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.57 min Scan# 1570
 Delta R.T. 0.01 min
 Lab File: BF108132.D
 Acq: 13 Aug 2018 22:32

Tgt Ion:188 Resp: 557926
 Ion Ratio Lower Upper
 188 100
 94 9.4 8.5 12.7
 80 10.4 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.23 min Scan# 2022

Delta R.T. 0.01 min

Lab File: BF108132.D

Acq: 13 Aug 2018 22:32

Instrument :

BNA_F

ClientSampleId :

SALEM-RD-SP


Tgt Ion:240 Resp: 444954

Ion Ratio Lower Upper

240 100

120 9.7 9.5 14.3




236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 83.532 ng

RT: 13.16 min Scan# 1840

Delta R.T. 0.01 min

Lab File: BF108132.D

Acq: 13 Aug 2018 22:32


Tgt Ion:244 Resp: 1461826

Ion Ratio Lower Upper

244 100

212 7.7 5.4 8.0



122 10.9 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.81 min Scan# 2290
Delta R.T. 0.03 min
Lab File: BF108132.D
Acq: 13 Aug 2018 22:32

Instrument :
BNA_F
ClientSampleId :
SALEM-RD-SP

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.2	28.8
265	22.3	17.5	26.3

