

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081424\
 Data File : BF138989.D
 Acq On : 14 Aug 2024 12:32
 Operator : RC/JU
 Sample : PB162577BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB162577BL

Quant Time: Aug 14 13:13:53 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 17:50:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	37702	20.000	ng	-0.01
21) Naphthalene-d8	8.116	136	157691	20.000	ng	-0.01
39) Acenaphthene-d10	9.869	164	89172	20.000	ng	-0.01
64) Phenanthrene-d10	11.357	188	168032	20.000	ng	-0.01
76) Chrysene-d12	13.998	240	92406	20.000	ng	# 0.00
86) Perylene-d12	15.462	264	75422	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	299051	122.442	ng	0.00
7) Phenol-d6	6.481	99	391711	119.455	ng	0.00
23) Nitrobenzene-d5	7.398	82	258667	80.198	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	87667	120.020	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	479801	80.844	ng	-0.02
79) Terphenyl-d14	12.939	244	555897	100.721	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081424\
Data File : BF138989.D
Acq On : 14 Aug 2024 12:32
Operator : RC/JU
Sample : PB162577BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB162577BL


Quant Time: Aug 14 13:13:53 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 17:50:01 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 808
Delta R.T. -0.011 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32

Instrument :
BNA_F
ClientSampleId :
PB162577BL






Tgt Ion:152 Resp: 37702
Ion Ratio Lower Upper
152 100
150 160.8 126.0 189.0
115 69.0 51.7 77.5



#5
2-Fluorophenol
Concen: 122.442 ng
RT: 5.475 min Scan# 575
Delta R.T. 0.006 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32

Tgt Ion:112 Resp: 299051
Ion Ratio Lower Upper
112 100
64 69.4 54.2 81.4
63 40.0 28.7 43.1








#7
Phenol-d6
Concen: 119.455 ng
RT: 6.481 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32




Instrument :
BNA_F
ClientSampleId :
PB162577BL

Tgt Ion: 99 Resp: 391711
Ion Ratio Lower Upper
99 100
42 25.1 17.4 26.0
71 39.7 28.1 42.1



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 1024
Delta R.T. -0.012 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32

Tgt Ion: 136 Resp: 157691
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 9.9 8.6 12.8
68 5.1 4.8 7.2





#23

Nitrobenzene-d5

Concen: 80.198 ng

RT: 7.398 min Scan# 904

Delta R.T. -0.012 min

Lab File: BF138989.D

Acq: 14 Aug 2024 12:32

Instrument :

BNA_F

ClientSampleId :

PB162577BL





Tgt Ion: 82 Resp: 258667

Ion Ratio Lower Upper

82 100

128 40.3 32.8 49.2

54 64.2 48.3 72.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.869 min Scan# 1322

Delta R.T. -0.011 min

Lab File: BF138989.D

Acq: 14 Aug 2024 12:32




Tgt Ion: 164 Resp: 89172


Ion Ratio Lower Upper

164 100

162 100.6 79.4 119.0


160 43.8 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 120.020 ng
RT: 10.663 min Scan# 1458
Delta R.T. -0.006 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32


Instrument :
BNA_F
ClientSampleId :
PB162577BL





Tgt Ion:330 Resp: 87667
Ion Ratio Lower Upper
330 100
332 99.6 76.4 114.6
141 43.3 31.1 46.7



#45
2-Fluorobiphenyl
Concen: 80.844 ng
RT: 9.186 min Scan# 1206
Delta R.T. -0.018 min
Lab File: BF138989.D
Acq: 14 Aug 2024 12:32



Tgt Ion:172 Resp: 479801
Ion Ratio Lower Upper
172 100
171 36.0 28.3 42.5
170 23.4 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.357 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF138989.D

Acq: 14 Aug 2024 12:32

Instrument :

BNA_F

ClientSampleId :

PB162577BL





Tgt Ion:188 Resp: 168032

Ion Ratio Lower Upper

188 100

94 8.6 7.6 11.4

80 9.1 8.6 12.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.998 min Scan# 2024

Delta R.T. -0.006 min

Lab File: BF138989.D

Acq: 14 Aug 2024 12:32




Tgt Ion:240 Resp: 92406

Ion Ratio Lower Upper

240 100

120 9.8 10.2 15.4#


236 25.7 19.8 29.8







#79
 Terphenyl-d14
 Concen: 100.721 ng
 RT: 12.939 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF138989.D
 Acq: 14 Aug 2024 12:32


Instrument :
 BNA_F
 ClientSampleId :
 PB162577BL



Tgt Ion:244 Resp: 555897
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.4 8.2
 122 11.0 9.6 14.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.462 min Scan# 2273
 Delta R.T. -0.006 min
 Lab File: BF138989.D
 Acq: 14 Aug 2024 12:32



Tgt Ion:264 Resp: 75422
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.0 28.6
 265 21.0 17.0 25.6

