

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081424\
 Data File : BF139003.D
 Acq On : 14 Aug 2024 19:46
 Operator : RC/JU
 Sample : P3476-05RE
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MUL06RE

Quant Time: Aug 15 01:12:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 17:50:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	30464	20.000	ng	-0.01
21) Naphthalene-d8	8.116	136	138299	20.000	ng	-0.01
39) Acenaphthene-d10	9.869	164	51885	20.000	ng	-0.01
64) Phenanthrene-d10	11.357	188	95379	20.000	ng	-0.01
76) Chrysene-d12	13.998	240	63161	20.000	ng	0.00
86) Perylene-d12	15.463	264	47717	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	118723	60.159	ng	0.00
7) Phenol-d6	6.492	99	90975	34.335	ng	0.00
23) Nitrobenzene-d5	7.404	82	221124	78.172	ng	0.00
42) 2,4,6-Tribromophenol	10.663	330	62022	145.931	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	305681	88.520	ng	-0.02
79) Terphenyl-d14	12.939	244	406711	107.811	ng	0.00
Target Compounds						
						Qvalue
10) Phenol	6.504	94	13106	4.698	ng	91
15) Benzyl Alcohol	6.992	79	67760	35.482	ng	95
20) 3+4-Methylphenols	7.263	107	29583	13.448	ng	# 48
22) Acetophenone	7.245	105	17003	5.021	ng	# 94
32) Benzoic acid	7.922	122	35499	30.479	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081424\
Data File : BF139003.D
Acq On : 14 Aug 2024 19:46
Operator : RC/JU
Sample : P3476-05RE
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MUL06RE

Quant Time: Aug 15 01:12:32 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 17:50:01 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.834 min Scan# 80
Delta R.T. -0.011 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46




Instrument :
BNA_F
ClientSampleId :
MUL06RE


Tgt Ion:152 Resp: 30464
Ion Ratio Lower Upper
152 100
150 163.7 126.0 189.0
115 70.9 51.7 77.5



#5
2-Fluorophenol
Concen: 60.159 ng
RT: 5.475 min Scan# 575
Delta R.T. 0.006 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46

Tgt Ion:112 Resp: 118723
Ion Ratio Lower Upper
112 100
64 72.0 54.2 81.4
63 40.9 28.7 43.1





#7

Phenol-d6

Concen: 34.335 ng

RT: 6.492 min Scan# 74

Delta R.T. 0.006 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46

Instrument :

BNA_F

ClientSampleId :

MUL06RE





Tgt Ion: 99 Resp: 90975

Ion Ratio Lower Upper

99 100

42 25.8 17.4 26.0

71 39.8 28.1 42.1



#10

Phenol

Concen: 4.698 ng

RT: 6.504 min Scan# 750

Delta R.T. 0.006 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46




Tgt Ion: 94 Resp: 13106


Ion Ratio Lower Upper

94 100

65 39.1 16.9 56.9

66 66.0 36.5 76.5









#15
Benzyl Alcohol
Concen: 35.482 ng
RT: 6.992 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46




Instrument :
BNA_F
ClientSampleId :
MUL06RE


Tgt Ion: 79 Resp: 67760
Ion Ratio Lower Upper
79 100
108 64.6 56.6 85.0
77 64.1 50.3 75.5



#20
3+4-Methylphenols
Concen: 13.448 ng
RT: 7.263 min Scan# 879
Delta R.T. 0.006 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46


Tgt Ion: 107 Resp: 29583
Ion Ratio Lower Upper
107 100
108 74.9 68.2 108.2
77 45.2 132.1 172.1#
79 29.8 11.5 51.5








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 1024
Delta R.T. -0.012 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46


Instrument :
BNA_F
ClientSampleId :
MUL06RE





Tgt Ion:	136	Resp:	138299
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.9	13.3
54	10.7	8.6	12.8
68	5.4	4.8	7.2




#22
Acetophenone
Concen: 5.021 ng
RT: 7.245 min Scan# 876
Delta R.T. -0.012 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46



Tgt Ion:	105	Resp:	17003
Ion	Ratio	Lower	Upper
105	100		
71	4.8	7.2	10.8#
51	40.8	35.9	53.9
120	20.7	17.6	26.4





#23

Nitrobenzene-d5

Concen: 78.172 ng

RT: 7.404 min Scan# 904

Delta R.T. -0.006 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46

Instrument :

BNA_F

ClientSampleId :

MUL06RE





Tgt Ion: 82 Resp: 221124

Ion Ratio Lower Upper

82 100

128 39.5 32.8 49.2

54 63.6 48.3 72.5



#32

Benzoic acid

Concen: 30.479 ng

RT: 7.922 min Scan# 991

Delta R.T. 0.018 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46




Tgt Ion:122 Resp: 35499


Ion Ratio Lower Upper

122 100

105 124.7 106.7 146.7

77 104.5 81.1 121.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 11
Delta R.T. -0.011 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46




Instrument :
BNA_F
ClientSampleId :
MUL06RE


Tgt Ion:164 Resp: 51885
Ion Ratio Lower Upper
164 100
162 98.4 79.4 119.0
160 44.2 35.1 52.7



#42
2,4,6-Tribromophenol
Concen: 145.931 ng
RT: 10.663 min Scan# 1457
Delta R.T. -0.006 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46

Tgt Ion:330 Resp: 62022
Ion Ratio Lower Upper
330 100
332 97.5 76.4 114.6
141 41.1 31.1 46.7





#45

2-Fluorobiphenyl

Concen: 88.520 ng

RT: 9.186 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46

Instrument :

BNA_F

ClientSampleId :

MUL06RE





Tgt Ion:172 Resp: 305681

Ion Ratio Lower Upper

172 100

171 35.7 28.3 42.5

170 23.7 18.8 28.2



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.357 min Scan# 1575

Delta R.T. -0.012 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46




Tgt Ion:188 Resp: 95379


Ion Ratio Lower Upper

188 100

94 10.3 7.6 11.4

80 11.0 8.6 12.8





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.998 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46

Instrument :

BNA_F

ClientSampleId :

MUL06RE





Tgt Ion:240 Resp: 63161

Ion Ratio Lower Upper

240 100

120 10.3 10.2 15.4

236 25.3 19.8 29.8



#79

Terphenyl-d14

Concen: 107.811 ng

RT: 12.939 min Scan# 1844

Delta R.T. -0.006 min

Lab File: BF139003.D

Acq: 14 Aug 2024 19:46




Tgt Ion:244 Resp: 406711


Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.2


122 10.8 9.6 14.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.463 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF139003.D
Acq: 14 Aug 2024 19:46

Instrument :
BNA_F
ClientSampleId :
MUL06RE



Tgt Ion:264 Resp: 47717

Ion	Ratio	Lower	Upper
264	100		
260	25.9	19.0	28.6
265	22.7	17.0	25.6

