

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081519\
 Data File : BF116286.D
 Acq On : 15 Aug 2019 18:56
 Operator : HP/JU
 Sample : K4333-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 16 03:10:04 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	115410	20.00	ng	-0.03
21) Naphthalene-d8	8.10	136	463882	20.00	ng	-0.03
39) Acenaphthene-d10	9.85	164	254243	20.00	ng	-0.04
64) Phenanthrene-d10	11.34	188	444643	20.00	ng	-0.03
76) Chrysene-d12	13.99	240	286294	20.00	ng	-0.02
87) Perylene-d12	15.44	264	313666	20.00	ng	-0.03


System Monitoring Compounds

5) 2-Fluorophenol	5.50	112	391151	56.74	ng	0.03
7) Phenol-d6	6.49	99	320348	36.83	ng	0.00
23) Nitrobenzene-d5	7.39	82	695246	86.51	ng	-0.03
42) 2,4,6-Tribromophenol	10.66	330	323659	131.30	ng	-0.02
45) 2-Fluorobiphenyl	9.17	172	1203981	88.70	ng	-0.03
79) Terphenyl-d14	12.93	244	1313510	96.68	ng	-0.02

Target Compounds

						Qvalue
10) Phenol	6.50	94	107274	10.473	ng	92
15) Benzyl Alcohol	6.97	79	256687	38.887	ng	98
19) n-Nitroso-di-n-propylamine	7.32	70	61255	11.365	ng	# 34
20) 3+4-Methylphenols	7.25	107	180909	23.683	ng	# 60
25) Isophorone	7.39	82	693412	45.124	ng	# 65
27) 2,4-Dimethylphenol	7.79	122	12537	2.037	ng	87
28) bis(2-Chloroethoxy)methane	7.84	93	72795	7.643	ng	# 1
29) 2,4-Dichlorophenol	8.01	162	16406	2.525	ng	# 73
32) Benzoic acid	8.04	122	403026	92.892	ng	96
43) 2,4,6-Trichlorophenol	9.10	196	12909	2.759	ng	98
44) 2,4,5-Trichlorophenol	9.10	196	12909	2.669	ng	# 77
48) 2-Nitroaniline	9.35	65	167274	33.875	ng	# 12
50) Dimethylphthalate	9.57	163	158630	9.163	ng	# 79
53) 3-Nitroaniline	9.82	138	24657	5.304	ng	# 1
54) 2,4-Dinitrophenol	9.94	184	366	7.985	ng	# 1
63) Azobenzene	10.54	77	35436	2.132	ng	# 67
67) 4-Bromophenyl-phenylether	10.65	248	19849	4.170	ng	# 1
70) Pentachlorophenol	11.17	266	7477	2.798	ng	93
73) Carbazole	11.59	167	77602	3.718	ng	98
74) Di-n-butylphthalate	12.16	149	1034445	42.487	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 804
Delta R.T. -0.03 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 115410
Ion Ratio Lower Upper
152 100
150 158.8 126.2 189.2
115 63.6 49.9 74.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 56.738 ng
RT: 5.50 min Scan# 580
Delta R.T. 0.03 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Tgt Ion:112 Resp: 391151
Ion Ratio Lower Upper
112 100
64 58.8 45.4 68.2
63 29.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 36.830 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.01 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 320348

Ion Ratio Lower Upper




99 100

42 17.1 13.8 20.8

71 30.8 27.3 40.9



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 10.473 ng

RT: 6.50 min Scan# 751

Delta R.T. -0.00 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56


Tgt Ion: 94 Resp: 107274

Ion Ratio Lower Upper



94 100


65 46.9 16.8 56.8

66 52.9 34.2 74.2



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#15

Benzyl Alcohol

Concen: 38.887 ng

RT: 6.97 min Scan# 831

Delta R.T. -0.02 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 79 Resp: 256687

Ion Ratio Lower Upper

79 100

108 75.6 62.7 94.1

77 66.2 52.2 78.2



#19

n-Nitroso-di-n-propylamine

Concen: 11.365 ng

RT: 7.32 min Scan# 890

Delta R.T. 0.05 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Tgt Ion: 70 Resp: 61255




Ion Ratio Lower Upper


70 100

42 95.3 40.9 61.3#

101 57.0 7.9 11.9#

130 0.0 16.9 25.3#





#20

3+4-Methylphenols

Concen: 23.683 ng

RT: 7.25 min Scan# 877

Delta R.T. -0.01 min

Lab File: BF116286.D


Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampleId :

Tot Ion:	107	Resp:	180909
Ion	Ratio	Lower	Upper
107	100		
108	87.7	67.6	107.6
77	37.6	104.4	144.4#
79	27.1	7.4	47.4






Abundance

Ion 107.00 (106.70 to 107.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BF1

Ion 79.00 (78.70 to 79.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng


RT: 8.10 min Scan# 1022

Delta R.T. -0.03 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Tgt Ion:	136	Resp:	463882
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.4
54	7.0	5.8	8.6
68	6.3	5.2	7.8





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 86.513 ng
RT: 7.39 min Scan# 901
Delta R.T. -0.03 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56




Instrument :
BNA_F
ClientSampled :


Tot Ion: 82 Resp: 695246
Ion Ratio Lower Upper
82 100
128 47.6 36.5 54.7
54 44.1 36.0 54.0



#25
Isophorone
Concen: 45.124 ng
RT: 7.39 min Scan# 901
Delta R.T. -0.29 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Tgt Ion: 82 Resp: 693412
Ion Ratio Lower Upper
82 100
95 0.1 5.4 8.0#
138 0.0 14.5 21.7#









#27
 2,4-Dimethylphenol
 Concen: 2.037 ng
 RT: 7.79 min Scan# 969
 Delta R.T. -0.00 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:122 Resp: 12537
 Ion Ratio Lower Upper
 122 100
 107 102.8 93.0 139.6
 121 48.5 47.6 71.4




Abundance Ion 122.00 (121.70 to 122.70): E
 Ion 107.00 (106.70 to 107.70): E
 Ion 121.00 (120.70 to 121.70): E






#28
 bis(2-Chloroethoxy)methane
 Concen: 7.643 ng
 RT: 7.84 min Scan# 978
 Delta R.T. -0.04 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Tgt Ion: 93 Resp: 72795
 Ion Ratio Lower Upper
 93 100
 95 159.6 26.2 39.4#
 123 10.8 9.2 13.8



Abundance Ion 93.00 (92.70 to 93.70): BF1
 Ion 95.00 (94.70 to 95.70): BF1
 Ion 123.00 (122.70 to 123.70): E









#29
2,4-Dichlorophenol
Concen: 2.525 ng
RT: 8.01 min Scan# 1007
Delta R.T. 0.02 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
162	100		
164	65.6	45.1	85.1
98	80.3	15.8	55.8




Abundance Ion 162.00 (161.70 to 162.70): E
Ion 164.00 (163.70 to 164.70): E
Ion 98.00 (97.70 to 98.70): BF1






#32
Benzoic acid
Concen: 92.892 ng
RT: 8.04 min Scan# 1012
Delta R.T. 0.09 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Tgt Ion	Ratio	Lower	Upper
122	100		
105	123.8	106.1	146.1
77	102.2	76.7	116.7



Abundance Ion 122.00 (121.70 to 122.70): E
Ion 105.00 (104.70 to 105.70): E
Ion 77.00 (76.70 to 77.70): BF1









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.04 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
164	100		
162	101.5	82.6	124.0
160	45.4	37.6	56.4




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 131.304 ng
 RT: 10.66 min Scan# 1457
 Delta R.T. -0.02 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.6	76.8	115.2
141	31.7	26.3	39.5



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#43
 2,4,6-Trichlorophenol
 Concen: 2.759 ng
 RT: 9.10 min Scan# 1193
 Delta R.T. -0.02 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	196	Resp	12909
Ion Ratio	Lower	Upper	
196	100		
198	101.4	79.2	118.8
200	32.2	25.2	37.8






Abundance

Ion 196.00 (195.70 to 196.70): E

Ion 198.00 (197.70 to 198.70): E

Ion 200.00 (199.70 to 200.70): E



#44
 2,4,5-Trichlorophenol
 Concen: 2.669 ng
 RT: 9.10 min Scan# 1193
 Delta R.T. -0.06 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Tgt Ion	196	Resp	12909
Ion Ratio	Lower	Upper	
196	100		
198	101.4	78.8	118.2
97	88.5	42.2	63.4#
132	51.7	24.0	36.0#




Abundance


Ion 196.00 (195.70 to 196.70): E

Ion 198.00 (197.70 to 198.70): E

Ion 97.00 (96.70 to 97.70): BF1

Ion 132.00 (131.70 to 132.70): E









#45
2-Fluorobiphenyl
Concen: 88.700 ng
RT: 9.17 min Scan# 1205
Delta R.T. -0.03 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 1203981
Ion Ratio Lower Upper
172 100
171 35.9 29.6 44.4
170 24.6 20.1 30.1



#48
2-Nitroaniline
Concen: 33.875 ng
RT: 9.35 min Scan# 1235
Delta R.T. -0.08 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Tgt Ion: 65 Resp: 167274
Ion Ratio Lower Upper
65 100
92 19.2 57.8 86.8#
138 5.2 94.0 141.0#









#50
Dimethylphthalate
Concen: 9.163 ng
RT: 9.57 min Scan# 1272
Delta R.T. -0.04 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.6	3.0	4.6
164	21.1	8.4	12.6#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#53
3-Nitroaniline
Concen: 5.304 ng
RT: 9.82 min Scan# 1315
Delta R.T. -0.02 min
Lab File: BF116286.D
Acq: 15 Aug 2019 18:56

Tgt Ion	Ratio	Lower	Upper
138	100		
108	516.5	8.0	12.0#
92	22.7	91.0	136.6#



Abundance Ion 138.00 (137.70 to 138.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 92.00 (91.70 to 92.70): BF1





#54

2,4-Dinitrophenol

Concen: 7.985 ng

RT: 9.94 min Scan# 1335

Delta R.T. -0.02 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion:184 Resp: 366

Ion Ratio Lower Upper




184 100

63 500.7 53.0 79.4#

154 293.6 50.1 75.1#



Abundance Ion 184.00 (183.70 to 184.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 154.00 (153.70 to 154.70): E



#63

Azobenzene

Concen: 2.132 ng

RT: 10.54 min Scan# 1437

Delta R.T. -0.04 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Tgt Ion: 77 Resp: 35436


Ion Ratio Lower Upper

77 100



182 13.7 4.0 44.0


105 61.0 2.0 42.0#

51 25.5 7.5 47.5



Abundance Ion 77.00 (76.70 to 77.70): BF1
Ion 182.00 (181.70 to 182.70): E
Ion 105.00 (104.70 to 105.70): E
Ion 51.00 (50.70 to 51.70): BF1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.34 min Scan# 1573

Delta R.T. -0.03 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion:188 Resp: 444643

Ion Ratio Lower Upper

188 100

94 11.2 8.1 12.1




80 12.2 8.7 13.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#67

4-Bromophenyl-phenylether

Concen: 4.170 ng

RT: 10.65 min Scan# 1456

Delta R.T. -0.26 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56


Tgt Ion:248 Resp: 19849

Ion Ratio Lower Upper

248 100

250 201.0 77.4 116.2#



141 528.3 56.8 85.2#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#70
 Pentachlorophenol
 Concen: 2.798 ng
 RT: 11.17 min Scan# 1544
 Delta R.T. -0.01 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:266 Resp: 7477
 Ion Ratio Lower Upper
 266 100
 268 67.1 48.8 73.2
 264 67.6 50.6 76.0




Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 268.00 (267.70 to 268.70): E
 Ion 264.00 (263.70 to 264.70): E






#73
 Carbazole
 Concen: 3.718 ng
 RT: 11.59 min Scan# 1615
 Delta R.T. -0.01 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Tgt Ion:167 Resp: 77602
 Ion Ratio Lower Upper
 167 100
 166 21.9 17.8 26.6
 139 16.3 11.4 17.0



Abundance Ion 167.00 (166.70 to 167.70): E
 Ion 166.00 (165.70 to 166.70): E
 Ion 139.00 (138.70 to 139.70): E





#74

Di-n-butylphthalate

Concen: 42.487 ng

RT: 12.16 min Scan# 1712

Delta R.T. 0.24 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion:149 Resp: 1034445

Ion Ratio Lower Upper

149 100

150 11.9 8.0 12.0




104 5.5 4.5 6.7



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.99 min Scan# 2023

Delta R.T. -0.02 min

Lab File: BF116286.D

Acq: 15 Aug 2019 18:56


Tgt Ion:240 Resp: 286294

Ion Ratio Lower Upper

240 100

120 12.0 10.7 16.1



236 26.6 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 96.676 ng
 RT: 12.93 min Scan# 1843
 Delta R.T. -0.02 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 1313510
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.8
 122 10.7 9.0 13.4



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.44 min Scan# 2271
 Delta R.T. -0.03 min
 Lab File: BF116286.D
 Acq: 15 Aug 2019 18:56

Tgt Ion:264 Resp: 313666
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.7 29.5
 265 22.1 17.4 26.0

