

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081617\
 Data File : BF097783.D
 Acq On : 17 Aug 2017 12:24
 Operator : SJ/JU
 Sample : I4797-06 10X
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 17 14:58:49 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 15 13:25:08 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.78	152	151535	20.00	ng	0.00
21) Naphthalene-d8	8.06	136	562973	20.00	ng	0.00
38) Acenaphthene-d10	9.82	164	226095	20.00	ng	0.00
63) Phenanthrene-d10	11.30	188	340217	20.00	ng	0.00
75) Chrysene-d12	13.93	240	315962	20.00	ng	0.00
86) Perylene-d12	15.36	264	257346	20.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.37	112	102143	10.25	ng	-0.01
7) Phenol-d6	6.40	99	134492	9.94	ng	-0.01
23) Nitrobenzene-d5	7.33	82	77964	7.52	ng	-0.02
41) 2,4,6-Tribromophenol	10.60	330	14038	7.16	ng	-0.01
44) 2-Fluorobiphenyl	9.14	172	126496	8.22	ng	0.00
78) Terphenyl-d14	12.88	244	73331	4.84	ng	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
25) Isophorone	7.33	82	77868	3.614	ng	# 67
32) Benzoic acid	7.85	122	1471	6.599	ng	# 23
50) 2,6-Dinitrotoluene	9.82	165	30345	9.198	ng	# 34
56) 2,4-Dinitrotoluene	9.82	165	30346	7.330	ng	# 33
70) Phenanthrene	11.32	178	85449	4.713	ng	98
74) Fluoranthene	12.50	202	125742	6.645	ng	98
77) Pyrene	12.73	202	127623	4.939	ng	98
80) Benzo(a)anthracene	13.92	228	68895	3.638	ng	98
82) Chrysene	13.96	228	63025	3.346	ng	96
85) Indeno(1,2,3-cd)pyrene	16.75	276	36609	2.642	ng	96
87) Benzo(b)fluoranthene	14.95	252	116734	7.196	ng	99
88) Benzo(k)fluoranthene	15.24	252	42650	2.799	ng	97
89) Benzo(a)pyrene	15.30	252	61956	4.314	ng	99
91) Benzo(a,h,i)perylene	17.17	276	36038	2.954	ng	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081617\
Data File : BF097783.D
Acq On : 17 Aug 2017 12:24
Operator : SJ/JU
Sample : I4797-06 10X
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 17 14:58:49 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 15 13:25:08 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.78 min Scan# 798
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 151535
Ion Ratio Lower Upper
152 100
150 153.0 126.2 189.2
115 64.1 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 10.253 ng
RT: 5.37 min Scan# 559
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion:112 Resp: 102143
Ion Ratio Lower Upper
112 100
64 62.0 46.0 69.0
63 31.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 9.936 ng

RT: 6.40 min Scan# 733

Delta R.T. -0.01 min

Lab File: BF097783.D

Acq: 17 Aug 2017 12:24

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 134492

Ion Ratio Lower Upper

99 100

42 14.8 13.5 20.3




71 32.1 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.06 min Scan# 1016

Delta R.T. -0.01 min

Lab File: BF097783.D

Acq: 17 Aug 2017 12:24

Tgt Ion: 136 Resp: 562973


Ion Ratio Lower Upper

136 100

137 11.2 8.5 12.7

54 7.8 4.9 7.3#

68 7.3 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 7.523 ng

RT: 7.33 min Scan# 892

Delta R.T. -0.02 min

Lab File: BF097783.D

Acq: 17 Aug 2017 12:24

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 77964

Ion Ratio Lower Upper

82 100

128 33.1 34.0 51.0#




54 42.7 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#25

Isophorone

Concen: 3.614 ng

RT: 7.33 min Scan# 892

Delta R.T. -0.28 min

Lab File: BF097783.D

Acq: 17 Aug 2017 12:24


Tgt Ion: 82 Resp: 77868

Ion Ratio Lower Upper

82 100

95 0.0 5.3 7.9#



138 0.0 13.1 19.7#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0









#32
Benzoic acid
Concen: 6.599 ng
RT: 7.85 min Scan# 979
Delta R.T. 0.00 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24




Instrument :
BNA_F
ClientSampled :

Tot Ion:122 Resp: 1471
Ion Ratio Lower Upper
122 100
105 0.0 103.3 143.3#
77 59.3 73.7 113.7#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.82 min Scan# 1314
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion:164 Resp: 226095
Ion Ratio Lower Upper
164 100
162 101.8 82.6 123.8
160 46.6 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 7.156 ng
 RT: 10.60 min Scan# 1447
 Delta R.T. -0.01 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 14038
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.6 115.0
 141 46.3 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 8.220 ng
 RT: 9.14 min Scan# 1199
 Delta R.T. -0.01 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24

Tgt Ion:172 Resp: 126496
 Ion Ratio Lower Upper
 172 100
 171 33.8 29.6 44.4
 170 22.8 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 9.198 ng
 RT: 9.82 min Scan# 1314
 Delta R.T. 0.21 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24

Instrument :
 BNA_F
 ClientSampleId :




Tot Ion	Ratio	Lower	Upper
165	100		
63	1.8	34.3	51.5#
89	1.4	37.1	55.7#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56
 2,4-Dinitrotoluene
 Concen: 7.330 ng
 RT: 9.82 min Scan# 1314
 Delta R.T. -0.19 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24




Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.8	25.4	38.0#
89	1.4	46.4	69.6#
182	0.0	1.8	2.6#


Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.30 min Scan# 1566
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 340217
Ion Ratio Lower Upper
188 100
94 11.9 9.4 14.2
80 12.9 10.2 15.2



#70
Phenanthrene
Concen: 4.713 ng
RT: 11.32 min Scan# 1570
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion:178 Resp: 85449
Ion Ratio Lower Upper
178 100
176 19.7 16.2 24.4
179 14.4 12.6 19.0









#74
 Fluoranthene
 Concen: 6.645 ng
 RT: 12.50 min Scan# 1771
 Delta R.T. -0.01 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:	202	Resp:	125742
Ion Ratio	Lower	Upper	
202	100		
101	14.1	0.0	33.2
203	17.0	0.0	38.1



#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.93 min Scan# 2014
 Delta R.T. -0.01 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24

Tgt Ion:	240	Resp:	315962
Ion Ratio	Lower	Upper	
240	100		
120	12.3	5.8	8.8#
236	25.7	20.5	30.7









#77
Pvrene
Concen: 4.939 ng
RT: 12.73 min Scan# 1810
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
202	100		
200	20.7	17.6	26.4
203	17.7	14.4	21.6




Abundance Ion 202.00 (201.70 to 202.70): E
Ion 200.00 (199.70 to 200.70): E
Ion 203.00 (202.70 to 203.70): E






#78
Terphenyl-d14
Concen: 4.840 ng
RT: 12.88 min Scan# 1835
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.6	6.0	9.0
122	13.0	10.3	15.5



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E









#80
Benzo(a)anthracene
Concen: 3.638 ng
RT: 13.92 min Scan# 2012
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24




Instrument :
BNA_F
ClientSampled :


Tot Ion:228 Resp: 68895
Ion Ratio Lower Upper
228 100
226 29.8 22.6 33.8
229 20.3 16.3 24.5



#82
Chrysene
Concen: 3.346 ng
RT: 13.96 min Scan# 2018
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion:228 Resp: 63025
Ion Ratio Lower Upper
228 100
226 29.4 24.9 37.3
229 22.0 15.8 23.6









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 2.642 ng
 RT: 16.75 min Scan# 2493
 Delta R.T. -0.01 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:276 Resp: 36609
 Ion Ratio Lower Upper
 276 100
 138 31.4 27.8 41.6
 277 25.8 20.2 30.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.36 min Scan# 2257
 Delta R.T. 0.00 min
 Lab File: BF097783.D
 Acq: 17 Aug 2017 12:24

Tgt Ion:264 Resp: 257346
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.5 29.3
 265 21.6 17.2 25.8









#87
Benzo(b)fluoranthene
Concen: 7.196 ng
RT: 14.95 min Scan# 2187
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
252	100		
253	22.4	18.1	27.1
125	12.6	9.8	14.8



#88
Benzo(k)fluoranthene
Concen: 2.799 ng
RT: 15.24 min Scan# 2237
Delta R.T. 0.26 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion	Ratio	Lower	Upper
252	100		
253	23.6	18.4	27.6
125	18.4	13.1	19.7









#89
Benzo(a)pyrene
Concen: 4.314 ng
RT: 15.30 min Scan# 2246
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Instrument :
BNA_F
ClientSampleId :

Tot Ion:252 Resp: 61956
Ion Ratio Lower Upper
252 100
253 22.7 17.5 26.3
125 13.7 11.0 16.4



#91
Benzo(g,h,i)perylene
Concen: 2.954 ng
RT: 17.17 min Scan# 2565
Delta R.T. -0.01 min
Lab File: BF097783.D
Acq: 17 Aug 2017 12:24

Tgt Ion:276 Resp: 36038
Ion Ratio Lower Upper
276 100
277 27.9 18.6 28.0
138 26.3 25.4 38.0

