

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081717\
 Data File : BF097792.D
 Acq On : 17 Aug 2017 18:06
 Operator : SJ/JU
 Sample : I4798-04 2X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-1-6-COMP

Quant Time: Aug 18 03:18:13 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 15 13:25:08 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.77	152	134522	20.00	ng	-0.02
21) Naphthalene-d8	8.06	136	504715	20.00	ng	-0.01
38) Acenaphthene-d10	9.81	164	214662	20.00	ng	-0.01
63) Phenanthrene-d10	11.29	188	373906	20.00	ng	-0.01
75) Chrysene-d12	13.92	240	287053	20.00	ng	-0.02
86) Perylene-d12	15.36	264	252111	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.00	112	0	0.00	ng	
7) Phenol-d6	0.00	99	0	0.00	ng	
23) Nitrobenzene-d5	0.00	82	0	0.00	ng	
41) 2,4,6-Tribromophenol	0.00	330	0	0.00	ng	
44) 2-Fluorobiphenyl	0.00	172	0	0.00	ng	
78) Terphenyl-d14	12.87	244	2118	0.15	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.53	163	50734	3.233	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081717\
Data File : BF097792.D
Acq On : 17 Aug 2017 18:06
Operator : SJ/JU
Sample : I4798-04 2X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DRUM-1-6-COMP

Quant Time: Aug 18 03:18:13 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 15 13:25:08 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.77 min Scan# 796
 Delta R.T. -0.02 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06

Instrument :
 BNA_F
 ClientSampleId :
 DRUM-1-6-COMP

Tot Ion:152 Resp: 134522
 Ion Ratio Lower Upper
 152 100
 150 157.6 126.2 189.2
 115 70.5 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 0.000 ng
 Expected RT: 5.39 min

Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06

Tgt Ion: 112
 Sig Exp Ratio
 112 100
 64 57.5
 63 29.2







#7
 Phenol-d6
 Concen: 0.000 ng
 Expected RT: 6.41 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06




Instrument :
 BNA_F
 ClientSampleId :
 DRUM-1-6-COMP


Tot Ion: 99
 Sig Exp Ratio
 99 100
 42 16.9
 71 30.6



#21
 Naphthalene-d8
 Concen: 20.000 ng
 RT: 8.06 min Scan# 1015
 Delta R.T. -0.01 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06

Tgt Ion: 136 Resp: 504715
 Ion Ratio Lower Upper
 136 100
 137 10.7 8.5 12.7
 54 7.5 4.9 7.3#
 68 7.2 4.1 6.1#







#23
 Nitrobenzene-d5
 Concen: 0.000 ng
 Expected RT: 7.35 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06




Instrument :
 BNA_F
 ClientSampleId :
 DRUM-1-6-COMP


Tot Ion: 82
 Sig Exp Ratio
 82 100
 128 42.5
 54 52.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.81 min Scan# 1313
 Delta R.T. -0.01 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06

Tgt Ion: 164 Resp: 214662
 Ion Ratio Lower Upper
 164 100
 162 103.4 82.6 123.8
 160 47.2 36.2 54.2







#41
 2,4,6-Tribromophenol
 Concen: 0.000 ng
 Expected RT: 10.61 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06


Instrument :
 BNA_F
 ClientSampleId :
 DRUM-1-6-COMP


Tot Ion: 330
 Sig Exp Ratio
 330 100
 332 95.8
 141 39.3



#44
 2-Fluorobiphenyl
 Concen: 0.000 ng
 Expected RT: 9.15 min
 Lab File: BF097792.D
 Acq: 17 Aug 2017 18:06

Tgt Ion: 172
 Sig Exp Ratio
 172 100
 171 37.0
 170 24.8








#49
Dimethylphthalate
Concen: 3.233 ng
RT: 9.53 min Scan# 1265
Delta R.T. -0.02 min
Lab File: BF097792.D
Acq: 17 Aug 2017 18:06

Instrument :
BNA_F
ClientSampleId :
DRUM-1-6-COMP

Tot Ion:163 Resp: 50734
Ion Ratio Lower Upper
163 100
194 3.5 2.6 4.0
164 10.0 8.4 12.6




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.29 min Scan# 1565
Delta R.T. -0.01 min
Lab File: BF097792.D
Acq: 17 Aug 2017 18:06

Tgt Ion:188 Resp: 373906
Ion Ratio Lower Upper
188 100
94 12.2 9.4 14.2
80 12.3 10.2 15.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.92 min Scan# 2012

Delta R.T. -0.02 min

Lab File: BF097792.D

Acq: 17 Aug 2017 18:06

Instrument :

BNA_F

ClientSampleId :

DRUM-1-6-COMP


Tot Ion:240 Resp: 287053

Ion Ratio Lower Upper

240 100

120 15.3 5.8 8.8#

236 26.6 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



13.92

200000

100000

0

Time-->



#78

Terphenyl-d14

Concen: 0.154 ng

RT: 12.87 min Scan# 1834

Delta R.T. -0.02 min

Lab File: BF097792.D

Acq: 17 Aug 2017 18:06


Tgt Ion:244 Resp: 2118

Ion Ratio Lower Upper

244 100

212 12.8 6.0 9.0#

122 24.5 10.3 15.5#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E


12.87


2000

1000

0

Time-->






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.36 min Scan# 2256
Delta R.T. -0.01 min
Lab File: BF097792.D
Acq: 17 Aug 2017 18:06

Instrument :
BNA_F
ClientSampleId :
DRUM-1-6-COMP

Tot Ion: 264 Resp: 252111

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.5	29.3
265	21.2	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

