

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081718\
 Data File : BF108238.D
 Acq On : 17 Aug 2018 12:47
 Operator : JU/SJ
 Sample : PB112148BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB112148BL

Quant Time: Aug 17 13:30:13 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 08 12:24:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.01	152	195524	20.00	ng	0.00
21) Naphthalene-d8	8.30	136	748340	20.00	ng	0.00
38) Acenaphthene-d10	10.06	164	393337	20.00	ng	0.00
63) Phenanthrene-d10	11.55	188	810658	20.00	ng	0.00
75) Chrysene-d12	14.21	240	703583	20.00	ng	-0.01
86) Perylene-d12	15.77	264	624219	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	1287255	119.19	ng	0.02
7) Phenol-d6	6.64	99	1734224	120.84	ng	0.00
23) Nitrobenzene-d5	7.58	82	1173172	87.48	ng	0.00
41) 2,4,6-Tribromophenol	10.85	330	535077	136.38	ng	0.00
44) 2-Fluorobiphenyl	9.37	172	2147209	87.64	ng	0.00
78) Terphenyl-d14	13.15	244	2418457	87.40	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081718\
Data File : BF108238.D
Acq On : 17 Aug 2018 12:47
Operator : JU/SJ
Sample : PB112148BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB112148BL

Quant Time: Aug 17 13:30:13 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 08 12:24:24 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.01 min Scan# 795
Delta R.T. -0.00 min
Lab File: BF108238.D
Acq: 17 Aug 2018 12:47

Instrument :
BNA_F
ClientSampleId :
PB112148BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.1	124.6	186.8
115	60.1	50.1	75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 119.193 ng
RT: 5.65 min Scan# 564
Delta R.T. 0.02 min
Lab File: BF108238.D
Acq: 17 Aug 2018 12:47

Tgt Ion	Ratio	Lower	Upper
112	100		
64	68.0	47.9	71.9
63	36.7	23.7	35.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 120.840 ng

RT: 6.64 min Scan# 731

Delta R.T. 0.01 min

Lab File: BF108238.D

Acq: 17 Aug 2018 12:47

Instrument :


BNA_F

ClientSampleId :




PB112148BL

Tot Ion: 99 Resp: 1734224

Ion	Ratio	Lower	Upper
99	100		
42	23.8	14.5	21.7#
71	38.3	25.4	38.0#



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.30 min Scan# 1013


Delta R.T. -0.01 min

Lab File: BF108238.D



Acq: 17 Aug 2018 12:47

Tgt Ion: 136 Resp: 748340

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.9	13.3
54	10.7	6.6	9.8#
68	6.5	5.0	7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
 Nitrobenzene-d5
 Concen: 87.480 ng
 RT: 7.58 min Scan# 891
 Delta R.T. -0.00 min
 Lab File: BF108238.D
 Acq: 17 Aug 2018 12:47



Instrument :
 BNA_F
 ClientSampleId :
 PB112148BL

Tot Ion: 82 Resp: 1173172

Ion	Ratio	Lower	Upper
82	100		
128	41.6	36.1	54.1
54	58.2	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.06 min Scan# 1313
 Delta R.T. -0.01 min
 Lab File: BF108238.D
 Acq: 17 Aug 2018 12:47

Tgt Ion: 164 Resp: 393337

Ion	Ratio	Lower	Upper
164	100		
162	103.2	86.1	129.1
160	47.3	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 136.380 ng
 RT: 10.85 min Scan# 1448
 Delta R.T. -0.01 min
 Lab File: BF108238.D
 Acq: 17 Aug 2018 12:47

Instrument :
 BNA_F
 ClientSampleId :
 PB112148BL

Tot Ion:330 Resp: 535077
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.0 115.6
 141 31.9 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.642 ng
 RT: 9.37 min Scan# 1196
 Delta R.T. -0.01 min
 Lab File: BF108238.D
 Acq: 17 Aug 2018 12:47

Tgt Ion:172 Resp: 2147209
 Ion Ratio Lower Upper
 172 100
 171 38.2 29.7 44.5
 170 25.8 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.55 min Scan# 1567

Delta R.T. -0.01 min

Lab File: BF108238.D

Acq: 17 Aug 2018 12:47

Instrument :

BNA_F

ClientSampleId :

PB112148BL


Tot Ion:188 Resp: 810658

Ion Ratio Lower Upper

188 100

94 9.5 8.5 12.7




80 10.6 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.21 min Scan# 2018

Delta R.T. -0.01 min

Lab File: BF108238.D

Acq: 17 Aug 2018 12:47


Tgt Ion:240 Resp: 703583

Ion Ratio Lower Upper

240 100

120 11.5 9.5 14.3



236 26.7 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 87.397 ng

RT: 13.15 min Scan# 1838

Delta R.T. 0.00 min

Lab File: BF108238.D

Acq: 17 Aug 2018 12:47

Instrument :

BNA_F

ClientSampleId :

PB112148BL


Tot Ion:244 Resp: 2418457

Ion Ratio Lower Upper




244 100

212 8.2 5.4 8.0#

122 11.6 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.77 min Scan# 2284

Delta R.T. -0.01 min

Lab File: BF108238.D

Acq: 17 Aug 2018 12:47


Tgt Ion:264 Resp: 624219

Ion Ratio Lower Upper

264 100

260 24.2 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

