

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081719\
 Data File : BF116349.D
 Acq On : 17 Aug 2019 11:36
 Operator : HP/JU
 Sample : K4208-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-03(13-14)

Quant Time: Aug 19 06:35:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	147652	20.00	ng	-0.04
21) Naphthalene-d8	8.09	136	581676	20.00	ng	-0.04
39) Acenaphthene-d10	9.84	164	305546	20.00	ng	-0.05
64) Phenanthrene-d10	11.33	188	535304	20.00	ng	-0.04
76) Chrysene-d12	13.97	240	377208	20.00	ng	-0.04
87) Perylene-d12	15.43	264	355318	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	838024	95.01	ng	-0.03
7) Phenol-d6	6.45	99	1091504	98.09	ng	-0.04
23) Nitrobenzene-d5	7.37	82	712854	70.74	ng	-0.04
42) 2,4,6-Tribromophenol	10.63	330	271403	91.62	ng	-0.04
45) 2-Fluorobiphenyl	9.16	172	1119880	68.65	ng	-0.04
79) Terphenyl-d14	12.90	244	1171241	65.43	ng	-0.05
Target Compounds						
50) Dimethylphthalate	9.56	163	287482	13.818	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081719\
Data File : BF116349.D
Acq On : 17 Aug 2019 11:36
Operator : HP/JU
Sample : K4208-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-03(13-14)

Quant Time: Aug 19 06:35:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.81 min Scan# 803
Delta R.T. -0.04 min
Lab File: BF116349.D
Acq: 17 Aug 2019 11:36

Instrument :
BNA_F
ClientSampleId :
SB-03(13-14)




Tot Ion:152 Resp: 147652
Ion Ratio Lower Upper
152 100
150 159.3 126.2 189.2
115 61.2 49.9 74.9






#5

2-Fluorophenol
Concen: 95.014 ng
RT: 5.44 min Scan# 570
Delta R.T. -0.03 min
Lab File: BF116349.D
Acq: 17 Aug 2019 11:36

Tgt Ion:112 Resp: 838024
Ion Ratio Lower Upper
112 100
64 56.8 45.4 68.2
63 29.2 23.7 35.5





#7

Phenol-d6

Concen: 98.087 ng

RT: 6.45 min Scan# 742

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36

Instrument :

BNA_F

ClientSampleId :

SB-03(13-14)





Tot Ion: 99 Resp: 1091504

Ion Ratio Lower Upper

99 100

42 17.1 13.8 20.8

71 34.7 27.3 40.9



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1020

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36

Tgt Ion: 136 Resp: 581676


Ion Ratio Lower Upper


136 100

137 11.3 9.0 13.4

54 7.3 5.8 8.6

68 6.7 5.2 7.8









#23
 Nitrobenzene-d5
 Concen: 70.741 ng
 RT: 7.37 min Scan# 899
 Delta R.T. -0.04 min
 Lab File: BF116349.D
 Acq: 17 Aug 2019 11:36

Instrument :
 BNA_F
 ClientSampleId :
 SB-03(13-14)

Tot Ion: 82 Resp: 712854
 Ion Ratio Lower Upper
 82 100
 128 46.3 36.5 54.7
 54 44.1 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.84 min Scan# 1318
 Delta R.T. -0.05 min
 Lab File: BF116349.D
 Acq: 17 Aug 2019 11:36

Tgt Ion: 164 Resp: 305546
 Ion Ratio Lower Upper
 164 100
 162 101.0 82.6 124.0
 160 45.7 37.6 56.4



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 91.617 ng

RT: 10.63 min Scan# 1453

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36

Instrument :

BNA_F

ClientSampleId :

SB-03(13-14)


Tot Ion:330 Resp: 271403

Ion Ratio Lower Upper

330 100

332 95.9 76.8 115.2




141 34.4 26.3 39.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 68.651 ng

RT: 9.16 min Scan# 1203

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36


Tgt Ion:172 Resp: 1119880

Ion Ratio Lower Upper

172 100

171 36.4 29.6 44.4



170 24.6 20.1 30.1




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 13.818 ng

RT: 9.56 min Scan# 1270

Delta R.T. -0.05 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36

Instrument :

BNA_F

ClientSampleId :

SB-03(13-14)


Tot Ion:163 Resp: 287482

Ion Ratio Lower Upper

163 100

194 3.6 3.0 4.6




164 10.1 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.33 min Scan# 1571

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36


Tgt Ion:188 Resp: 535304

Ion Ratio Lower Upper

188 100

94 9.6 8.1 12.1



80 10.3 8.7 13.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.97 min Scan# 2020

Delta R.T. -0.04 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36

Instrument :

BNA_F

ClientSampleId :

SB-03(13-14)


Tot Ion:240 Resp: 377208

Ion Ratio Lower Upper

240 100

120 11.7 10.7 16.1




236 27.8 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 65.428 ng

RT: 12.90 min Scan# 1839

Delta R.T. -0.05 min

Lab File: BF116349.D

Acq: 17 Aug 2019 11:36


Tgt Ion:244 Resp: 1171241

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8



122 12.5 9.0 13.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.43 min Scan# 2268
 Delta R.T. -0.05 min
 Lab File: BF116349.D
 Acq: 17 Aug 2019 11:36

Instrument :
 BNA_F
 ClientSampleId :
 SB-03(13-14)

Tot Ion:	264	Resp:	355318
Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.7	29.5
265	21.5	17.4	26.0

