

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081719\
 Data File : BF116356.D
 Acq On : 17 Aug 2019 14:44
 Operator : HP/JU
 Sample : K4391-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 N-WALL-1

Quant Time: Aug 19 06:50:00 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 07 11:13:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	130428	20.00	ng	-0.04
21) Naphthalene-d8	8.09	136	511730	20.00	ng	-0.04
39) Acenaphthene-d10	9.84	164	268946	20.00	ng	-0.05
64) Phenanthrene-d10	11.33	188	466462	20.00	ng	-0.04
76) Chrysene-d12	13.97	240	319611	20.00	ng	-0.04
87) Perylene-d12	15.43	264	290826	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	767264	98.48	ng	-0.03
7) Phenol-d6	6.45	99	968250	98.50	ng	-0.04
23) Nitrobenzene-d5	7.37	82	622855	70.26	ng	-0.04
42) 2,4,6-Tribromophenol	10.63	330	244503	93.77	ng	-0.04
45) 2-Fluorobiphenyl	9.16	172	1023422	71.28	ng	-0.04
79) Terphenyl-d14	12.90	244	1018549	67.15	ng	-0.05
Target Compounds						
10) Phenol	6.46	94	44717	3.863	ng	95
50) Dimethylphthalate	9.56	163	113210	6.182	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF081719\
Data File : BF116356.D
Acq On : 17 Aug 2019 14:44
Operator : HP/JU
Sample : K4391-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
N-WALL-1

Quant Time: Aug 19 06:50:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 07 11:13:18 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.81 min Scan# 803
 Delta R.T. -0.04 min
 Lab File: BF116356.D
 Acq: 17 Aug 2019 14:44

Instrument :
 BNA_F
 ClientSampleId :
 N-WALL-1

Tot Ion:152 Resp: 130428
 Ion Ratio Lower Upper
 152 100
 150 157.0 126.2 189.2
 115 62.0 49.9 74.9




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
 Concen: 98.479 ng
 RT: 5.44 min Scan# 570
 Delta R.T. -0.03 min
 Lab File: BF116356.D
 Acq: 17 Aug 2019 14:44

Tgt Ion:112 Resp: 767264
 Ion Ratio Lower Upper
 112 100
 64 56.4 45.4 68.2
 63 29.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 98.501 ng

RT: 6.45 min Scan# 742

Delta R.T. -0.04 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44

Instrument :

BNA_F

ClientSampleId :

N-WALL-1





Tot Ion: 99 Resp: 968250

Ion Ratio Lower Upper

99 100

42 16.6 13.8 20.8

71 34.0 27.3 40.9



#10

Phenol

Concen: 3.863 ng

RT: 6.46 min Scan# 744

Delta R.T. -0.04 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44


Tgt Ion: 94 Resp: 44717


Ion Ratio Lower Upper

94 100

65 31.6 16.8 56.8

66 55.7 34.2 74.2





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.09 min Scan# 1021

Delta R.T. -0.04 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44

Instrument :

BNA_F

ClientSampleId :

N-WALL-1

Tot Ion:136 Resp: 511730


Ion Ratio Lower Upper

136 100

137 10.7 9.0 13.4

54 6.5 5.8 8.6

68 6.1 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 70.258 ng

RT: 7.37 min Scan# 899

Delta R.T. -0.04 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44


Tgt Ion: 82 Resp: 622855

Ion Ratio Lower Upper

82 100

128 46.2 36.5 54.7



54 44.0 36.0 54.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.84 min Scan# 1318

Delta R.T. -0.05 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44

Instrument :

BNA_F

ClientSampleId :

N-WALL-1


Tot Ion:164 Resp: 268946

Ion Ratio Lower Upper

164 100

162 101.0 82.6 124.0




160 45.5 37.6 56.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 93.769 ng

RT: 10.63 min Scan# 1453

Delta R.T. -0.04 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44


Tgt Ion:330 Resp: 244503

Ion Ratio Lower Upper

330 100

332 95.6 76.8 115.2



141 34.1 26.3 39.5




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
2-Fluorobiphenyl
Concen: 71.276 ng
RT: 9.16 min Scan# 1203
Delta R.T. -0.04 min
Lab File: BF116356.D
Acq: 17 Aug 2019 14:44




Instrument :
BNA_F
ClientSampleId :
N-WALL-1

Tot Ion:172 Resp: 1023422

Ion	Ratio	Lower	Upper
172	100		
171	35.5	29.6	44.4
170	24.8	20.1	30.1




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#50
Dimethylphthalate
Concen: 6.182 ng
RT: 9.56 min Scan# 1270
Delta R.T. -0.05 min
Lab File: BF116356.D
Acq: 17 Aug 2019 14:44


Tgt Ion:163 Resp: 113210

Ion	Ratio	Lower	Upper
163	100		
194	3.8	3.0	4.6
164	9.8	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1571
Delta R.T. -0.04 min
Lab File: BF116356.D
Acq: 17 Aug 2019 14:44




Instrument :
BNA_F
ClientSampleId :
N-WALL-1


Tot Ion:188 Resp: 466462
Ion Ratio Lower Upper
188 100
94 9.0 8.1 12.1
80 10.2 8.7 13.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.04 min
Lab File: BF116356.D
Acq: 17 Aug 2019 14:44

Tgt Ion:240 Resp: 319611
Ion Ratio Lower Upper
240 100
120 12.2 10.7 16.1
236 27.6 22.2 33.2





#79

Terphenyl-d14

Concen: 67.152 ng

RT: 12.90 min Scan# 1839

Delta R.T. -0.05 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44

Instrument :

BNA_F

ClientSampled :

N-WALL-1


Tot Ion:244 Resp: 1018549

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.8




122 12.5 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.43 min Scan# 2268

Delta R.T. -0.05 min

Lab File: BF116356.D

Acq: 17 Aug 2019 14:44


Tgt Ion:264 Resp: 290826

Ion Ratio Lower Upper

264 100

260 25.1 19.7 29.5

265 21.3 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

