

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081722\
 Data File : BF129853.D
 Acq On : 17 Aug 2022 20:10
 Operator : CG\JU
 Sample : N4188-08
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S8

Quant Time: Aug 18 05:35:56 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 18 05:28:24 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.810	152	132105	20.000	ng	0.00
21) Naphthalene-d8	8.092	136	541789	20.000	ng	0.00
39) Acenaphthene-d10	9.845	164	295663	20.000	ng	0.00
64) Phenanthrene-d10	11.339	188	521029	20.000	ng	0.00
76) Chrysene-d12	13.986	240	352087	20.000	ng	0.00
86) Perylene-d12	15.451	264	261661	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.463	112	973827	122.052	ng	0.01
7) Phenol-d6	6.469	99	1131280	113.222	ng	0.00
23) Nitrobenzene-d5	7.381	82	852037	84.186	ng	0.00
42) 2,4,6-Tribromophenol	10.645	330	412460	138.996	ng	0.00
45) 2-Fluorobiphenyl	9.169	172	1569365	80.617	ng	0.00
79) Terphenyl-d14	12.927	244	1725519	81.547	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081722\
Data File : BF129853.D
Acq On : 17 Aug 2022 20:10
Operator : CG\JU
Sample : N4188-08
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S8

Quant Time: Aug 18 05:35:56 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 18 05:28:24 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.810 min Scan# 70
Delta R.T. 0.000 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10




Instrument :
BNA_F
ClientSampleId :
S8

Tgt Ion:152 Resp: 132105
Ion Ratio Lower Upper
152 100
150 162.3 126.9 190.3
115 68.5 53.4 80.0



#5
2-Fluorophenol
Concen: 122.052 ng
RT: 5.463 min Scan# 540
Delta R.T. 0.012 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10

Tgt Ion:112 Resp: 973827
Ion Ratio Lower Upper
112 100
64 60.0 47.6 71.4
63 31.5 24.6 37.0









#7
Phenol-d6
Concen: 113.222 ng
RT: 6.469 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10




Instrument :
BNA_F
ClientSampleId :
S8

Tgt Ion: 99 Resp: 1131280
Ion Ratio Lower Upper
99 100
42 18.4 15.0 22.4
71 36.0 28.8 43.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.092 min Scan# 987
Delta R.T. -0.006 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10

Tgt Ion: 136 Resp: 541789
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 7.8 6.2 9.2
68 5.2 4.2 6.4









#23
Nitrobenzene-d5
Concen: 84.186 ng
RT: 7.381 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10




Instrument :
BNA_F
ClientSampleId :
S8


Tgt Ion: 82 Resp: 852037
Ion Ratio Lower Upper
82 100
128 43.9 36.1 54.1
54 51.0 40.0 60.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.845 min Scan# 1285
Delta R.T. -0.006 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10

Tgt Ion: 164 Resp: 295663
Ion Ratio Lower Upper
164 100
162 102.2 82.0 123.0
160 44.2 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 138.996 ng

RT: 10.645 min Scan# 1424

Delta R.T. -0.000 min

Lab File: BF129853.D

Acq: 17 Aug 2022 20:10

Instrument :

BNA_F

ClientSampleId :

S8





Tgt Ion:330 Resp: 412460

Ion Ratio Lower Upper

330 100

332 102.3 82.6 124.0

141 34.3 27.6 41.4



#45

2-Fluorobiphenyl

Concen: 80.617 ng

RT: 9.169 min Scan# 1170

Delta R.T. -0.000 min

Lab File: BF129853.D

Acq: 17 Aug 2022 20:10




Tgt Ion:172 Resp: 1569365

Ion Ratio Lower Upper

172 100

171 35.5 28.4 42.6

170 23.5 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.339 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10




Instrument :
BNA_F
ClientSampleId :
S8


Tgt Ion:188 Resp: 521029
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.2
80 10.0 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.986 min Scan# 1989
Delta R.T. -0.006 min
Lab File: BF129853.D
Acq: 17 Aug 2022 20:10

Tgt Ion:240 Resp: 352087
Ion Ratio Lower Upper
240 100
120 11.2 9.2 13.8
236 24.9 20.7 31.1








#79
 Terphenyl-d14
 Concen: 81.547 ng
 RT: 12.927 min Scan# 1811
 Delta R.T. -0.000 min
 Lab File: BF129853.D
 Acq: 17 Aug 2022 20:10

Instrument :
 BNA_F
 ClientSampleId :
 S8

Tgt Ion:244 Resp: 1725519
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 12.0 9.9 14.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.451 min Scan# 2238
 Delta R.T. -0.006 min
 Lab File: BF129853.D
 Acq: 17 Aug 2022 20:10

Tgt Ion:264 Resp: 261661
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.1 28.7
 265 21.3 16.7 25.1

