

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081815\
 Data File : BF081053.D
 Acq On : 18 Aug 2015 20:52
 Operator : UM/IZ
 Sample : PB85025TB
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB85025TB

Quant Time: Aug 19 01:29:34 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 17 17:57:25 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	66293	20.00	ng	-0.02
21) Naphthalene-d8	7.90	136	247966	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	124432	20.00	ng	-0.02
63) Phenanthrene-d10	11.11	188	268970	20.00	ng	-0.02
75) Chrysene-d12	13.73	240	248617	20.00	ng	-0.02
86) Perylene-d12	15.07	264	197179	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	442656	100.43	ng	0.00
7) Phenol-d6	6.25	99	499715	86.90	ng	-0.01
23) Nitrobenzene-d5	7.18	82	390073	71.86	ng	-0.01
41) 2,4,6-Tribromophenol	10.42	330	113487	105.21	ng	-0.02
44) 2-Fluorobiphenyl	8.97	172	579643	61.04	ng	-0.02
78) Terphenyl-d14	12.70	244	674390	58.15	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081815\
Data File : BF081053.D
Acq On : 18 Aug 2015 20:52
Operator : UM/IZ
Sample : PB85025TB
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB85025TB

Quant Time: Aug 19 01:29:34 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 17 17:57:25 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.60 min Scan# 404

Delta R.T. -0.02 min

Lab File: BF081053.D

Acq: 18 Aug 2015 20:52

Instrument :

BNA_F

ClientSampleId :

PB85025TB


Tot Ion:152 Resp: 66293

Ion Ratio Lower Upper

152 100

150 154.1 123.8 185.6




115 64.3 52.1 78.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 100.43 ng

RT: 5.19 min Scan# 280

Delta R.T. 0.00 min

Lab File: BF081053.D

Acq: 18 Aug 2015 20:52


Tgt Ion:112 Resp: 442656

Ion Ratio Lower Upper

112 100

64 69.0 66.9 100.3



63 36.4 38.1 57.1#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 86.90 ng

RT: 6.25 min Scan# 373

Delta R.T. -0.01 min

Lab File: BF081053.D

Acq: 18 Aug 2015 20:52

Instrument :

BNA_F

ClientSampleId :

PB85025TB


Tot Ion: 99 Resp: 499715

Ion Ratio Lower Upper

99 100

42 23.6 19.6 29.4




71 36.6 31.2 46.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.90 min Scan# 517

Delta R.T. -0.01 min

Lab File: BF081053.D

Acq: 18 Aug 2015 20:52

Tgt Ion: 136 Resp: 247966


Ion Ratio Lower Upper

136 100

137 10.2 8.2 12.2

54 7.6 7.7 11.5#

68 4.2 3.4 5.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.86 ng
 RT: 7.18 min Scan# 454
 Delta R.T. -0.01 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Instrument :
 BNA_F
 ClientSampleId :
 PB85025TB

Tot Ion	82	Resp	390073
Ion Ratio	100	Lower	Upper
128	40.7	28.6	42.8
54	60.8	55.1	82.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 669
 Delta R.T. -0.02 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Tgt Ion	164	Resp	124432
Ion Ratio	100	Lower	Upper
162	103.5	83.8	125.8
160	47.9	39.8	59.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 105.21 ng
 RT: 10.42 min Scan# 738
 Delta R.T. -0.02 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Instrument :
 BNA_F
 ClientSampleId :
 PB85025TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.5	77.3	115.9
141	48.4	44.9	67.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 61.04 ng
 RT: 8.97 min Scan# 611
 Delta R.T. -0.02 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	28.9	43.3
170	24.5	19.4	29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.11 min Scan# 798
Delta R.T. -0.02 min
Lab File: BF081053.D
Acq: 18 Aug 2015 20:52

Instrument :
BNA_F
ClientSampleId :
PB85025TB

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.3	8.2	12.2
80	8.4	9.5	14.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.73 min Scan# 1027
Delta R.T. -0.02 min
Lab File: BF081053.D
Acq: 18 Aug 2015 20:52

Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.7	5.6	8.4#
236	25.9	20.6	30.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 58.15 ng
 RT: 12.70 min Scan# 937
 Delta R.T. -0.01 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Instrument :
 BNA_F
 ClientSampleId :
 PB85025TB

Tot Ion:244 Resp: 674390
 Ion Ratio Lower Upper
 244 100
 212 7.6 5.8 8.8
 122 9.9 8.2 12.4




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.07 min Scan# 1145
 Delta R.T. -0.02 min
 Lab File: BF081053.D
 Acq: 18 Aug 2015 20:52

Tgt Ion:264 Resp: 197179
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.6 29.4
 265 21.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

