

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081815\
 Data File : BF081054.D
 Acq On : 18 Aug 2015 21:24
 Operator : UM/IZ
 Sample : PB85025BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB85025BL

Quant Time: Aug 19 01:30:58 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 17 17:57:25 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	58275	20.00	ng	-0.02
21) Naphthalene-d8	7.90	136	219006	20.00	ng	-0.01
38) Acenaphthene-d10	9.63	164	111829	20.00	ng	-0.02
63) Phenanthrene-d10	11.11	188	240391	20.00	ng	-0.02
75) Chrysene-d12	13.73	240	234415	20.00	ng	-0.02
86) Perylene-d12	15.07	264	187966	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	450582	116.30	ng	0.00
7) Phenol-d6	6.25	99	513618	101.60	ng	-0.01
23) Nitrobenzene-d5	7.18	82	399854	83.40	ng	-0.01
41) 2,4,6-Tribromophenol	10.42	330	115815	119.47	ng	-0.02
44) 2-Fluorobiphenyl	8.97	172	588525	68.96	ng	-0.02
78) Terphenyl-d14	12.70	244	715684	65.45	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF081815\
Data File : BF081054.D
Acq On : 18 Aug 2015 21:24
Operator : UM/IZ
Sample : PB85025BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB85025BL

Quant Time: Aug 19 01:30:58 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 17 17:57:25 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.60 min Scan# 404
Delta R.T. -0.02 min
Lab File: BF081054.D
Acq: 18 Aug 2015 21:24

Instrument :
BNA_F
ClientSampleId :
PB85025BL

Tot Ion:152 Resp: 58275
Ion Ratio Lower Upper
152 100
150 158.6 123.8 185.6
115 64.3 52.1 78.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 116.30 ng
RT: 5.19 min Scan# 280
Delta R.T. 0.00 min
Lab File: BF081054.D
Acq: 18 Aug 2015 21:24

Tgt Ion:112 Resp: 450582
Ion Ratio Lower Upper
112 100
64 63.4 66.9 100.3#
63 32.9 38.1 57.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 101.60 ng

RT: 6.25 min Scan# 373

Delta R.T. -0.01 min

Lab File: BF081054.D

Acq: 18 Aug 2015 21:24

Instrument :

BNA_F

ClientSampleId :

PB85025BL


Tot Ion: 99 Resp: 513618

Ion Ratio Lower Upper

99 100

42 23.3 19.6 29.4




71 36.5 31.2 46.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.90 min Scan# 517

Delta R.T. -0.01 min

Lab File: BF081054.D

Acq: 18 Aug 2015 21:24

Tgt Ion: 136 Resp: 219006


Ion Ratio Lower Upper

136 100

137 10.5 8.2 12.2

54 7.5 7.7 11.5#

68 4.1 3.4 5.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 83.40 ng
 RT: 7.18 min Scan# 454
 Delta R.T. -0.01 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Instrument :
 BNA_F
 ClientSampled :
 PB85025BL

Tot Ion	Ratio	Lower	Upper
82	100		
128	39.3	28.6	42.8
54	61.6	55.1	82.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 669
 Delta R.T. -0.02 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.1	83.8	125.8
160	45.4	39.8	59.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 119.47 ng
 RT: 10.42 min Scan# 738
 Delta R.T. -0.02 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Instrument :
 BNA_F
 ClientSampleId :
 PB85025BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	100.5	77.3	115.9
141	50.7	44.9	67.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 68.96 ng
 RT: 8.97 min Scan# 611
 Delta R.T. -0.02 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.9	43.3
170	24.4	19.4	29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.11 min Scan# 798
Delta R.T. -0.02 min
Lab File: BF081054.D
Acq: 18 Aug 2015 21:24




Instrument :
BNA_F
ClientSampleId :
PB85025BL


Tot Ion	Ratio	Lower	Upper
188	100		
94	7.9	8.2	12.2#
80	8.1	9.5	14.3#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.73 min Scan# 1027
Delta R.T. -0.02 min
Lab File: BF081054.D
Acq: 18 Aug 2015 21:24

Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.7	5.6	8.4#
236	26.1	20.6	30.8









#78
 Terphenyl-d14
 Concen: 65.45 ng
 RT: 12.70 min Scan# 937
 Delta R.T. -0.01 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Instrument :
 BNA_F
 ClientSampleID :
 PB85025BL

Tot Ion:244 Resp: 715684
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.8 8.8
 122 10.5 8.2 12.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.07 min Scan# 1145
 Delta R.T. -0.02 min
 Lab File: BF081054.D
 Acq: 18 Aug 2015 21:24

Tgt Ion:264 Resp: 187966
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.6 29.4
 265 20.3 17.5 26.3

