

Data Path : U:\HPCHEM1\BNA F\DATA\BF082217\
 Data File : BF097962.D
 Acq On : 22 Aug 2017 19:13
 Operator : SJ/JU
 Sample : PB101741BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB101741BL

Quant Time: Aug 23 01:35:50 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 21 15:59:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	137410	20.00	ng	0.00
21) Naphthalene-d8	8.03	136	559787	20.00	ng	0.00
38) Acenaphthene-d10	9.78	164	263064	20.00	ng	0.00
63) Phenanthrene-d10	11.26	188	538960	20.00	ng	0.00
75) Chrysene-d12	13.90	240	458277	20.00	ng	0.00
86) Perylene-d12	15.32	264	316312	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	1050383	116.27	ng	0.02
7) Phenol-d6	6.39	99	1379721	112.41	ng	0.00
23) Nitrobenzene-d5	7.31	82	893777	86.74	ng	-0.01
41) 2,4,6-Tribromophenol	10.57	330	294456	129.01	ng	0.00
44) 2-Fluorobiphenyl	9.11	172	1328708	74.21	ng	0.00
78) Terphenyl-d14	12.86	244	1291345	58.76	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA F\DATA\BF082217\
Data File : BF097962.D
Acq On : 22 Aug 2017 19:13
Operator : SJ/JU
Sample : PB101741BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB101741BL

Quant Time: Aug 23 01:35:50 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 21 15:59:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.75 min Scan# 792
Delta R.T. -0.01 min
Lab File: BF097962.D
Acq: 22 Aug 2017 19:13

Instrument :
BNA_F
ClientSampleId :
PB101741BL

Tot Ion:152 Resp: 137410
Ion Ratio Lower Upper
152 100
150 154.1 126.2 189.2
115 68.1 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 116.273 ng
RT: 5.37 min Scan# 558
Delta R.T. 0.02 min
Lab File: BF097962.D
Acq: 22 Aug 2017 19:13

Tgt Ion:112 Resp: 1050383
Ion Ratio Lower Upper
112 100
64 56.2 46.0 69.0
63 28.7 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 112.408 ng

RT: 6.39 min Scan# 731

Delta R.T. 0.00 min

Lab File: BF097962.D

Acq: 22 Aug 2017 19:13

Instrument :

BNA_F

ClientSampleId :

PB101741BL


Tot Ion: 99 Resp: 1379721

Ion Ratio Lower Upper

99 100

42 15.8 13.5 20.3




71 32.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.03 min Scan# 1010

Delta R.T. -0.01 min

Lab File: BF097962.D

Acq: 22 Aug 2017 19:13

Tgt Ion: 136 Resp: 559787


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 7.6 4.9 7.3#

68 7.7 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 86.737 ng
 RT: 7.31 min Scan# 888
 Delta R.T. -0.01 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13




Instrument :
 BNA_F
 ClientSampleId :
 PB101741BL


Tot Ion: 82 Resp: 893777
 Ion Ratio Lower Upper
 82 100
 128 37.6 34.0 51.0
 54 41.6 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.78 min Scan# 1308
 Delta R.T. -0.01 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13

Tgt Ion:164 Resp: 263064
 Ion Ratio Lower Upper
 164 100
 162 100.9 82.6 123.8
 160 48.5 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 129.005 ng
 RT: 10.57 min Scan# 1443
 Delta R.T. 0.00 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13




Instrument :
 BNA_F
 ClientSampleId :
 PB101741BL


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	76.6	115.0
141	37.3	31.4	47.2



#44
 2-Fluorobiphenyl
 Concen: 74.208 ng
 RT: 9.11 min Scan# 1194
 Delta R.T. 0.00 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.6	44.4
170	24.9	19.8	29.8









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.26 min Scan# 1560
 Delta R.T. 0.00 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13




Instrument :
 BNA_F
 ClientSampleId :
 PB101741BL


Tot Ion:188 Resp: 538960
 Ion Ratio Lower Upper
 188 100
 94 11.6 9.4 14.2
 80 12.9 10.2 15.2



#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.90 min Scan# 2008
 Delta R.T. 0.00 min
 Lab File: BF097962.D
 Acq: 22 Aug 2017 19:13

Tgt Ion:240 Resp: 458277
 Ion Ratio Lower Upper
 240 100
 120 12.0 5.8 8.8#
 236 26.7 20.5 30.7





#78

Terphenyl-d14

Concen: 58.761 ng

RT: 12.86 min Scan# 1831

Delta R.T. 0.01 min

Lab File: BF097962.D

Acq: 22 Aug 2017 19:13

Instrument :

BNA_F

ClientSampleId :

PB101741BL


Tot Ion:244 Resp: 1291345

Ion Ratio Lower Upper

244 100

212 7.5 6.0 9.0




122 11.9 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.32 min Scan# 2249

Delta R.T. 0.01 min

Lab File: BF097962.D

Acq: 22 Aug 2017 19:13


Tgt Ion:264 Resp: 316312

Ion Ratio Lower Upper

264 100

260 25.9 19.5 29.3

265 21.5 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

