

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082222\
 Data File : BF129941.D
 Acq On : 22 Aug 2022 15:31
 Operator : CG\JU
 Sample : N4142-01MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 23 04:47:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 23 04:41:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.775	152	143664	20.000	ng	0.00
21) Naphthalene-d8	8.057	136	594380	20.000	ng	0.00
39) Acenaphthene-d10	9.816	164	311040	20.000	ng	0.00
64) Phenanthrene-d10	11.304	188	504859	20.000	ng	0.00
76) Chrysene-d12	13.951	240	335900	20.000	ng	0.00
86) Perylene-d12	15.404	264	275110	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	978056	112.719	ng	0.02
7) Phenol-d6	6.440	99	1267851	116.681	ng	0.00
23) Nitrobenzene-d5	7.351	82	820826	73.926	ng	0.00
42) 2,4,6-Tribromophenol	10.616	330	348569	111.658	ng	0.00
45) 2-Fluorobiphenyl	9.134	172	1493046	72.905	ng	0.00
79) Terphenyl-d14	12.886	244	1531269	75.854	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.599	88	148823	41.573	ng	95
3) Pyridine	3.363	79	374901	40.019	ng	96
4) n-Nitrosodimethylamine	3.316	42	226038	52.356	ng	89
6) Aniline	6.446	93	516464	41.703	ng	93
8) 2-Chlorophenol	6.575	128	444943	46.063	ng	97
9) Benzaldehyde	6.334	77	283219	50.425	ng	97
10) Phenol	6.451	94	548517	46.020	ng	92
11) bis(2-Chloroethyl)ether	6.516	93	424363	46.886	ng	97
12) 1,3-Dichlorobenzene	6.716	146	465544	44.643	ng	99
13) 1,4-Dichlorobenzene	6.793	146	472589	44.353	ng	98
14) 1,2-Dichlorobenzene	6.946	146	449059	45.377	ng	98
15) Benzyl Alcohol	6.934	79	403663	49.209	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.051	45	597185	49.240	ng	91
17) 2-Methylphenol	7.051	107	359443	46.344	ng	98
18) Hexachloroethane	7.281	117	187187	46.782	ng	96
19) n-Nitroso-di-n-propyla...	7.198	70	332012	48.340	ng	99
20) 3+4-Methylphenols	7.204	107	467710	44.924	ng	# 88
22) Acetophenone	7.193	105	656411	45.318	ng	97
24) Nitrobenzene	7.369	77	486623	43.464	ng	95
25) Isophorone	7.610	82	890577	46.602	ng	99
26) 2-Nitrophenol	7.681	139	238387	43.287	ng	93
27) 2,4-Dimethylphenol	7.728	122	385215	48.774	ng	94
28) bis(2-Chloroethoxy)met...	7.810	93	533828	47.842	ng	98
29) 2,4-Dichlorophenol	7.934	162	369437	42.778	ng	98
30) 1,2,4-Trichlorobenzene	7.998	180	377427	41.427	ng	97
31) Naphthalene	8.081	128	1287638	41.433	ng	100
32) Benzoic acid	7.893	122	173121	48.600	ng	90
33) 4-Chloroaniline	8.140	127	429532	35.146	ng	96
34) Hexachlorobutadiene	8.187	225	237266	42.769	ng	99
35) Caprolactam	8.534	113	53892	20.067	ng	92
36) 4-Chloro-3-methylphenol	8.640	107	410047	44.012	ng	98
37) 2-Methylnaphthalene	8.775	142	853079	41.823	ng	100
38) 1-Methylnaphthalene	8.869	142	813481	41.037	ng	100
40) 1,2,4,5-Tetrachloroben...	8.940	216	380139	43.941	ng	98
41) Hexachlorocyclopentadiene	8.916	237	294337	94.468	ng	99
43) 2,4,6-Trichlorophenol	9.063	196	235956	41.979	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082222\
 Data File : BF129941.D
 Acq On : 22 Aug 2022 15:31
 Operator : CG\JU
 Sample : N4142-01MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :


Quant Time: Aug 23 04:47:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 23 04:41:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	250237	41.381	ng	97
46) 1,1'-Biphenyl	9.239	154	1045861	44.261	ng	99
47) 2-Chloronaphthalene	9.263	162	800072	42.793	ng	98
48) 2-Nitroaniline	9.375	65	265788	44.984	ng	98
49) Acenaphthylene	9.681	152	1193213	42.087	ng	100
50) Dimethylphthalate	9.545	163	918680	41.201	ng	100
51) 2,6-Dinitrotoluene	9.616	165	203028	41.975	ng	96
52) Acenaphthene	9.851	154	729714	42.423	ng	100
53) 3-Nitroaniline	9.787	138	167046	31.229	ng	87
54) 2,4-Dinitrophenol	9.910	184	178037	81.317	ng	98
55) Dibenzofuran	10.022	168	1085729	42.015	ng	94
56) 4-Nitrophenol	9.981	139	209919	88.214	ng	85
57) 2,4-Dinitrotoluene	10.028	165	267170	42.551	ng	97
58) Fluorene	10.369	166	884691	41.002	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.151	232	188891	42.563	ng	# 79
60) Diethylphthalate	10.239	149	927494	41.717	ng	98
61) 4-Chlorophenyl-phenyle...	10.357	204	416770	43.042	ng	98
62) 4-Nitroaniline	10.416	138	189978	35.206	ng	93
63) Azobenzene	10.516	77	905178	42.594	ng	98
65) 4,6-Dinitro-2-methylph...	10.439	198	125408	42.313	ng	89
66) n-Nitrosodiphenylamine	10.481	169	755650	44.346	ng	99
67) 4-Bromophenyl-phenylether	10.845	248	260062	43.980	ng	98
68) Hexachlorobenzene	10.916	284	286276	44.693	ng	97
69) Atrazine	11.010	200	244134	46.679	ng	98
70) Pentachlorophenol	11.122	266	167024	86.538	ng	98
71) Phenanthrene	11.333	178	1207310	42.818	ng	99
72) Anthracene	11.386	178	1238775	44.179	ng	99
73) Carbazole	11.545	167	1113969	43.765	ng	99
74) Di-n-butylphthalate	11.857	149	1466024	44.752	ng	99
75) Fluoranthene	12.522	202	1211481	41.988	ng	99
77) Benzidine	12.645	184	492184	63.217	ng	100
78) Pyrene	12.751	202	1234589	42.296	ng	100
80) Butylbenzylphthalate	13.357	149	556657	45.068	ng	92
81) Benzo(a)anthracene	13.939	228	961438	41.608	ng	98
82) 3,3'-Dichlorobenzidine	13.904	252	290647	40.614	ng	# 97
83) Chrysene	13.980	228	903026	41.749	ng	100
84) Bis(2-ethylhexyl)phtha...	13.910	149	775826	52.944	ng	99
85) Di-n-octyl phthalate	14.522	149	1121887	55.460	ng	98
87) Indeno(1,2,3-cd)pyrene	16.863	276	800106	42.363	ng	99
88) Benzo(b)fluoranthene	14.980	252	835023	44.326	ng	99
89) Benzo(k)fluoranthene	15.010	252	758219	41.969	ng	99
90) Benzo(a)pyrene	15.345	252	674328	45.455	ng	99
91) Dibenzo(a,h)anthracene	16.868	278	692552	44.441	ng	98
92) Benzo(g,h,i)perylene	17.298	276	690578	44.418	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Aug 23 04:47:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 23 04:41:40 2022
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.775 min Scan# 7
 Delta R.T. -0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:152 Resp: 143664
 Ion Ratio Lower Upper
 152 100
 150 157.0 126.9 190.3
 115 66.5 53.4 80.0



#2
 1,4-Dioxane
 Concen: 41.573 ng
 RT: 2.599 min Scan# 53
 Delta R.T. 0.118 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Tgt Ion: 88 Resp: 148823
 Ion Ratio Lower Upper
 88 100
 58 80.5 60.9 91.3
 43 32.8 23.6 35.4









#3
Pyridine
Concen: 40.019 ng
RT: 3.363 min Scan# 11
Delta R.T. 0.118 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 79 Resp: 374901
Ion Ratio Lower Upper
79 100
52 76.3 59.4 89.2
51 41.1 29.5 44.3



#4
n-Nitrosodimethylamine
Concen: 52.356 ng
RT: 3.316 min Scan# 175
Delta R.T. 0.112 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion: 42 Resp: 226038
Ion Ratio Lower Upper
42 100
74 115.7 103.1 154.7
44 6.9 5.4 8.2








#5
2-Fluorophenol
Concen: 112.719 ng
RT: 5.428 min Scan# 51
Delta R.T. 0.018 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:112 Resp: 978056
Ion Ratio Lower Upper
112 100
64 59.7 47.6 71.4
63 32.0 24.6 37.0



#6
Aniline
Concen: 41.703 ng
RT: 6.446 min Scan# 707
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion: 93 Resp: 516464
Ion Ratio Lower Upper
93 100
66 81.5 68.7 103.1
65 44.3 41.6 62.4








#7
Phenol-d6
Concen: 116.681 ng
RT: 6.440 min Scan# 706
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :



Tgt Ion: 99 Resp: 1267851




Ion	Ratio	Lower	Upper
99	100		
42	20.3	15.0	22.4
71	37.3	28.8	43.2




#8
2-Chlorophenol
Concen: 46.063 ng
RT: 6.575 min Scan# 729
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion: 128 Resp: 444943


Ion	Ratio	Lower	Upper
128	100		
130	32.3	12.5	52.5
64	48.1	24.9	64.9








#9
Benzaldehyde
Concen: 50.425 ng
RT: 6.334 min Scan# 61
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 77 Resp: 283219
Ion Ratio Lower Upper
77 100
105 98.0 80.3 120.3
106 91.6 74.3 114.3



#10
Phenol
Concen: 46.020 ng
RT: 6.451 min Scan# 708
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion: 94 Resp: 548517
Ion Ratio Lower Upper
94 100
65 41.3 24.9 64.9
66 65.6 54.2 94.2








#11
bis(2-Chloroethyl)ether
Concen: 46.886 ng
RT: 6.516 min Scan# 719
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Instrument :
BNA_F
ClientSampleId :





Tgt Ion: 93 Resp: 424363
Ion Ratio Lower Upper
93 100
63 80.1 55.9 95.9
95 32.4 12.3 52.3




#12
1,3-Dichlorobenzene
Concen: 44.643 ng
RT: 6.716 min Scan# 753
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31



Tgt Ion: 146 Resp: 465544
Ion Ratio Lower Upper
146 100
148 64.5 51.2 76.8
75 34.4 26.5 39.7





#13

1,4-Dichlorobenzene

Concen: 44.353 ng

RT: 6.793 min Scan# 70

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 472589

Ion Ratio Lower Upper

146 100

148 65.5 50.6 75.8

111 46.1 36.2 54.4



#14

1,2-Dichlorobenzene

Concen: 45.377 ng

RT: 6.946 min Scan# 792

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:146 Resp: 449059


Ion Ratio Lower Upper

146 100

148 62.4 51.8 77.6

111 47.1 37.2 55.8





#15

Benzyl Alcohol

Concen: 49.209 ng

RT: 6.934 min Scan# 79

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 79 Resp: 403663

Ion Ratio Lower Upper

79 100

108 71.4 59.2 88.8

77 63.6 51.9 77.9



#16

2,2'-oxybis(1-Chloropropane)

Concen: 49.240 ng

RT: 7.051 min Scan# 810

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion: 45 Resp: 597185


Ion Ratio Lower Upper

45 100

77 53.5 27.4 67.4


79 50.3 24.4 64.4








#17
2-Methylphenol
Concen: 46.344 ng
RT: 7.051 min Scan# 810
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:107 Resp: 359443
Ion Ratio Lower Upper
107 100
108 112.3 90.2 135.2
77 67.0 51.8 77.8
79 63.0 47.4 71.2



#18
Hexachloroethane
Concen: 46.782 ng
RT: 7.281 min Scan# 849
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:117 Resp: 187187
Ion Ratio Lower Upper
117 100
119 96.3 79.1 118.7
201 87.8 66.6 100.0





#19

n-Nitroso-di-n-propylamine

Concen: 48.340 ng

RT: 7.198 min Scan# 81

Delta R.T. 0.000 min


Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 70 Resp: 332012




Ion Ratio Lower Upper

70 100

42 59.6 47.6 71.4

101 9.7 8.1 12.1

130 20.7 17.2 25.8



#20

3+4-Methylphenols

Concen: 44.924 ng

RT: 7.204 min Scan# 836

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Tgt Ion: 107 Resp: 467710




Ion Ratio Lower Upper


107 100

108 87.8 71.3 111.3

77 63.8 20.4 60.4


79 30.0 11.1 51.1








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.057 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:	136	Resp:	594380
Ion Ratio	Lower	Upper	
136	100		
137	11.4	8.4	12.6
54	9.0	6.2	9.2
68	5.3	4.2	6.4




#22
Acetophenone
Concen: 45.318 ng
RT: 7.193 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31



Tgt Ion:	105	Resp:	656411
Ion Ratio	Lower	Upper	
105	100		
71	6.8	6.6	9.8
51	31.2	23.8	35.8
120	21.0	17.9	26.9









#23
Nitrobenzene-d5
Concen: 73.926 ng
RT: 7.351 min Scan# 80
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :

BNA_F




ClientSampleId :


Tgt Ion: 82 Resp: 820826
Ion Ratio Lower Upper
82 100
128 41.8 36.1 54.1
54 51.6 40.0 60.0



#24
Nitrobenzene
Concen: 43.464 ng
RT: 7.369 min Scan# 864
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion: 77 Resp: 486623
Ion Ratio Lower Upper
77 100
123 44.9 39.2 58.8
65 14.1 11.1 16.7








#25
Isophorone
Concen: 46.602 ng
RT: 7.610 min Scan# 905
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 82 Resp: 890577
Ion Ratio Lower Upper
82 100
95 7.7 5.9 8.9
138 18.6 14.6 21.8



#26
2-Nitrophenol
Concen: 43.287 ng
RT: 7.681 min Scan# 917
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:139 Resp: 238387
Ion Ratio Lower Upper
139 100
109 34.1 24.4 36.6
65 56.6 40.9 61.3





#27

2,4-Dimethylphenol

Concen: 48.774 ng

RT: 7.728 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:122 Resp: 385215

Ion Ratio Lower Upper

122 100

107 122.3 92.2 138.4

121 60.6 46.1 69.1



#28

bis(2-Chloroethoxy)methane

Concen: 47.842 ng

RT: 7.810 min Scan# 939

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion: 93 Resp: 533828


Ion Ratio Lower Upper

93 100

95 33.2 25.6 38.4

123 11.0 9.0 13.4





#29

2,4-Dichlorophenol

Concen: 42.778 ng

RT: 7.934 min Scan# 90

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:162 Resp: 369437

Ion Ratio Lower Upper

162 100

164 64.2 43.7 83.7

98 39.6 16.5 56.5



#30

1,2,4-Trichlorobenzene

Concen: 41.427 ng

RT: 7.998 min Scan# 971

Delta R.T. -0.006 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:180 Resp: 377427


Ion Ratio Lower Upper

180 100

182 95.3 77.6 116.4

145 34.8 25.6 38.4





#31

Naphthalene

Concen: 41.433 ng

RT: 8.081 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:128 Resp: 1287638

Ion Ratio Lower Upper

128 100

129 11.2 8.9 13.3

127 13.6 10.7 16.1



#32

Benzoic acid

Concen: 48.600 ng

RT: 7.893 min Scan# 953

Delta R.T. 0.012 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:122 Resp: 173121


Ion Ratio Lower Upper

122 100

105 128.5 99.9 139.9

77 98.9 65.9 105.9









#33
4-Chloroaniline
Concen: 35.146 ng
RT: 8.140 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:	127	Resp:	429532
Ion	Ratio	Lower	Upper
127	100		
129	32.0	26.7	40.1
65	33.9	24.2	36.2
92	20.7	15.2	22.8



#34
Hexachlorobutadiene
Concen: 42.769 ng
RT: 8.187 min Scan# 1003
Delta R.T. -0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:	225	Resp:	237266
Ion	Ratio	Lower	Upper
225	100		
223	62.4	50.2	75.2
227	62.4	50.6	75.8









#35
 Caprolactam
 Concen: 20.067 ng
 RT: 8.534 min Scan# 1062
 Delta R.T. 0.006 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:113 Resp: 53892
 Ion Ratio Lower Upper
 113 100
 55 178.6 148.8 188.8
 56 140.7 109.1 149.1



#36
 4-Chloro-3-methylphenol
 Concen: 44.012 ng
 RT: 8.640 min Scan# 1080
 Delta R.T. 0.006 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Tgt Ion:107 Resp: 410047
 Ion Ratio Lower Upper
 107 100
 144 23.0 19.9 29.9
 142 73.8 60.2 90.4





#37

2-Methylnaphthalene

Concen: 41.823 ng

RT: 8.775 min Scan# 1111

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F





ClientSampleId :

Tgt Ion:142 Resp: 853079

Ion Ratio Lower Upper

142 100

141 88.5 70.9 106.3



#38

1-Methylnaphthalene

Concen: 41.037 ng

RT: 8.869 min Scan# 1119

Delta R.T. 0.000 min

Lab File: BF129941.D




Acq: 22 Aug 2022 15:31


Tgt Ion:142 Resp: 813481

Ion Ratio Lower Upper

142 100

141 91.7 73.5 110.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.816 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:164 Resp: 311040

Ion Ratio Lower Upper

164 100

162 101.0 82.0 123.0

160 43.5 35.4 53.0



#40

1,2,4,5-Tetrachlorobenzene

Concen: 43.941 ng

RT: 8.940 min Scan# 1131

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Tgt Ion:216 Resp: 380139




Ion Ratio Lower Upper


216 100

214 78.3 63.1 94.7

179 23.2 18.1 27.1

108 23.0 15.9 23.9









#41
Hexachlorocyclopentadiene
Concen: 94.468 ng
RT: 8.916 min Scan# 1136
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:237 Resp: 294337
Ion Ratio Lower Upper
237 100
235 62.5 41.5 81.5
272 12.8 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 111.658 ng
RT: 10.616 min Scan# 1416
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:330 Resp: 348569
Ion Ratio Lower Upper
330 100
332 104.3 82.6 124.0
141 36.0 27.6 41.4









#43
2,4,6-Trichlorophenol
Concen: 41.979 ng
RT: 9.063 min Scan# 1160
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:196 Resp: 235956
Ion Ratio Lower Upper
196 100
198 95.1 79.0 118.4
200 30.4 25.1 37.7



#44
2,4,5-Trichlorophenol
Concen: 41.381 ng
RT: 9.110 min Scan# 1160
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:196 Resp: 250237
Ion Ratio Lower Upper
196 100
198 94.1 76.4 114.6
97 62.0 46.5 69.7
132 32.9 25.2 37.8





#45

2-Fluorobiphenyl

Concen: 72.905 ng

RT: 9.134 min Scan# 1164

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:172 Resp: 1493046

Ion Ratio Lower Upper

172 100

171 35.1 28.4 42.6

170 23.4 19.1 28.7



#46

1,1'-Biphenyl

Concen: 44.261 ng

RT: 9.239 min Scan# 1182

Delta R.T. 0.006 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:154 Resp: 1045861


Ion Ratio Lower Upper

154 100

153 40.2 20.2 60.2

76 11.1 0.0 32.1









#47
2-Chloronaphthalene
Concen: 42.793 ng
RT: 9.263 min Scan# 1186
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:162 Resp: 800072
Ion Ratio Lower Upper
162 100
127 43.7 33.1 49.7
164 33.1 26.7 40.1



#48
2-Nitroaniline
Concen: 44.984 ng
RT: 9.375 min Scan# 1205
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion: 65 Resp: 265788
Ion Ratio Lower Upper
65 100
92 67.1 55.0 82.4
138 100.4 81.3 121.9









#49
Acenaphthylene
Concen: 42.087 ng
RT: 9.681 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:152 Resp: 1193213
Ion Ratio Lower Upper
152 100
151 20.0 16.1 24.1
153 13.1 10.6 16.0



#50
Dimethylphthalate
Concen: 41.201 ng
RT: 9.545 min Scan# 1234
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion:163 Resp: 918680
Ion Ratio Lower Upper
163 100
194 3.8 3.3 4.9
164 10.2 8.2 12.2








#51
2,6-Dinitrotoluene
Concen: 41.975 ng
RT: 9.616 min Scan# 1246
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:165 Resp: 203028
Ion Ratio Lower Upper
165 100
63 63.8 47.8 71.8
89 60.9 47.2 70.8



#52
Acenaphthene
Concen: 42.423 ng
RT: 9.851 min Scan# 1286
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:154 Resp: 729714
Ion Ratio Lower Upper
154 100
153 111.9 89.8 134.6
152 52.9 42.1 63.1









#53
3-Nitroaniline
Concen: 31.229 ng
RT: 9.787 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:138 Resp: 167046
Ion Ratio Lower Upper
138 100
108 11.6 8.4 12.6
92 127.0 89.8 134.8



#54
2,4-Dinitrophenol
Concen: 81.317 ng
RT: 9.910 min Scan# 1296
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:184 Resp: 178037
Ion Ratio Lower Upper
184 100
63 74.1 59.6 89.4
154 72.5 55.3 82.9









#55
Dibenzenofuran
Concen: 42.015 ng
RT: 10.022 min Scan# 1315
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:168 Resp: 1085729
Ion Ratio Lower Upper
168 100
139 43.5 31.3 46.9
169 13.7 10.7 16.1



#56
4-Nitrophenol
Concen: 88.214 ng
RT: 9.981 min Scan# 1308
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion:139 Resp: 209919
Ion Ratio Lower Upper
139 100
109 86.8 52.9 92.9
65 113.3 79.5 119.5








#57
2,4-Dinitrotoluene
Concen: 42.551 ng
RT: 10.028 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 267170
Ion Ratio Lower Upper
165 100
63 57.2 48.4 72.6
89 79.0 62.3 93.5
182 2.5 2.1 3.1




#58
Fluorene
Concen: 41.002 ng
RT: 10.369 min Scan# 1374
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Tgt Ion:166 Resp: 884691
Ion Ratio Lower Upper
166 100
165 99.0 77.9 116.9
167 13.3 11.0 16.4








#59
2,3,4,6-Tetrachlorophenol
Concen: 42.563 ng
RT: 10.151 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:232 Resp: 188891
Ion Ratio Lower Upper
232 100
131 49.9 29.9 44.9#
130 2.6 1.5 2.3#
166 33.0 17.8 26.8#




#60
Diethylphthalate
Concen: 41.717 ng
RT: 10.239 min Scan# 1352
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31



Tgt Ion:149 Resp: 927494
Ion Ratio Lower Upper
149 100
177 20.4 17.7 26.5
150 12.7 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 43.042 ng
RT: 10.357 min Scan# 1372
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:204 Resp: 416770
Ion Ratio Lower Upper
204 100
206 32.6 26.5 39.7
141 64.0 52.6 79.0



#62
4-Nitroaniline
Concen: 35.206 ng
RT: 10.416 min Scan# 1382
Delta R.T. 0.012 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:138 Resp: 189978
Ion Ratio Lower Upper
138 100
92 51.7 30.3 70.3
108 84.0 55.7 95.7









#63
 Azobenzene
 Concen: 42.594 ng
 RT: 10.516 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion: 77	Resp: 905178
Ion Ratio	Lower Upper
77 100	
182 22.2	2.2 42.2
105 19.8	0.8 40.8
51 31.9	10.3 50.3



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.304 min Scan# 1533
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Tgt Ion: 188	Resp: 504859
Ion Ratio	Lower Upper
188 100	
94 9.6	7.4 11.2
80 10.8	7.9 11.9









#65
4,6-Dinitro-2-methylphenol
Concen: 42.313 ng
RT: 10.439 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:198 Resp: 125408
Ion Ratio Lower Upper
198 100
51 59.3 29.4 69.4
105 53.8 29.2 69.2



#66
n-Nitrosodiphenylamine
Concen: 44.346 ng
RT: 10.481 min Scan# 1393
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion:169 Resp: 755650
Ion Ratio Lower Upper
169 100
168 65.8 53.4 80.2
167 35.3 29.1 43.7








#67
4-Bromophenyl-phenylether
Concen: 43.980 ng
RT: 10.845 min Scan# 1455
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:248 Resp: 260062
Ion Ratio Lower Upper
248 100
250 97.8 77.8 116.6
141 79.0 66.2 99.2



#68
Hexachlorobenzene
Concen: 44.693 ng
RT: 10.916 min Scan# 1467
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:284 Resp: 286276
Ion Ratio Lower Upper
284 100
142 35.8 31.4 47.0
249 31.8 25.7 38.5









#69
 Atrazine
 Concen: 46.679 ng
 RT: 11.010 min Scan# 1491
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:200 Resp: 244134
 Ion Ratio Lower Upper
 200 100
 173 26.9 6.4 46.4
 215 45.0 27.1 67.1



#70
 Pentachlorophenol
 Concen: 86.538 ng
 RT: 11.122 min Scan# 1502
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Tgt Ion:266 Resp: 167024
 Ion Ratio Lower Upper
 266 100
 268 64.1 49.0 73.4
 264 59.7 47.9 71.9









#71
Phenanthrene
Concen: 42.818 ng
RT: 11.333 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:178 Resp: 1207310
Ion Ratio Lower Upper
178 100
176 19.8 15.5 23.3
179 15.6 12.5 18.7



#72
Anthracene
Concen: 44.179 ng
RT: 11.386 min Scan# 1547
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Tgt Ion:178 Resp: 1238775
Ion Ratio Lower Upper
178 100
176 18.5 15.1 22.7
179 15.6 12.6 18.8








#73
Carbazole
Concen: 43.765 ng
RT: 11.545 min Scan# 1113969
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:167 Resp: 1113969
Ion Ratio Lower Upper
167 100
166 21.2 17.1 25.7
139 14.2 11.0 16.6




#74
Di-n-butylphthalate
Concen: 44.752 ng
RT: 11.857 min Scan# 1627
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31



Tgt Ion:149 Resp: 1466024
Ion Ratio Lower Upper
149 100
150 9.5 7.8 11.6
104 5.6 4.2 6.4









#75
Fluoranthene
Concen: 41.988 ng
RT: 12.522 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:202 Resp: 1211481
Ion Ratio Lower Upper
202 100
101 11.2 0.0 30.7
203 17.7 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.951 min Scan# 1983
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:240 Resp: 335900
Ion Ratio Lower Upper
240 100
120 12.1 9.2 13.8
236 26.3 20.7 31.1





#77

Benzidine

Concen: 63.217 ng

RT: 12.645 min Scan# 1761

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:184 Resp: 492184

Ion Ratio Lower Upper

184 100

185 14.4 11.4 17.2

183 11.6 9.4 14.2



#78

Pyrene

Concen: 42.296 ng

RT: 12.751 min Scan# 1779

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:202 Resp: 1234589


Ion Ratio Lower Upper

202 100

200 21.2 17.0 25.6


203 17.5 14.1 21.1








#79
 Terphenyl-d14
 Concen: 75.854 ng
 RT: 12.886 min Scan# 1802
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:244 Resp: 1531269
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.9 8.9
 122 12.9 9.9 14.9



#80
 Butylbenzylphthalate
 Concen: 45.068 ng
 RT: 13.357 min Scan# 1882
 Delta R.T. 0.000 min
 Lab File: BF129941.D
 Acq: 22 Aug 2022 15:31

Tgt Ion:149 Resp: 556657
 Ion Ratio Lower Upper
 149 100
 91 77.4 55.4 83.0
 206 18.7 15.8 23.6









#81
Benzo(a)anthracene
Concen: 41.608 ng
RT: 13.939 min Scan# 1990
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:228 Resp: 961438
Ion Ratio Lower Upper
228 100
226 27.8 21.4 32.0
229 19.6 16.1 24.1



#82
3,3'-Dichlorobenzidine
Concen: 40.614 ng
RT: 13.904 min Scan# 1975
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:252 Resp: 290647
Ion Ratio Lower Upper
252 100
254 62.9 51.4 77.2
126 9.9 10.2 15.4#









#83
Chrysene
Concen: 41.749 ng
RT: 13.980 min Scan# 1997
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:228 Resp: 903026
Ion Ratio Lower Upper
228 100
226 30.1 24.4 36.6
229 19.9 15.9 23.9



#84
Bis(2-ethylhexyl)phthalate
Concen: 52.944 ng
RT: 13.910 min Scan# 1976
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:149 Resp: 775826
Ion Ratio Lower Upper
149 100
167 26.9 22.0 33.0
279 4.1 3.6 5.4





#85

Di-n-octyl phthalate

Concen: 55.460 ng

RT: 14.522 min Scan# 2080

Delta R.T. 0.000 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 1121887

Ion Ratio Lower Upper

149 100

167 1.5 1.3 1.9

43 10.6 7.8 11.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.404 min Scan# 2230

Delta R.T. 0.006 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31




Tgt Ion:264 Resp: 275110


Ion Ratio Lower Upper

264 100

260 23.1 19.1 28.7

265 20.6 16.7 25.1









#87
Indeno(1,2,3-cd)pyrene
Concen: 42.363 ng
RT: 16.863 min Scan# 2494
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:276 Resp: 800106
Ion Ratio Lower Upper
276 100
138 23.6 19.8 29.8
277 25.4 20.4 30.6



#88
Benzo(b)fluoranthene
Concen: 44.326 ng
RT: 14.980 min Scan# 2158
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:252 Resp: 835023
Ion Ratio Lower Upper
252 100
253 22.2 17.5 26.3
125 10.6 8.3 12.5









#89
Benzo(k)fluoranthene
Concen: 41.969 ng
RT: 15.010 min Scan# 2173
Delta R.T. 0.000 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:252 Resp: 758219
Ion Ratio Lower Upper
252 100
253 22.1 17.1 25.7
125 10.6 8.3 12.5



#90
Benzo(a)pyrene
Concen: 45.455 ng
RT: 15.345 min Scan# 2220
Delta R.T. 0.006 min
Lab File: BF129941.D
Acq: 22 Aug 2022 15:31

Tgt Ion:252 Resp: 674328
Ion Ratio Lower Upper
252 100
253 21.7 17.2 25.8
125 10.7 8.8 13.2





#91

Dibenzo(a,h)anthracene

Concen: 44.441 ng

RT: 16.868 min Scan# 2495

Delta R.T. 0.012 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:278 Resp: 692552

Ion Ratio Lower Upper

278 100

139 14.5 12.2 18.4

279 24.6 18.7 28.1



#92

Benzo(g,h,i)perylene

Concen: 44.418 ng

RT: 17.298 min Scan# 2552

Delta R.T. 0.006 min

Lab File: BF129941.D

Acq: 22 Aug 2022 15:31

Tgt Ion:276 Resp: 690578

Ion Ratio Lower Upper

276 100

277 23.8 18.2 27.4

138 20.1 15.8 23.8

