

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF082415\
 Data File : BF081192.D
 Acq On : 25 Aug 2015 3:43
 Operator : UM/IZ
 Sample : G3388-06
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-6(5.5-6)BGS

Quant Time: Aug 25 04:08:35 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF081715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 24 23:49:48 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.54	152	68942	20.00	ng	0.00
21) Naphthalene-d8	7.83	136	249214	20.00	ng	0.00
38) Acenaphthene-d10	9.57	164	125950	20.00	ng	0.00
63) Phenanthrene-d10	11.03	188	234337	20.00	ng	-0.01
75) Chrysene-d12	13.65	240	204215	20.00	ng	-0.01
86) Perylene-d12	14.99	264	145549	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.11	112	515173	112.39	ng	0.01
7) Phenol-d6	6.20	99	820941	137.27	ng	0.00
23) Nitrobenzene-d5	7.11	82	437807	80.25	ng	-0.01
41) 2,4,6-Tribromophenol	10.36	330	137633	126.06	ng	0.00
44) 2-Fluorobiphenyl	8.90	172	674329	70.15	ng	0.00
78) Terphenyl-d14	12.62	244	597167	62.69	ng	0.00
Target Compounds						
9) Benzaldehyde	6.31	77	14567	3.78	ng	Qvalue 84
19) n-Nitroso-di-n-propylamine	7.11	70	59904	14.46	ng	# 69
49) Dimethylphthalate	9.30	163	167501	16.15	ng	100
56) 2,4-Dinitrotoluene	9.57	165	15390	5.21	ng	# 18
66) 4-Bromophenyl-phenylether	10.36	248	10469	4.55	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF082415\
Data File : BF081192.D
Acq On : 25 Aug 2015 3:43
Operator : UM/IZ
Sample : G3388-06
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-6(5.5-6)BGS

Quant Time: Aug 25 04:08:35 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF081715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 24 23:49:48 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.54 min Scan# 407

Delta R.T. -0.00 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

SB-6(5.5-6)BGS


Tgt Ion:152 Resp: 68942

Ion Ratio Lower Upper

152 100

150 157.8 123.8 185.6




115 66.8 52.1 78.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 112.39 ng

RT: 5.11 min Scan# 282

Delta R.T. 0.01 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43


Tgt Ion:112 Resp: 515173

Ion Ratio Lower Upper

112 100

64 77.6 66.9 100.3



63 41.3 38.1 57.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 137.27 ng

RT: 6.20 min Scan# 377

Delta R.T. -0.00 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

SB-6(5.5-6)BGS


Tgt Ion: 99 Resp: 820941

Ion Ratio Lower Upper

99 100

42 19.9 19.6 29.4




71 34.2 31.2 46.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 3.78 ng

RT: 6.31 min Scan# 387

Delta R.T. 0.23 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43


Tgt Ion: 77 Resp: 14567

Ion Ratio Lower Upper

77 100

105 77.2 69.6 109.6



106 67.1 64.0 104.0






Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 14.46 ng
RT: 7.11 min Scan# 457
Delta R.T. 0.14 min
Lab File: BF081192.D
Acq: 25 Aug 2015 3:43


Instrument :
BNA_F
ClientSampleId :
SB-6(5.5-6)BGS


Tgt Ion: 70 Resp: 59904
Ion Ratio Lower Upper
70 100
42 53.3 65.0 97.4#
101 0.0 7.4 11.2#
130 1.9 13.0 19.4#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.83 min Scan# 520
Delta R.T. -0.00 min
Lab File: BF081192.D
Acq: 25 Aug 2015 3:43

Tgt Ion: 136 Resp: 249214
Ion Ratio Lower Upper
136 100
137 10.6 8.2 12.2
54 7.4 7.7 11.5#
68 4.7 3.4 5.2









#23
 Nitrobenzene-d5
 Concen: 80.25 ng
 RT: 7.11 min Scan# 457
 Delta R.T. -0.01 min
 Lab File: BF081192.D
 Acq: 25 Aug 2015 3:43

Instrument :
 BNA_F
 ClientSampleId :
 SB-6(5.5-6)BGS

Tgt Ion: 82 Resp: 437807
 Ion Ratio Lower Upper
 82 100
 128 38.3 28.6 42.8
 54 63.0 55.1 82.7




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.57 min Scan# 672
 Delta R.T. -0.00 min
 Lab File: BF081192.D
 Acq: 25 Aug 2015 3:43

Tgt Ion: 164 Resp: 125950
 Ion Ratio Lower Upper
 164 100
 162 103.5 83.8 125.8
 160 47.0 39.8 59.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41

2,4,6-Tribromophenol

Concen: 126.06 ng

RT: 10.36 min Scan# 741

Delta R.T. -0.00 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

SB-6(5.5-6)BGS


Tgt Ion:330 Resp: 137633

Ion Ratio Lower Upper

330 100

332 93.4 77.3 115.9




141 42.6 44.9 67.3#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 70.15 ng

RT: 8.90 min Scan# 614

Delta R.T. -0.00 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43


Tgt Ion:172 Resp: 674329

Ion Ratio Lower Upper

172 100

171 36.2 28.9 43.3



170 24.4 19.4 29.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 16.15 ng
RT: 9.30 min Scan# 649
Delta R.T. -0.01 min
Lab File: BF081192.D
Acq: 25 Aug 2015 3:43




Instrument :
BNA_F
ClientSampleId :
SB-6(5.5-6)BGS


Tgt Ion:163 Resp: 167501
Ion Ratio Lower Upper
163 100
194 3.1 2.5 3.7
164 10.0 8.1 12.1



#56
2,4-Dinitrotoluene
Concen: 5.21 ng
RT: 9.57 min Scan# 672
Delta R.T. -0.21 min
Lab File: BF081192.D
Acq: 25 Aug 2015 3:43

Tgt Ion:165 Resp: 15390
Ion Ratio Lower Upper
165 100
63 1.8 52.2 78.4#
89 2.0 60.1 90.1#
182 0.0 1.8 2.6#





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.03 min Scan# 800

Delta R.T. -0.01 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

SB-6(5.5-6)BGS


Tgt Ion:188 Resp: 234337

Ion Ratio Lower Upper

188 100

94 13.1 8.2 12.2#




80 15.1 9.5 14.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 4.55 ng

RT: 10.36 min Scan# 741

Delta R.T. -0.24 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43


Tgt Ion:248 Resp: 10469

Ion Ratio Lower Upper

248 100

250 191.2 77.8 116.6#



141 375.6 39.8 59.6#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.65 min Scan# 1029

Delta R.T. -0.01 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43

Instrument :

BNA_F

ClientSampleId :

SB-6(5.5-6)BGS


Tgt Ion:240 Resp: 204215

Ion Ratio Lower Upper

240 100

120 12.7 5.6 8.4#




236 26.5 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.69 ng

RT: 12.62 min Scan# 939

Delta R.T. -0.00 min

Lab File: BF081192.D

Acq: 25 Aug 2015 3:43


Tgt Ion:244 Resp: 597167

Ion Ratio Lower Upper

244 100

212 8.5 5.8 8.8



122 16.4 8.2 12.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 14.99 min Scan# 1146
Delta R.T. -0.00 min
Lab File: BF081192.D
Acq: 25 Aug 2015 3:43

Instrument :
BNA_F
ClientSampleId :
SB-6(5.5-6)BGS

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.6	29.4
265	20.4	17.5	26.3

