

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082418\
 Data File : BF108494.D
 Acq On : 25 Aug 2018 6:17
 Operator : JU/SJ
 Sample : J4582-10
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 082018-SIPI-E-D-S

Quant Time: Aug 27 01:49:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	137659	20.00	ng	-0.01
21) Naphthalene-d8	8.28	136	505404	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	235362	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	384629	20.00	ng	-0.01
75) Chrysene-d12	14.19	240	282758	20.00	ng	-0.01
86) Perylene-d12	15.74	264	276668	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	362001	47.61	ng	0.00
7) Phenol-d6	6.61	99	304513	30.14	ng	-0.02
23) Nitrobenzene-d5	7.57	82	949080	104.79	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	195099	83.10	ng	-0.01
44) 2-Fluorobiphenyl	9.36	172	1665522	113.61	ng	0.00
78) Terphenyl-d14	13.12	244	1171792	105.37	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.74	163	54131	3.302	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082418\
Data File : BF108494.D
Acq On : 25 Aug 2018 6:17
Operator : JU/SJ
Sample : J4582-10
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
082018-SIPI-E-D-S

Quant Time: Aug 27 01:49:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 792
Delta R.T. -0.01 min
Lab File: BF108494.D
Acq: 25 Aug 2018 6:17

Instrument :
BNA_F
ClientSampleId :
082018-SIPI-E-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.5	124.6	186.8
115	62.5	50.1	75.1





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 47.609 ng
RT: 5.62 min Scan# 559
Delta R.T. -0.01 min
Lab File: BF108494.D
Acq: 25 Aug 2018 6:17

Tgt Ion	Ratio	Lower	Upper
112	100		
64	69.3	47.9	71.9
63	36.5	23.7	35.5#





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 30.138 ng

RT: 6.61 min Scan# 727

Delta R.T. -0.02 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17

Instrument :

BNA_F

ClientSampleId :

082018-SIPI-E-D-S


Tot Ion: 99 Resp: 304513

Ion Ratio Lower Upper

99 100

42 22.4 14.5 21.7#




71 35.6 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17

Tgt Ion: 136 Resp: 505404


Ion Ratio Lower Upper

136 100

137 10.3 8.9 13.3

54 9.0 6.6 9.8

68 5.3 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 104.788 ng
 RT: 7.57 min Scan# 889
 Delta R.T. -0.01 min
 Lab File: BF108494.D
 Acq: 25 Aug 2018 6:17




Instrument :
 BNA_F
 ClientSampleId :
 082018-SIPI-E-D-S

Tot Ion	82	Resp	949080
Ion Ratio	100	Lower	Upper
128	42.4	36.1	54.1
54	57.6	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 10.04 min Scan# 1310
 Delta R.T. -0.01 min
 Lab File: BF108494.D
 Acq: 25 Aug 2018 6:17

Tgt Ion	164	Resp	235362
Ion Ratio	100	Lower	Upper
162	102.9	86.1	129.1
160	46.5	38.3	57.5








#41
 2,4,6-Tribromophenol
 Concen: 83.103 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108494.D
 Acq: 25 Aug 2018 6:17

Instrument :
 BNA_F
 ClientSampleId :
 082018-SIPI-E-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	77.0	115.6
141	32.3	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 113.610 ng
 RT: 9.36 min Scan# 1194
 Delta R.T. -0.01 min
 Lab File: BF108494.D
 Acq: 25 Aug 2018 6:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.1	29.7	44.5
170	24.9	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.302 ng

RT: 9.74 min Scan# 1259

Delta R.T. -0.02 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17

Instrument :

BNA_F

ClientSampleId :

082018-SIPI-E-D-S


Tot Ion:163 Resp: 54131

Ion Ratio Lower Upper




163 100

194 4.4 2.7 4.1#

164 9.7 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.54 min Scan# 1564

Delta R.T. -0.01 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17


Tgt Ion:188 Resp: 384629

Ion Ratio Lower Upper



188 100


94 9.0 8.5 12.7

80 9.9 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2015

Delta R.T. -0.01 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17

Instrument :

BNA_F

ClientSampleId :

082018-SIPI-E-D-S


Tot Ion:240 Resp: 282758

Ion Ratio Lower Upper

240 100

120 9.5 9.5 14.3#



236 25.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 105.368 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108494.D

Acq: 25 Aug 2018 6:17


Tgt Ion:244 Resp: 1171792

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0



122 9.7 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.74 min Scan# 2279
Delta R.T. -0.02 min
Lab File: BF108494.D
Acq: 25 Aug 2018 6:17

Instrument :
BNA_F
ClientSampleId :
082018-SIPI-E-D-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.2	28.8
265	21.2	17.5	26.3

