

Data Path : Z:\HPCHEM1\BNA F\DATA\BF082517\
 Data File : BF098036.D
 Acq On : 25 Aug 2017 17:56
 Operator : SJ/JU
 Sample : I4974-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 JPS-W1

Quant Time: Aug 25 23:51:21 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 21 15:59:04 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	115239	20.00	ng	-0.01
21) Naphthalene-d8	8.02	136	461378	20.00	ng	-0.01
38) Acenaphthene-d10	9.77	164	204639	20.00	ng	-0.02
63) Phenanthrene-d10	11.25	188	392484	20.00	ng	-0.01
75) Chrysene-d12	13.89	240	281990	20.00	ng	-0.01
86) Perylene-d12	15.30	264	227386	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	241348	31.86	ng	0.00
7) Phenol-d6	6.36	99	249009	24.19	ng	-0.02
23) Nitrobenzene-d5	7.30	82	788812	92.88	ng	-0.02
41) 2,4,6-Tribromophenol	10.56	330	134135	75.54	ng	-0.02
44) 2-Fluorobiphenyl	9.10	172	1158734	83.19	ng	-0.01
78) Terphenyl-d14	12.84	244	915810	67.72	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF082517\
Data File : BF098036.D
Acq On : 25 Aug 2017 17:56
Operator : SJ/JU
Sample : I4974-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
JPS-W1

Quant Time: Aug 25 23:51:21 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 21 15:59:04 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 791
Delta R.T. -0.01 min
Lab File: BF098036.D
Acq: 25 Aug 2017 17:56

Instrument :
BNA_F
ClientSampleId :
JPS-W1

Tot Ion:152 Resp: 115239
Ion Ratio Lower Upper
152 100
150 158.2 126.2 189.2
115 63.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 31.856 ng
RT: 5.35 min Scan# 554
Delta R.T. -0.01 min
Lab File: BF098036.D
Acq: 25 Aug 2017 17:56

Tgt Ion:112 Resp: 241348
Ion Ratio Lower Upper
112 100
64 59.3 46.0 69.0
63 31.0 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 24.190 ng

RT: 6.36 min Scan# 727

Delta R.T. -0.02 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56

Instrument :

BNA_F

ClientSampleId :

JPS-W1


Tot Ion: 99 Resp: 249009

Ion Ratio Lower Upper

99 100

42 15.8 13.5 20.3




71 33.4 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 1009

Delta R.T. -0.01 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56

Tgt Ion: 136 Resp: 461378


Ion Ratio Lower Upper

136 100

137 10.8 8.5 12.7

54 7.1 4.9 7.3

68 6.5 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 92.878 ng

RT: 7.30 min Scan# 887

Delta R.T. -0.02 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56

Instrument :

BNA_F

ClientSampleId :

JPS-W1


Tot Ion: 82 Resp: 788812

Ion Ratio Lower Upper

82 100

128 40.2 34.0 51.0




54 40.6 42.2 63.2#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.77 min Scan# 1306

Delta R.T. -0.02 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56


Tgt Ion:164 Resp: 204639

Ion Ratio Lower Upper

164 100

162 101.8 82.6 123.8



160 48.5 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 75.544 ng
 RT: 10.56 min Scan# 1440
 Delta R.T. -0.02 min
 Lab File: BF098036.D
 Acq: 25 Aug 2017 17:56

Instrument :
 BNA_F
 ClientSampleId :
 JPS-W1

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	76.6	115.0
141	41.4	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.191 ng
 RT: 9.10 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF098036.D
 Acq: 25 Aug 2017 17:56

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.6	44.4
170	24.4	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.25 min Scan# 1558
 Delta R.T. -0.01 min
 Lab File: BF098036.D
 Acq: 25 Aug 2017 17:56

Instrument :
 BNA_F
 ClientSampled :
 JPS-W1

Tot Ion	Ratio	Lower	Upper
188	100		
94	11.8	9.4	14.2
80	12.8	10.2	15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.89 min Scan# 2006
 Delta R.T. -0.01 min
 Lab File: BF098036.D
 Acq: 25 Aug 2017 17:56

Tgt Ion	Ratio	Lower	Upper
240	100		
120	12.3	5.8	8.8#
236	25.5	20.5	30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 67.725 ng

RT: 12.84 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56

Instrument :

BNA_F

ClientSampleId :

JPS-W1


Tot Ion:244 Resp: 915810

Ion Ratio Lower Upper

244 100

212 7.3 6.0 9.0




122 13.7 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.30 min Scan# 2247

Delta R.T. -0.01 min

Lab File: BF098036.D

Acq: 25 Aug 2017 17:56


Tgt Ion:264 Resp: 227386

Ion Ratio Lower Upper

264 100

260 24.3 19.5 29.3

265 22.4 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

