

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082521\
 Data File : BF125205.D
 Acq On : 25 Aug 2021 12:39
 Operator : JU/CG
 Sample : M3524-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PE-7

Quant Time: Aug 25 13:36:58 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 24 12:39:21 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.916	152	142035	20.000	ng	0.00
21) Naphthalene-d8	8.198	136	551234	20.000	ng	# 0.00
39) Acenaphthene-d10	9.951	164	298432	20.000	ng	0.00
64) Phenanthrene-d10	11.439	188	558326	20.000	ng	0.00
76) Chrysene-d12	14.080	240	365580	20.000	ng	# 0.00
86) Perylene-d12	15.574	264	311217	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.534	112	813741	86.716	ng	0.00
7) Phenol-d6	6.534	99	1031085	84.958	ng	0.00
23) Nitrobenzene-d5	7.475	82	702353	64.146	ng	0.00
42) 2,4,6-Tribromophenol	10.739	330	342604	115.006	ng	0.00
45) 2-Fluorobiphenyl	9.269	172	1256680	58.689	ng	0.00
79) Terphenyl-d14	13.027	244	1393206	60.712	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082521\
Data File : BF125205.D
Acq On : 25 Aug 2021 12:39
Operator : JU/CG
Sample : M3524-07
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PE-7

Quant Time: Aug 25 13:36:58 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 24 12:39:21 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.916 min Scan# 821
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39




Instrument :
BNA_F
ClientSampled :
PE-7


Tgt Ion:152 Resp: 142035
Ion Ratio Lower Upper
152 100
150 155.6 117.6 176.4
115 59.8 47.1 70.7



#5
2-Fluorophenol
Concen: 86.716 ng
RT: 5.534 min Scan# 586
Delta R.T. 0.006 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion:112 Resp: 813741
Ion Ratio Lower Upper
112 100
64 68.2 44.2 66.2#
63 37.9 26.2 39.2









#7
Phenol-d6
Concen: 84.958 ng
RT: 6.534 min Scan# 756
Delta R.T. -0.006 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39




Instrument :
BNA_F
ClientSampleId :
PE-7


Tgt Ion: 99 Resp: 1031085
Ion Ratio Lower Upper
99 100
42 23.6 23.5 35.3
71 40.2 25.6 38.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.198 min Scan# 1039
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion: 136 Resp: 551234
Ion Ratio Lower Upper
136 100
137 10.5 9.8 14.6
54 9.3 6.4 9.6
68 5.0 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 64.146 ng
RT: 7.475 min Scan# 916
Delta R.T. -0.006 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39




Instrument :
BNA_F
ClientSampleId :
PE-7


Tgt Ion: 82 Resp: 702353
Ion Ratio Lower Upper
82 100
128 38.7 40.6 60.8#
54 63.7 49.6 74.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.951 min Scan# 1337
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion:164 Resp: 298432
Ion Ratio Lower Upper
164 100
162 100.6 81.3 121.9
160 44.8 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 115.006 ng
RT: 10.739 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39




Instrument :
BNA_F
ClientSampleId :
PE-7


Tgt Ion:330 Resp: 342604
Ion Ratio Lower Upper
330 100
332 96.0 76.2 114.4
141 30.5 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 58.689 ng
RT: 9.269 min Scan# 1221
Delta R.T. -0.006 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion:172 Resp: 1256680
Ion Ratio Lower Upper
172 100
171 35.6 26.5 39.7
170 23.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.439 min Scan# 1590
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39




Instrument :
BNA_F
ClientSampleId :
PE-7


Tgt Ion:188 Resp: 558326
Ion Ratio Lower Upper
188 100
94 7.5 6.7 10.1
80 9.0 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.080 min Scan# 2039
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion:240 Resp: 365580
Ion Ratio Lower Upper
240 100
120 8.4 10.8 16.2#
236 26.1 21.6 32.4









#79
Terphenyl-d14
Concen: 60.712 ng
RT: 13.027 min Scan# 1860
Delta R.T. 0.006 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Instrument :
BNA_F
ClientSampled :
PE-7

Tgt Ion:244 Resp: 1393206
Ion Ratio Lower Upper
244 100
212 6.7 5.9 8.9
122 7.8 9.0 13.4#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.574 min Scan# 2293
Delta R.T. 0.000 min
Lab File: BF125205.D
Acq: 25 Aug 2021 12:39

Tgt Ion:264 Resp: 311217
Ion Ratio Lower Upper
264 100
260 24.8 19.6 29.4
265 21.4 17.2 25.8

