

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082621\
 Data File : BF125229.D
 Acq On : 26 Aug 2021 17:18
 Operator : JU/CG
 Sample : M3547-03
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PE-2

Quant Time: Aug 27 05:01:22 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 24 12:39:21 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.910	152	195819	20.000	ng	0.00
21) Naphthalene-d8	8.192	136	778969	20.000	ng	# 0.00
39) Acenaphthene-d10	9.951	164	412601	20.000	ng	0.00
64) Phenanthrene-d10	11.439	188	750596	20.000	ng	0.00
76) Chrysene-d12	14.074	240	532118	20.000	ng	0.00
86) Perylene-d12	15.568	264	452212	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.534	112	1052358	81.343	ng	0.00
7) Phenol-d6	6.534	99	1302283	77.832	ng	0.00
23) Nitrobenzene-d5	7.475	82	850529	54.969	ng	0.00
42) 2,4,6-Tribromophenol	10.739	330	397891	96.607	ng	0.00
45) 2-Fluorobiphenyl	9.269	172	1523642	51.467	ng	0.00
79) Terphenyl-d14	13.021	244	1727054	51.706	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082621\
Data File : BF125229.D
Acq On : 26 Aug 2021 17:18
Operator : JU/CG
Sample : M3547-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PE-2

Quant Time: Aug 27 05:01:22 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 24 12:39:21 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.910 min Scan# 820
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18




Instrument :
BNA_F
ClientSampleId :
PE-2


Tgt Ion:152 Resp: 195819
Ion Ratio Lower Upper
152 100
150 161.6 117.6 176.4
115 64.6 47.1 70.7



#5
2-Fluorophenol
Concen: 81.343 ng
RT: 5.534 min Scan# 586
Delta R.T. 0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion:112 Resp: 1052358
Ion Ratio Lower Upper
112 100
64 65.7 44.2 66.2
63 33.9 26.2 39.2









#7
Phenol-d6
Concen: 77.832 ng
RT: 6.534 min Scan# 756
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Instrument :
BNA_F
ClientSampleId :
PE-2

Tgt Ion: 99 Resp: 1302283




Ion	Ratio	Lower	Upper
99	100		
42	19.8	23.5	35.3#
71	34.7	25.6	38.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.192 min Scan# 1038
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion: 136 Resp: 778969

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.8	14.6
54	11.0	6.4	9.6#
68	6.7	3.3	4.9#









#23
Nitrobenzene-d5
Concen: 54.969 ng
RT: 7.475 min Scan# 916
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18




Instrument :
BNA_F
ClientSampleId :
PE-2


Tgt Ion: 82 Resp: 850529
Ion Ratio Lower Upper
82 100
128 42.0 40.6 60.8
54 58.6 49.6 74.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.951 min Scan# 1337
Delta R.T. 0.000 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion: 164 Resp: 412601
Ion Ratio Lower Upper
164 100
162 102.6 81.3 121.9
160 45.2 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 96.607 ng
RT: 10.739 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18




Instrument :
BNA_F
ClientSampled :
PE-2


Tgt Ion:330 Resp: 397891
Ion Ratio Lower Upper
330 100
332 94.7 76.2 114.4
141 29.3 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 51.467 ng
RT: 9.269 min Scan# 1221
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion:172 Resp: 1523642
Ion Ratio Lower Upper
172 100
171 35.2 26.5 39.7
170 24.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.439 min Scan# 1590
Delta R.T. 0.000 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18




Instrument :
BNA_F
ClientSampleId :
PE-2


Tgt Ion:188 Resp: 750596
Ion Ratio Lower Upper
188 100
94 8.7 6.7 10.1
80 9.5 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion:240 Resp: 532118
Ion Ratio Lower Upper
240 100
120 11.4 10.8 16.2
236 25.1 21.6 32.4









#79
Terphenyl-d14
Concen: 51.706 ng
RT: 13.021 min Scan# 1859
Delta R.T. 0.000 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Instrument :
BNA_F
ClientSampled :
PE-2

Tgt Ion:244 Resp: 1727054
Ion Ratio Lower Upper
244 100
212 6.8 5.9 8.9
122 9.6 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.568 min Scan# 2292
Delta R.T. -0.006 min
Lab File: BF125229.D
Acq: 26 Aug 2021 17:18

Tgt Ion:264 Resp: 452212
Ion Ratio Lower Upper
264 100
260 25.4 19.6 29.4
265 21.1 17.2 25.8

