

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082621\
 Data File : BF125233.D
 Acq On : 26 Aug 2021 19:35
 Operator : JU/CG
 Sample : M3547-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PE-6

Quant Time: Aug 27 05:02:27 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 24 12:39:21 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.916	152	200946	20.000	ng	0.00
21) Naphthalene-d8	8.192	136	774651	20.000	ng	# 0.00
39) Acenaphthene-d10	9.951	164	409623	20.000	ng	0.00
64) Phenanthrene-d10	11.433	188	730174	20.000	ng	# 0.00
76) Chrysene-d12	14.074	240	445775	20.000	ng	0.00
86) Perylene-d12	15.568	264	418523	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.534	112	1021126	76.915	ng	0.00
7) Phenol-d6	6.534	99	1274448	74.225	ng	0.00
23) Nitrobenzene-d5	7.475	82	825883	53.674	ng	0.00
42) 2,4,6-Tribromophenol	10.739	330	378655	92.605	ng	0.00
45) 2-Fluorobiphenyl	9.269	172	1453118	49.442	ng	0.00
79) Terphenyl-d14	13.021	244	1455121	52.002	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082621\
Data File : BF125233.D
Acq On : 26 Aug 2021 19:35
Operator : JU/CG
Sample : M3547-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PE-6

Quant Time: Aug 27 05:02:27 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 24 12:39:21 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.916 min Scan# 821
Delta R.T. -0.000 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35




Instrument :
BNA_F
ClientSampled :
PE-6


Tgt Ion:152 Resp: 200946
Ion Ratio Lower Upper
152 100
150 154.9 117.6 176.4
115 56.5 47.1 70.7



#5
2-Fluorophenol
Concen: 76.915 ng
RT: 5.534 min Scan# 586
Delta R.T. 0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion:112 Resp: 1021126
Ion Ratio Lower Upper
112 100
64 67.2 44.2 66.2#
63 34.4 26.2 39.2









#7
Phenol-d6
Concen: 74.225 ng
RT: 6.534 min Scan# 756
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35




Instrument :
BNA_F
ClientSampleId :
PE-6


Tgt Ion: 99 Resp: 1274448
Ion Ratio Lower Upper
99 100
42 20.4 23.5 35.3#
71 34.9 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.192 min Scan# 1038
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion: 136 Resp: 774651
Ion Ratio Lower Upper
136 100
137 10.8 9.8 14.6
54 10.9 6.4 9.6#
68 6.7 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 53.674 ng
RT: 7.475 min Scan# 916
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35




Instrument :
BNA_F
ClientSampleId :
PE-6


Tgt Ion: 82 Resp: 825883
Ion Ratio Lower Upper
82 100
128 42.6 40.6 60.8
54 58.8 49.6 74.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.951 min Scan# 1337
Delta R.T. 0.000 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion:164 Resp: 409623
Ion Ratio Lower Upper
164 100
162 101.8 81.3 121.9
160 44.9 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 92.605 ng
RT: 10.739 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35




Instrument :
BNA_F
ClientSampled :
PE-6


Tgt Ion:330 Resp: 378655
Ion Ratio Lower Upper
330 100
332 97.5 76.2 114.4
141 29.5 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 49.442 ng
RT: 9.269 min Scan# 1221
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion:172 Resp: 1453118
Ion Ratio Lower Upper
172 100
171 34.8 26.5 39.7
170 23.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.433 min Scan# 1589
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35




Instrument :
BNA_F
ClientSampleId :
PE-6


Tgt Ion:188 Resp: 730174
Ion Ratio Lower Upper
188 100
94 10.4 6.7 10.1#
80 11.5 7.5 11.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion:240 Resp: 445775
Ion Ratio Lower Upper
240 100
120 10.8 10.8 16.2
236 25.5 21.6 32.4









#79
Terphenyl-d14
Concen: 52.002 ng
RT: 13.021 min Scan# 1859
Delta R.T. 0.000 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Instrument :
BNA_F
ClientSampleId :
PE-6

Tgt Ion:244 Resp: 1455121
Ion Ratio Lower Upper
244 100
212 6.6 5.9 8.9
122 8.8 9.0 13.4#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.568 min Scan# 2292
Delta R.T. -0.006 min
Lab File: BF125233.D
Acq: 26 Aug 2021 19:35

Tgt Ion:264 Resp: 418523
Ion Ratio Lower Upper
264 100
260 24.2 19.6 29.4
265 21.8 17.2 25.8

