

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082724\
 Data File : BF139173.D
 Acq On : 26 Aug 2024 20:39
 Operator : RC/JU
 Sample : PB162871TB
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB162871TB

Quant Time: Aug 27 03:45:55 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 27 02:51:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.893	152	95574	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	358333	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	207380	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	374547	20.000	ng	0.00
76) Chrysene-d12	14.045	240	233089	20.000	ng	0.00
86) Perylene-d12	15.515	264	202769	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	777210	136.647	ng	0.02
7) Phenol-d6	6.516	99	1036087	132.732	ng	0.00
23) Nitrobenzene-d5	7.451	82	681935	105.431	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	272476	153.412	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1194594	89.480	ng	0.00
79) Terphenyl-d14	12.998	244	1346267	90.121	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082724\
Data File : BF139173.D
Acq On : 26 Aug 2024 20:39
Operator : RC/JU
Sample : PB162871TB
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB162871TB

Quant Time: Aug 27 03:45:55 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 27 02:51:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.893 min Scan# 816
Delta R.T. 0.001 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39




Instrument :
BNA_F
ClientSampleId :
PB162871TB


Tgt Ion:152 Resp: 95574
Ion Ratio Lower Upper
152 100
150 154.2 123.7 185.5
115 64.4 51.8 77.8



#5
2-Fluorophenol
Concen: 136.647 ng
RT: 5.522 min Scan# 583
Delta R.T. 0.018 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39

Tgt Ion:112 Resp: 777210
Ion Ratio Lower Upper
112 100
64 67.4 55.5 83.3
63 36.6 29.8 44.6









#7
Phenol-d6
Concen: 132.732 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39




Instrument :
BNA_F
ClientSampleId :
PB162871TB


Tgt Ion: 99 Resp: 1036087
Ion Ratio Lower Upper
99 100
42 21.7 17.9 26.9
71 39.8 31.7 47.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39

Tgt Ion: 136 Resp: 358333
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 9.7 7.6 11.4
68 6.6 5.0 7.6





#23

Nitrobenzene-d5

Concen: 105.431 ng

RT: 7.451 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF139173.D

Acq: 26 Aug 2024 20:39

Instrument :

BNA_F

ClientSampleId :

PB162871TB





Tgt Ion: 82 Resp: 681935

Ion Ratio Lower Upper

82 100

128 36.8 27.1 40.7

54 53.7 44.2 66.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1331

Delta R.T. -0.006 min

Lab File: BF139173.D

Acq: 26 Aug 2024 20:39




Tgt Ion:164 Resp: 207380


Ion Ratio Lower Upper

164 100

162 100.7 80.0 120.0


160 43.6 35.0 52.6








#42
2,4,6-Tribromophenol
Concen: 153.412 ng
RT: 10.716 min Scan# 1466
Delta R.T. -0.000 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39

Instrument :
BNA_F
ClientSampleId :
PB162871TB







Tgt Ion:330 Resp: 272476
Ion Ratio Lower Upper
330 100
332 96.1 77.3 115.9
141 33.7 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 89.480 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF139173.D
Acq: 26 Aug 2024 20:39

Tgt Ion:172 Resp: 1194594
Ion Ratio Lower Upper
172 100
171 35.4 28.6 42.8
170 23.6 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF139173.D

Acq: 26 Aug 2024 20:39

Instrument :

BNA_F

ClientSampleId :

PB162871TB





Tgt Ion:188 Resp: 374547

Ion Ratio Lower Upper

188 100

94 9.4 7.4 11.2

80 10.4 8.9 13.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF139173.D

Acq: 26 Aug 2024 20:39




Tgt Ion:240 Resp: 233089


Ion Ratio Lower Upper

240 100

120 9.2 6.9 10.3


236 25.7 20.9 31.3








#79
 Terphenyl-d14
 Concen: 90.121 ng
 RT: 12.998 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF139173.D
 Acq: 26 Aug 2024 20:39


Instrument :
 BNA_F
 ClientSampleId :
 PB162871TB



Tgt Ion:244 Resp: 1346267
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.6
 122 9.6 7.6 11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.515 min Scan# 2282
 Delta R.T. -0.006 min
 Lab File: BF139173.D
 Acq: 26 Aug 2024 20:39



Tgt Ion:264 Resp: 202769
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.3 27.5
 265 21.6 17.0 25.6

