

Data Path : Z:\HPCHEM1\BNA F\DATA\BF082915\
 Data File : BF081270.D
 Acq On : 29 Aug 2015 14:47
 Operator : UM/IZ
 Sample : PB85288BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 31 01:04:35 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 24 13:58:19 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.48	152	48657	20.00	ng	-0.06
21) Naphthalene-d8	7.77	136	190590	20.00	ng	-0.06
38) Acenaphthene-d10	9.51	164	90143	20.00	ng	-0.07
63) Phenanthrene-d10	10.98	188	184159	20.00	ng	-0.06
75) Chrysene-d12	13.59	240	151576	20.00	ng	-0.07
86) Perylene-d12	14.92	264	132799	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.04	112	239647	74.08	ng	-0.06
7) Phenol-d6	6.13	99	322056	76.30	ng	-0.07
23) Nitrobenzene-d5	7.05	82	310620	74.45	ng	-0.07
41) 2,4,6-Tribromophenol	10.30	330	66704	85.37	ng	-0.06
44) 2-Fluorobiphenyl	8.85	172	482449	70.13	ng	-0.06
78) Terphenyl-d14	12.56	244	502610	71.09	ng	-0.07
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.05	70	40878	13.98	ng	# 68
50) 2,6-Dinitrotoluene	9.51	165	11080	6.95	ng	# 20
56) 2,4-Dinitrotoluene	9.51	165	11080	5.24	ng	# 16
66) 4-Bromophenyl-phenylether	10.30	248	4805	2.66	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF082915\
Data File : BF081270.D
Acq On : 29 Aug 2015 14:47
Operator : UM/IZ
Sample : PB85288BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 31 01:04:35 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF081715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 24 13:58:19 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.48 min Scan# 415

Delta R.T. -0.06 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47

Instrument :

BNA_F

ClientSampleId :


Tot Ion:152 Resp: 48657

Ion Ratio Lower Upper

152 100

150 156.2 123.8 185.6




115 61.7 52.1 78.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 74.08 ng

RT: 5.04 min Scan# 289

Delta R.T. -0.06 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47


Tgt Ion:112 Resp: 239647

Ion Ratio Lower Upper

112 100

64 80.1 66.9 100.3



63 42.9 38.1 57.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 76.30 ng

RT: 6.13 min Scan# 384

Delta R.T. -0.07 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 322056

Ion Ratio Lower Upper

99 100

42 23.9 19.6 29.4




71 36.7 31.2 46.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.98 ng

RT: 7.05 min Scan# 465

Delta R.T. 0.07 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47

Tgt Ion: 70 Resp: 40878


Ion Ratio Lower Upper

70 100

42 52.8 65.0 97.4#

101 0.0 7.4 11.2#

130 1.7 13.0 19.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.77 min Scan# 528
Delta R.T. -0.06 min
Lab File: BF081270.D
Acq: 29 Aug 2015 14:47

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	190590
Ion Ratio	Lower	Upper
136	100	
137	10.1	8.2 12.2
54	8.0	7.7 11.5
68	4.7	3.4 5.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 74.45 ng
RT: 7.05 min Scan# 465
Delta R.T. -0.07 min
Lab File: BF081270.D
Acq: 29 Aug 2015 14:47

Tgt Ion: 82	Resp:	310620
Ion Ratio	Lower	Upper
82	100	
128	37.2	28.6 42.8
54	62.1	55.1 82.7



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.51 min Scan# 680
Delta R.T. -0.07 min
Lab File: BF081270.D
Acq: 29 Aug 2015 14:47

Instrument :
BNA_F
ClientSampleId :

Tot Ion:164 Resp: 90143
Ion Ratio Lower Upper
164 100
162 101.0 83.8 125.8
160 46.4 39.8 59.8




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 85.37 ng
RT: 10.30 min Scan# 749
Delta R.T. -0.06 min
Lab File: BF081270.D
Acq: 29 Aug 2015 14:47

Tgt Ion:330 Resp: 66704
Ion Ratio Lower Upper
330 100
332 96.9 77.3 115.9
141 42.8 44.9 67.3#



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 70.13 ng
 RT: 8.85 min Scan# 622
 Delta R.T. -0.06 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:172 Resp: 482449
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.9 43.3
 170 24.0 19.4 29.2



#50
 2,6-Dinitrotoluene
 Concen: 6.95 ng
 RT: 9.51 min Scan# 680
 Delta R.T. 0.14 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47

Tgt Ion:165 Resp: 11080
 Ion Ratio Lower Upper
 165 100
 63 0.0 49.5 74.3#
 89 0.0 47.6 71.4#






#56
 2,4-Dinitrotoluene
 Concen: 5.24 ng
 RT: 9.51 min Scan# 680
 Delta R.T. -0.26 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	52.2	78.4#
89	0.0	60.1	90.1#
182	0.0	1.8	2.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.98 min Scan# 809
 Delta R.T. -0.06 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47



Tgt Ion	Ratio	Lower	Upper
188	100		
94	5.9	8.2	12.2#
80	5.6	9.5	14.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#66

4-Bromophenyl-phenylether

Concen: 2.66 ng

RT: 10.30 min Scan# 749

Delta R.T. -0.30 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47

Instrument :

BNA_F

ClientSampleId :


Tot Ion:248 Resp: 4805

Ion Ratio Lower Upper

248 100

250 210.5 77.8 116.6#




141 371.9 39.8 59.6#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.59 min Scan# 1037

Delta R.T. -0.07 min

Lab File: BF081270.D

Acq: 29 Aug 2015 14:47


Tgt Ion:240 Resp: 151576

Ion Ratio Lower Upper

240 100

120 13.2 5.6 8.4#



236 26.1 20.6 30.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 71.09 ng
 RT: 12.56 min Scan# 947
 Delta R.T. -0.07 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:244 Resp: 502610
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.8 8.8
 122 16.5 8.2 12.4#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.92 min Scan# 1153
 Delta R.T. -0.07 min
 Lab File: BF081270.D
 Acq: 29 Aug 2015 14:47

Tgt Ion:264 Resp: 132799
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.6 29.4
 265 20.6 17.5 26.3

