

Data Path : Z:\HPCHEM1\BNA F\DATA\BF083116\
 Data File : BF089947.D
 Acq On : 31 Aug 2016 13:44
 Operator : UM/SJ
 Sample : H4617-02
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 31 15:20:10 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF083116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 31 11:55:18 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.64	152	232875	20.00	ng	0.00
21) Naphthalene-d8	7.92	136	924795	20.00	ng	-0.01
38) Acenaphthene-d10	9.67	164	466232	20.00	ng	0.00
63) Phenanthrene-d10	11.13	188	775013	20.00	ng	-0.01
75) Chrysene-d12	13.75	240	574042	20.00	ng	-0.01
86) Perylene-d12	15.10	264	551334	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	1559791	107.21	ng	0.01
7) Phenol-d6	6.28	99	1993347	112.76	ng	0.01
23) Nitrobenzene-d5	7.20	82	1088690	68.27	ng	-0.01
41) 2,4,6-Tribromophenol	10.44	330	399271	86.80	ng	-0.01
44) 2-Fluorobiphenyl	9.00	172	2141570	75.40	ng	0.00
78) Terphenyl-d14	12.72	244	1458501	62.76	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.20	70	141578	12.29	ng	# 84
25) Isophorone	7.20	82	918714	28.33	ng	# 65
49) Dimethylphthalate	9.39	163	520250	15.44	ng	100
56) 2,4-Dinitrotoluene	9.67	165	60498	6.37	ng	# 30
66) 4-Bromophenyl-phenylether	10.44	248	25166	3.23	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF083116\
Data File : BF089947.D
Acq On : 31 Aug 2016 13:44
Operator : UM/SJ
Sample : H4617-02
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Aug 31 15:20:10 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF083116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 31 11:55:18 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.64 min Scan# 442
Delta R.T. 0.00 min
Lab File: BF089947.D
Acq: 31 Aug 2016 13:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.7	127.4	191.2
115	52.6	46.3	69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: 107.21 ng
RT: 5.22 min Scan# 318
Delta R.T. 0.01 min
Lab File: BF089947.D
Acq: 31 Aug 2016 13:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.7	41.1	61.7
63	30.1	21.2	31.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 112.76 ng

RT: 6.28 min Scan# 411

Delta R.T. 0.01 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 1993347

Ion Ratio Lower Upper

99 100

42 21.1 18.6 27.8

71 31.7 25.8 38.6



#19

n-Nitroso-di-n-propylamine

Concen: 12.29 ng

RT: 7.20 min Scan# 491

Delta R.T. 0.13 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Tgt Ion: 70 Resp: 141578


Ion Ratio Lower Upper


70 100

42 59.8 52.1 78.1

101 0.0 7.4 11.2#

130 2.2 17.0 25.4#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.92 min Scan# 554

Delta R.T. -0.01 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 924795


Ion Ratio Lower Upper

136 100

137 11.3 8.3 12.5

54 9.9 4.8 7.2#

68 6.7 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 68.27 ng

RT: 7.20 min Scan# 491

Delta R.T. -0.01 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44


Tgt Ion: 82 Resp: 1088690

Ion Ratio Lower Upper

82 100

128 44.4 37.8 56.8



54 60.9 46.9 70.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 28.33 ng

RT: 7.20 min Scan# 491

Delta R.T. -0.27 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 918714

Ion Ratio Lower Upper

82 100

95 0.0 5.5 8.3#




138 0.0 14.4 21.6#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.67 min Scan# 707

Delta R.T. 0.00 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44


Tgt Ion:164 Resp: 466232

Ion Ratio Lower Upper

164 100

162 97.4 77.1 115.7



160 45.2 35.3 52.9




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 86.80 ng
 RT: 10.44 min Scan# 775
 Delta R.T. -0.01 min
 Lab File: BF089947.D
 Acq: 31 Aug 2016 13:44

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	78.6	117.8
141	32.1	23.3	34.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.40 ng
 RT: 9.00 min Scan# 649
 Delta R.T. 0.00 min
 Lab File: BF089947.D
 Acq: 31 Aug 2016 13:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.4	44.2
170	24.6	20.1	30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 15.44 ng
RT: 9.39 min Scan# 683
Delta R.T. -0.01 min
Lab File: BF089947.D
Acq: 31 Aug 2016 13:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.4	2.7	4.1
164	11.1	9.0	13.4




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#56
2,4-Dinitrotoluene
Concen: 6.37 ng
RT: 9.67 min Scan# 707
Delta R.T. -0.19 min
Lab File: BF089947.D
Acq: 31 Aug 2016 13:44

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.7	32.5	48.7#
89	1.6	48.3	72.5#
182	0.0	1.7	2.5#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0
Ion 182.00 (181.70 to 182.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.13 min Scan# 835

Delta R.T. -0.01 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion:188 Resp: 775013

Ion Ratio Lower Upper

188 100

94 11.5 5.9 8.9#




80 12.1 5.8 8.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 3.23 ng

RT: 10.44 min Scan# 775

Delta R.T. -0.25 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44


Tgt Ion:248 Resp: 25166

Ion Ratio Lower Upper

248 100

250 199.0 77.3 115.9#



141 511.3 55.8 83.8#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. -0.01 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 574042

Ion Ratio Lower Upper

240 100

120 10.6 5.7 8.5#

236 26.3 21.3 31.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

13.75

800000



600000

400000

200000

0

Time--> 13.60 13.80 14.00



#78

Terphenyl-d14

Concen: 62.76 ng

RT: 12.72 min Scan# 974

Delta R.T. 0.00 min

Lab File: BF089947.D

Acq: 31 Aug 2016 13:44


Tgt Ion:244 Resp: 1458501

Ion Ratio Lower Upper

244 100

212 7.7 6.1 9.1

122 11.5 9.6 14.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

2000000


1500000




1000000

500000

0

Time--> 12.60 12.80 13.00





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.10 min Scan# 1182
Delta R.T. 0.00 min
Lab File: BF089947.D
Acq: 31 Aug 2016 13:44

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.4	29.0
265	21.7	17.4	26.2

