

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090115\
 Data File : BF081325.D
 Acq On : 2 Sep 2015 2:17
 Operator : UM/IZ
 Sample : G3479-15
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 02 02:44:56 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 17:35:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.55	152	212832	20.00	ng	0.16
21) Naphthalene-d8	7.68	136	235946	20.00	ng	0.00
38) Acenaphthene-d10	9.42	164	116462	20.00	ng	0.00
63) Phenanthrene-d10	10.88	188	220396	20.00	ng	0.00
75) Chrysene-d12	13.49	240	161942	20.00	ng	-0.01
86) Perylene-d12	14.80	264	127120	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.95	112	494333	36.04	ng	0.02
7) Phenol-d6	6.06	99	717288	39.50	ng	0.00
23) Nitrobenzene-d5	6.96	82	369031	75.46	ng	-0.01
41) 2,4,6-Tribromophenol	10.20	330	119297	115.04	ng	0.00
44) 2-Fluorobiphenyl	8.76	172	619723	68.19	ng	0.00
78) Terphenyl-d14	12.47	244	489423	70.35	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.96	70	48864	3.95	ng	# 63
49) Dimethylphthalate	9.16	163	134306	14.84	ng	# 97
56) 2,4-Dinitrotoluene	9.42	165	14870	5.69	ng	# 33
66) 4-Bromophenyl-phenylether	10.20	248	8623	3.87	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090115\
Data File : BF081325.D
Acq On : 2 Sep 2015 2:17
Operator : UM/IZ
Sample : G3479-15
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 02 02:44:56 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 17:35:35 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.55 min Scan# 434
Delta R.T. 0.16 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 212832
Ion Ratio Lower Upper
152 100
150 152.4 124.7 187.1
115 57.9 39.0 58.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 36.04 ng
RT: 4.95 min Scan# 294
Delta R.T. 0.02 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17

Tgt Ion:112 Resp: 494333
Ion Ratio Lower Upper
112 100
64 60.4 39.7 59.5#
63 32.4 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 39.50 ng

RT: 6.06 min Scan# 391

Delta R.T. 0.00 min

Lab File: BF081325.D

Acq: 2 Sep 2015 2:17

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 717288

Ion Ratio Lower Upper

99 100

42 20.7 13.7 20.5#




71 36.3 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 3.95 ng

RT: 6.96 min Scan# 470

Delta R.T. 0.13 min

Lab File: BF081325.D

Acq: 2 Sep 2015 2:17

Tgt Ion: 70 Resp: 48864


Ion Ratio Lower Upper

70 100

42 53.4 63.8 95.6#

101 0.0 9.2 13.8#

130 1.8 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.68 min Scan# 533

Delta R.T. 0.00 min

Lab File: BF081325.D

Acq: 2 Sep 2015 2:17

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 235946


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.6

54 9.0 8.2 12.2

68 4.4 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 75.46 ng

RT: 6.96 min Scan# 470

Delta R.T. -0.01 min

Lab File: BF081325.D

Acq: 2 Sep 2015 2:17


Tgt Ion: 82 Resp: 369031

Ion Ratio Lower Upper

82 100

128 35.8 51.0 76.6#



54 64.7 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.42 min Scan# 685
 Delta R.T. 0.00 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 116462
 Ion Ratio Lower Upper
 164 100
 162 101.9 75.2 112.8
 160 45.4 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 115.04 ng
 RT: 10.20 min Scan# 754
 Delta R.T. 0.00 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17

Tgt Ion:330 Resp: 119297
 Ion Ratio Lower Upper
 330 100
 332 97.7 76.6 114.8
 141 40.3 29.7 44.5



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 68.19 ng
RT: 8.76 min Scan# 628
Delta R.T. 0.00 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 619723
Ion Ratio Lower Upper
172 100
171 35.5 26.1 39.1
170 23.9 17.4 26.2



#49
Dimethylphthalate
Concen: 14.84 ng
RT: 9.16 min Scan# 663
Delta R.T. -0.01 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17

Tgt Ion:163 Resp: 134306
Ion Ratio Lower Upper
163 100
194 3.5 4.4 6.6#
164 9.9 8.3 12.5









#56
 2,4-Dinitrotoluene
 Concen: 5.69 ng
 RT: 9.42 min Scan# 685
 Delta R.T. -0.22 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:165 Resp: 14870
 Ion Ratio Lower Upper
 165 100
 63 0.0 29.8 44.6#
 89 1.7 44.5 66.7#
 182 0.0 3.0 4.4#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.88 min Scan# 813
 Delta R.T. 0.00 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17

Tgt Ion:188 Resp: 220396
 Ion Ratio Lower Upper
 188 100
 94 8.1 11.1 16.7#
 80 9.1 11.0 16.4#









#66
4-Bromophenyl-phenylether
Concen: 3.87 ng
RT: 10.20 min Scan# 754
Delta R.T. -0.24 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 8623
Ion Ratio Lower Upper
248 100
250 189.6 78.5 117.7#
141 285.9 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.49 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BF081325.D
Acq: 2 Sep 2015 2:17

Tgt Ion:240 Resp: 161942
Ion Ratio Lower Upper
240 100
120 10.8 16.2 24.2#
236 26.1 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 70.35 ng
 RT: 12.47 min Scan# 952
 Delta R.T. 0.00 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 489423
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 10.7 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.80 min Scan# 1156
 Delta R.T. 0.00 min
 Lab File: BF081325.D
 Acq: 2 Sep 2015 2:17

Tgt Ion:264 Resp: 127120
 Ion Ratio Lower Upper
 264 100
 260 23.5 16.7 25.1
 265 21.0 17.2 25.8

