

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090115\
 Data File : BF081333.D
 Acq On : 2 Sep 2015 6:24
 Operator : UM/IZ
 Sample : G3480-11
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 02 06:55:58 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 17:35:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.39	152	60449	20.00	ng	0.00
21) Naphthalene-d8	7.68	136	230775	20.00	ng	0.00
38) Acenaphthene-d10	9.42	164	110248	20.00	ng	0.00
63) Phenanthrene-d10	10.88	188	214328	20.00	ng	0.00
75) Chrysene-d12	13.49	240	159166	20.00	ng	-0.01
86) Perylene-d12	14.80	264	122802	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.95	112	546702	140.32	ng	0.02
7) Phenol-d6	6.06	99	696034	134.96	ng	0.00
23) Nitrobenzene-d5	6.96	82	443259	92.67	ng	-0.01
41) 2,4,6-Tribromophenol	10.20	330	131653	134.11	ng	0.00
44) 2-Fluorobiphenyl	8.76	172	695171	80.80	ng	0.00
78) Terphenyl-d14	12.47	244	522992	76.49	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.96	70	58119	16.56	ng	# 64
49) Dimethylphthalate	9.16	163	182468	21.30	ng	# 96
56) 2,4-Dinitrotoluene	9.42	165	13990	5.65	ng	# 31
66) 4-Bromophenyl-phenylether	10.20	248	8802	4.06	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090115\
Data File : BF081333.D
Acq On : 2 Sep 2015 6:24
Operator : UM/IZ
Sample : G3480-11
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 02 06:55:58 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 17:35:35 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.39 min Scan# 420
Delta R.T. 0.00 min
Lab File: BF081333.D
Acq: 2 Sep 2015 6:24

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 60449
Ion Ratio Lower Upper
152 100
150 154.8 124.7 187.1
115 62.1 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 140.32 ng
RT: 4.95 min Scan# 294
Delta R.T. 0.02 min
Lab File: BF081333.D
Acq: 2 Sep 2015 6:24

Tgt Ion:112 Resp: 546702
Ion Ratio Lower Upper
112 100
64 63.6 39.7 59.5#
63 33.6 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 134.96 ng

RT: 6.06 min Scan# 391

Delta R.T. 0.00 min

Lab File: BF081333.D

Acq: 2 Sep 2015 6:24

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 696034

Ion Ratio Lower Upper

99 100

42 22.2 13.7 20.5#




71 38.1 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.56 ng

RT: 6.96 min Scan# 470

Delta R.T. 0.13 min

Lab File: BF081333.D

Acq: 2 Sep 2015 6:24

Tgt Ion: 70 Resp: 58119


Ion Ratio Lower Upper

70 100

42 54.9 63.8 95.6#

101 0.0 9.2 13.8#

130 1.9 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.68 min Scan# 533

Delta R.T. 0.00 min

Lab File: BF081333.D

Acq: 2 Sep 2015 6:24

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 230775


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.6

54 9.5 8.2 12.2

68 4.2 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 92.67 ng

RT: 6.96 min Scan# 470

Delta R.T. -0.01 min

Lab File: BF081333.D

Acq: 2 Sep 2015 6:24


Tgt Ion: 82 Resp: 443259

Ion Ratio Lower Upper

82 100

128 37.1 51.0 76.6#



54 65.6 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.42 min Scan# 685
 Delta R.T. 0.00 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 110248
 Ion Ratio Lower Upper
 164 100
 162 103.6 75.2 112.8
 160 46.2 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 134.11 ng
 RT: 10.20 min Scan# 754
 Delta R.T. 0.00 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Tgt Ion:330 Resp: 131653
 Ion Ratio Lower Upper
 330 100
 332 94.2 76.6 114.8
 141 37.8 29.7 44.5



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 80.80 ng
RT: 8.76 min Scan# 628
Delta R.T. 0.00 min
Lab File: BF081333.D
Acq: 2 Sep 2015 6:24




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 695171
Ion Ratio Lower Upper
172 100
171 35.4 26.1 39.1
170 24.0 17.4 26.2



#49
Dimethylphthalate
Concen: 21.30 ng
RT: 9.16 min Scan# 663
Delta R.T. -0.01 min
Lab File: BF081333.D
Acq: 2 Sep 2015 6:24

Tgt Ion:163 Resp: 182468
Ion Ratio Lower Upper
163 100
194 3.3 4.4 6.6#
164 9.7 8.3 12.5






#56
 2,4-Dinitrotoluene
 Concen: 5.65 ng
 RT: 9.42 min Scan# 685
 Delta R.T. -0.22 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:	165	Resp:	13990
Ion Ratio	Lower	Upper	
165	100		
63	0.0	29.8	44.6#
89	0.0	44.5	66.7#
182	0.0	3.0	4.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.88 min Scan# 813
 Delta R.T. 0.00 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24



Tgt Ion:	188	Resp:	214328
Ion Ratio	Lower	Upper	
188	100		
94	8.9	11.1	16.7#
80	9.6	11.0	16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
 4-Bromophenyl-phenylether
 Concen: 4.06 ng
 RT: 10.20 min Scan# 754
 Delta R.T. -0.24 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:248 Resp: 8802
 Ion Ratio Lower Upper
 248 100
 250 195.0 78.5 117.7#
 141 310.8 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.49 min Scan# 1041
 Delta R.T. -0.01 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Tgt Ion:240 Resp: 159166
 Ion Ratio Lower Upper
 240 100
 120 10.9 16.2 24.2#
 236 26.2 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 76.49 ng
 RT: 12.47 min Scan# 952
 Delta R.T. 0.00 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
244	100		
212	8.1	4.3	6.5#
122	12.4	17.4	26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.80 min Scan# 1156
 Delta R.T. 0.00 min
 Lab File: BF081333.D
 Acq: 2 Sep 2015 6:24

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.4	16.7	25.1
265	20.8	17.2	25.8

