

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090115\
 Data File : BF081330.D
 Acq On : 2 Sep 2015 4:51
 Operator : UM/IZ
 Sample : G3480-05
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COFF-3-13(0-2)

Quant Time: Sep 02 05:31:15 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 17:35:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.39	152	59099	20.00	ng	0.00
21) Naphthalene-d8	7.68	136	224756	20.00	ng	0.00
38) Acenaphthene-d10	9.42	164	110998	20.00	ng	0.00
63) Phenanthrene-d10	10.88	188	207887	20.00	ng	0.00
75) Chrysene-d12	13.49	240	155453	20.00	ng	-0.01
86) Perylene-d12	14.80	264	122375	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.95	112	558392	146.59	ng	0.02
7) Phenol-d6	6.06	99	714578	141.72	ng	0.00
23) Nitrobenzene-d5	6.96	82	449907	96.58	ng	-0.01
41) 2,4,6-Tribromophenol	10.20	330	134058	135.64	ng	0.00
44) 2-Fluorobiphenyl	8.76	172	712866	82.30	ng	0.00
78) Terphenyl-d14	12.47	244	529448	79.28	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.16	163	118211	13.71	ng	Qvalue # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090115\
Data File : BF081330.D
Acq On : 2 Sep 2015 4:51
Operator : UM/IZ
Sample : G3480-05
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COFF-3-13(0-2)

Quant Time: Sep 02 05:31:15 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 17:35:35 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.39 min Scan# 420

Delta R.T. 0.00 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51

Instrument :

BNA_F

ClientSampleId :

COFF-3-13(0-2)


Tgt Ion:152 Resp: 59099

Ion Ratio Lower Upper

152 100

150 156.0 124.7 187.1




115 62.2 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 146.59 ng

RT: 4.95 min Scan# 294

Delta R.T. 0.02 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51


Tgt Ion:112 Resp: 558392

Ion Ratio Lower Upper

112 100

64 64.3 39.7 59.5#



63 34.0 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 141.72 ng

RT: 6.06 min Scan# 391

Delta R.T. 0.00 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51

Instrument :

BNA_F

ClientSampleId :

COFF-3-13(0-2)


Tgt Ion: 99 Resp: 714578

Ion Ratio Lower Upper

99 100

42 22.1 13.7 20.5#




71 37.6 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.68 min Scan# 533

Delta R.T. 0.00 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51

Tgt Ion: 136 Resp: 224756


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.6

54 9.0 8.2 12.2

68 4.1 5.8 8.6#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 96.58 ng
 RT: 6.96 min Scan# 470
 Delta R.T. -0.01 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51

Instrument :
 BNA_F
 ClientSampleId :
 COFF-3-13(0-2)

Tgt Ion: 82 Resp: 449907
 Ion Ratio Lower Upper
 82 100
 128 35.9 51.0 76.6#
 54 64.4 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.42 min Scan# 685
 Delta R.T. 0.00 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51

Tgt Ion: 164 Resp: 110998
 Ion Ratio Lower Upper
 164 100
 162 102.5 75.2 112.8
 160 46.0 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): B
 Ion 162.00 (161.70 to 162.70): B
 Ion 160.00 (159.70 to 160.70): B








#41
 2,4,6-Tribromophenol
 Concen: 135.64 ng
 RT: 10.20 min Scan# 754
 Delta R.T. 0.00 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51

Instrument :
 BNA_F
 ClientSampleId :
 COFF-3-13(0-2)

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.2	76.6	114.8
141	40.5	29.7	44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 82.30 ng
 RT: 8.76 min Scan# 628
 Delta R.T. 0.00 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	26.1	39.1
170	23.5	17.4	26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.71 ng

RT: 9.16 min Scan# 663

Delta R.T. -0.01 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51

Instrument :

BNA_F

ClientSampleId :

COFF-3-13(0-2)


Tgt Ion:163 Resp: 118211

Ion Ratio Lower Upper

163 100

194 3.5 4.4 6.6#




164 9.7 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 10.88 min Scan# 813

Delta R.T. 0.00 min

Lab File: BF081330.D

Acq: 2 Sep 2015 4:51


Tgt Ion:188 Resp: 207887

Ion Ratio Lower Upper

188 100

94 8.5 11.1 16.7#



80 9.7 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.49 min Scan# 1041
 Delta R.T. -0.01 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51




Instrument :
 BNA_F
 ClientSampleId :
 COFF-3-13(0-2)


Tgt Ion:240 Resp: 155453
 Ion Ratio Lower Upper
 240 100
 120 11.0 16.2 24.2#
 236 25.3 18.4 27.6



#78
 Terphenyl-d14
 Concen: 79.28 ng
 RT: 12.47 min Scan# 952
 Delta R.T. 0.00 min
 Lab File: BF081330.D
 Acq: 2 Sep 2015 4:51

Tgt Ion:244 Resp: 529448
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 12.8 17.4 26.2#





#86
Perylene-d12
Concen: 20.00 ng
RT: 14.80 min Scan# 1156
Delta R.T. 0.00 min
Lab File: BF081330.D
Acq: 2 Sep 2015 4:51

Instrument :
BNA_F
ClientSampleId :
COFF-3-13(0-2)

Tgt Ion: 264 Resp: 122375
Ion Ratio Lower Upper
264 100
260 23.7 16.7 25.1
265 20.7 17.2 25.8

