

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090216\
 Data File : BF089975.D
 Acq On : 2 Sep 2016 15:19
 Operator : UM/SJ
 Sample : H4670-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IM-CF-JDM-01

Quant Time: Sep 02 17:24:06 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF083116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 02 13:29:08 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.64	152	174901	20.00	ng	0.00
21) Naphthalene-d8	7.92	136	683276	20.00	ng	-0.01
38) Acenaphthene-d10	9.67	164	338652	20.00	ng	0.00
63) Phenanthrene-d10	11.13	188	579218	20.00	ng	-0.01
75) Chrysene-d12	13.75	240	493473	20.00	ng	-0.01
86) Perylene-d12	15.10	264	430548	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	700323	64.09	ng	0.00
7) Phenol-d6	6.27	99	899595	67.75	ng	-0.01
23) Nitrobenzene-d5	7.20	82	413712	35.12	ng	-0.01
41) 2,4,6-Tribromophenol	10.44	330	204431	61.19	ng	-0.01
44) 2-Fluorobiphenyl	8.99	172	847709	41.09	ng	-0.01
78) Terphenyl-d14	12.72	244	1076249	53.88	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.39	163	343306	14.03	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090216\
Data File : BF089975.D
Acq On : 2 Sep 2016 15:19
Operator : UM/SJ
Sample : H4670-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IM-CF-JDM-01

Quant Time: Sep 02 17:24:06 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF083116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 02 13:29:08 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.64 min Scan# 442

Delta R.T. 0.00 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19

Instrument :

BNA_F

ClientSampleId :

IM-CF-JDM-01


Tgt Ion:152 Resp: 174901

Ion Ratio Lower Upper

152 100

150 154.5 127.4 191.2




115 51.9 46.3 69.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 64.09 ng

RT: 5.21 min Scan# 317

Delta R.T. 0.00 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19


Tgt Ion:112 Resp: 700323

Ion Ratio Lower Upper

112 100

64 48.0 41.1 61.7



63 24.5 21.2 31.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 67.75 ng

RT: 6.27 min Scan# 410

Delta R.T. -0.01 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19

Instrument :

BNA_F

ClientSampleId :

IM-CF-JDM-01


Tgt Ion: 99 Resp: 899595

Ion Ratio Lower Upper




99 100

42 21.2 18.6 27.8

71 30.6 25.8 38.6



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.92 min Scan# 554

Delta R.T. -0.01 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19

Tgt Ion: 136 Resp: 683276


Ion Ratio Lower Upper

136 100



137 11.3 8.3 12.5


54 9.4 4.8 7.2#

68 6.5 3.7 5.5#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 35.12 ng
 RT: 7.20 min Scan# 491
 Delta R.T. -0.01 min
 Lab File: BF089975.D
 Acq: 2 Sep 2016 15:19

Instrument :
 BNA_F
 ClientSampleId :
 IM-CF-JDM-01

Tgt Ion: 82 Resp: 413712
 Ion Ratio Lower Upper
 82 100
 128 47.0 37.8 56.8
 54 56.9 46.9 70.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.67 min Scan# 707
 Delta R.T. 0.00 min
 Lab File: BF089975.D
 Acq: 2 Sep 2016 15:19

Tgt Ion: 164 Resp: 338652
 Ion Ratio Lower Upper
 164 100
 162 96.6 77.1 115.7
 160 45.0 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 61.19 ng
 RT: 10.44 min Scan# 775
 Delta R.T. -0.01 min
 Lab File: BF089975.D
 Acq: 2 Sep 2016 15:19

Instrument :
 BNA_F
 ClientSampleId :
 IM-CF-JDM-01

Tgt Ion:330 Resp: 204431
 Ion Ratio Lower Upper
 330 100
 332 95.2 78.6 117.8
 141 35.6 23.3 34.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 41.09 ng
 RT: 8.99 min Scan# 648
 Delta R.T. -0.01 min
 Lab File: BF089975.D
 Acq: 2 Sep 2016 15:19

Tgt Ion:172 Resp: 847709
 Ion Ratio Lower Upper
 172 100
 171 35.2 29.4 44.2
 170 24.3 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.03 ng

RT: 9.39 min Scan# 683

Delta R.T. -0.02 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19

Instrument :

BNA_F

ClientSampleId :

IM-CF-JDM-01





Tgt Ion:163 Resp: 343306

Ion Ratio Lower Upper

163 100

194 3.3 2.7 4.1

164 10.5 9.0 13.4



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.13 min Scan# 835

Delta R.T. -0.01 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19




Tgt Ion:188 Resp: 579218


Ion Ratio Lower Upper

188 100

94 11.5 5.9 8.9#

80 12.0 5.8 8.8#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.75 min Scan# 1064

Delta R.T. -0.01 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19

Instrument :

BNA_F

ClientSampleId :

IM-CF-JDM-01


Tgt Ion:240 Resp: 493473

Ion Ratio Lower Upper

240 100

120 12.1 5.7 8.5#




236 26.3 21.3 31.9



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 53.88 ng

RT: 12.72 min Scan# 974

Delta R.T. -0.01 min

Lab File: BF089975.D

Acq: 2 Sep 2016 15:19


Tgt Ion:244 Resp: 1076249

Ion Ratio Lower Upper

244 100

212 7.1 6.1 9.1



122 9.3 9.6 14.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.10 min Scan# 1182
Delta R.T. 0.00 min
Lab File: BF089975.D
Acq: 2 Sep 2016 15:19

Instrument :
BNA_F
ClientSampleId :
IM-CF-JDM-01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.4	29.0
265	21.7	17.4	26.2

