

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090315\
 Data File : BF081393.D
 Acq On : 3 Sep 2015 23:56
 Operator : UM/IZ
 Sample : G3511-10
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-07(7-8.5)

Quant Time: Sep 04 02:08:46 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 04 02:03:29 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.36	152	60412	20.00	ng	-0.01
21) Naphthalene-d8	7.66	136	233713	20.00	ng	-0.01
38) Acenaphthene-d10	9.39	164	105657	20.00	ng	-0.01
63) Phenanthrene-d10	10.87	188	208586	20.00	ng	0.00
75) Chrysene-d12	13.47	240	163549	20.00	ng	0.00
86) Perylene-d12	14.78	264	104983	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	4.92	112	464959	119.41	ng	0.01
7) Phenol-d6	6.04	99	678053	131.56	ng	0.00
23) Nitrobenzene-d5	6.95	82	423671	87.46	ng	0.00
41) 2,4,6-Tribromophenol	10.18	330	105794	112.45	ng	-0.01
44) 2-Fluorobiphenyl	8.74	172	581874	70.57	ng	-0.01
78) Terphenyl-d14	12.45	244	507400	72.22	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.95	70	57374	16.36	ng	# 62
49) Dimethylphthalate	9.14	163	137702	16.77	ng	# 97
56) 2,4-Dinitrotoluene	9.39	165	13116	5.53	ng	# 31
66) 4-Bromophenyl-phenylether	10.18	248	8123	3.85	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090315\
Data File : BF081393.D
Acq On : 3 Sep 2015 23:56
Operator : UM/IZ
Sample : G3511-10
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-07(7-8.5)

Quant Time: Sep 04 02:08:46 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 04 02:03:29 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.36 min Scan# 418

Delta R.T. -0.01 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56

Instrument :

BNA_F

ClientSampleId :

SB-07(7-8.5)


Tot Ion:152 Resp: 60412

Ion Ratio Lower Upper

152 100

150 155.4 124.7 187.1




115 66.4 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 119.41 ng

RT: 4.92 min Scan# 292

Delta R.T. 0.01 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56


Tgt Ion:112 Resp: 464959

Ion Ratio Lower Upper

112 100

64 68.4 39.7 59.5#



63 35.7 17.4 26.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 131.56 ng

RT: 6.04 min Scan# 390

Delta R.T. 0.00 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56

Instrument :

BNA_F

ClientSampleId :

SB-07(7-8.5)


Tot Ion: 99 Resp: 678053

Ion Ratio Lower Upper

99 100

42 17.1 13.7 20.5




71 32.8 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.36 ng

RT: 6.95 min Scan# 469

Delta R.T. 0.13 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56

Tgt Ion: 70 Resp: 57374


Ion Ratio Lower Upper

70 100

42 51.9 63.8 95.6#

101 0.0 9.2 13.8#

130 1.8 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.66 min Scan# 531

Delta R.T. -0.01 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56


Instrument :

BNA_F

ClientSampleId :

SB-07(7-8.5)

Tot Ion:136	Resp:	233713
Ion Ratio	Lower	Upper
136	100	
137	10.7	9.0 13.6
54	11.7	8.2 12.2
68	5.5	5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 87.46 ng


RT: 6.95 min Scan# 469

Delta R.T. 0.00 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56



Tgt Ion: 82	Resp:	423671
Ion Ratio	Lower	Upper
82	100	
128	40.5	51.0 76.6#
54	60.8	47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.39 min Scan# 683

Delta R.T. -0.01 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56

Instrument :

BNA_F

ClientSampleId :

SB-07(7-8.5)


Tot Ion:164 Resp: 105657

Ion Ratio Lower Upper

164 100

162 100.8 75.2 112.8




160 45.5 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 112.45 ng

RT: 10.18 min Scan# 752

Delta R.T. -0.01 min

Lab File: BF081393.D

Acq: 3 Sep 2015 23:56


Tgt Ion:330 Resp: 105794

Ion Ratio Lower Upper

330 100

332 93.7 76.6 114.8



141 53.7 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 70.57 ng
 RT: 8.74 min Scan# 626
 Delta R.T. -0.01 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56




Instrument :
 BNA_F
 ClientSampleId :
 SB-07(7-8.5)


Tot Ion:172 Resp: 581874
 Ion Ratio Lower Upper
 172 100
 171 36.2 26.1 39.1
 170 24.1 17.4 26.2



#49
 Dimethylphthalate
 Concen: 16.77 ng
 RT: 9.14 min Scan# 661
 Delta R.T. -0.02 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56

Tgt Ion:163 Resp: 137702
 Ion Ratio Lower Upper
 163 100
 194 3.1 4.4 6.6#
 164 10.5 8.3 12.5









#56
 2,4-Dinitrotoluene
 Concen: 5.53 ng
 RT: 9.39 min Scan# 683
 Delta R.T. -0.22 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56

Instrument :
 BNA_F
 ClientSampleId :
 SB-07(7-8.5)

Tot Ion:	165	Resp:	13116
Ion	Ratio	Lower	Upper
165	100		
63	0.0	29.8	44.6#
89	0.0	44.5	66.7#
182	0.0	3.0	4.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.87 min Scan# 812
 Delta R.T. 0.00 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56

Tgt Ion:	188	Resp:	208586
Ion	Ratio	Lower	Upper
188	100		
94	5.2	11.1	16.7#
80	5.6	11.0	16.4#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 3.85 ng
RT: 10.18 min Scan# 752
Delta R.T. -0.25 min
Lab File: BF081393.D
Acq: 3 Sep 2015 23:56

Instrument :
BNA_F
ClientSampleId :
SB-07(7-8.5)

Tot Ion:248 Resp: 8123
Ion Ratio Lower Upper
248 100
250 210.5 78.5 117.7#
141 683.9 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.47 min Scan# 1040
Delta R.T. 0.00 min
Lab File: BF081393.D
Acq: 3 Sep 2015 23:56

Tgt Ion:240 Resp: 163549
Ion Ratio Lower Upper
240 100
120 6.0 16.2 24.2#
236 25.5 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 72.22 ng
 RT: 12.45 min Scan# 950
 Delta R.T. -0.01 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56

Instrument :
 BNA_F
 ClientSampleId :
 SB-07(7-8.5)

Tot Ion:244 Resp: 507400
 Ion Ratio Lower Upper
 244 100
 212 8.1 4.3 6.5#
 122 15.0 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.78 min Scan# 1154
 Delta R.T. -0.01 min
 Lab File: BF081393.D
 Acq: 3 Sep 2015 23:56

Tgt Ion:264 Resp: 104983
 Ion Ratio Lower Upper
 264 100
 260 24.7 16.7 25.1
 265 21.7 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

