

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
 Data File : BF081429.D
 Acq On : 4 Sep 2015 20:23
 Operator : UM/IZ
 Sample : PB85372BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 07 01:08:39 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:02:00 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	70496	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	278101	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	125456	20.00	ng	-0.01
63) Phenanthrene-d10	10.86	188	266267	20.00	ng	0.00
75) Chrysene-d12	13.45	240	191956	20.00	ng	-0.01
86) Perylene-d12	14.77	264	140306	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.91	112	472412	103.97	ng	0.01
7) Phenol-d6	6.03	99	747294	124.25	ng	0.00
23) Nitrobenzene-d5	6.94	82	445657	77.32	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	110233	98.68	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	688161	70.29	ng	-0.01
78) Terphenyl-d14	12.43	244	653113	79.20	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.94	70	61127	14.93	ng	# 63
50) 2,6-Dinitrotoluene	9.38	165	14970	6.77	ng	# 39
56) 2,4-Dinitrotoluene	9.38	165	14970	5.31	ng	# 33
66) 4-Bromophenyl-phenylether	10.17	248	8940	3.32	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
Data File : BF081429.D
Acq On : 4 Sep 2015 20:23
Operator : UM/IZ
Sample : PB85372BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 07 01:08:39 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:02:00 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.35 min Scan# 417
Delta R.T. -0.01 min
Lab File: BF081429.D
Acq: 4 Sep 2015 20:23

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 70496
Ion Ratio Lower Upper
152 100
150 163.6 124.7 187.1
115 73.2 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.97 ng
RT: 4.91 min Scan# 291
Delta R.T. 0.01 min
Lab File: BF081429.D
Acq: 4 Sep 2015 20:23

Tgt Ion:112 Resp: 472412
Ion Ratio Lower Upper
112 100
64 79.9 39.7 59.5#
63 42.3 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 124.25 ng

RT: 6.03 min Scan# 389

Delta R.T. -0.00 min

Lab File: BF081429.D

Acq: 4 Sep 2015 20:23

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 747294

Ion Ratio Lower Upper

99 100

42 20.6 13.7 20.5#




71 35.4 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 14.93 ng

RT: 6.94 min Scan# 468

Delta R.T. 0.13 min

Lab File: BF081429.D

Acq: 4 Sep 2015 20:23

Tgt Ion: 70 Resp: 61127


Ion Ratio Lower Upper

70 100

42 53.0 63.8 95.6#

101 0.0 9.2 13.8#

130 1.7 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081429.D


Acq: 4 Sep 2015 20:23

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136	Resp:	278101
Ion Ratio	Lower	Upper
136	100	
137	11.2	9.0 13.6
54	13.5	8.2 12.2#
68	6.2	5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 77.32 ng


RT: 6.94 min Scan# 468

Delta R.T. -0.01 min

Lab File: BF081429.D

Acq: 4 Sep 2015 20:23



Tgt Ion: 82	Resp:	445657
Ion Ratio	Lower	Upper
82	100	
128	38.1	51.0 76.6#
54	64.0	47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 125456
 Ion Ratio Lower Upper
 164 100
 162 102.8 75.2 112.8
 160 45.1 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 98.68 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Tgt Ion:330 Resp: 110233
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.6 114.8
 141 54.9 29.7 44.5#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 70.29 ng
 RT: 8.73 min Scan# 625
 Delta R.T. -0.01 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:172 Resp: 688161
 Ion Ratio Lower Upper
 172 100
 171 36.4 26.1 39.1
 170 24.4 17.4 26.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50
 2,6-Dinitrotoluene
 Concen: 6.77 ng
 RT: 9.38 min Scan# 682
 Delta R.T. 0.17 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Tgt Ion:165 Resp: 14970
 Ion Ratio Lower Upper
 165 100
 63 2.2 32.3 48.5#
 89 0.0 28.6 43.0#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0









#56
 2,4-Dinitrotoluene
 Concen: 5.31 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.22 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 14970
 Ion Ratio Lower Upper
 165 100
 63 2.2 29.8 44.6#
 89 0.0 44.5 66.7#
 182 0.0 3.0 4.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.86 min Scan# 811
 Delta R.T. -0.00 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Tgt Ion:188 Resp: 266267
 Ion Ratio Lower Upper
 188 100
 94 5.9 11.1 16.7#
 80 6.0 11.0 16.4#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 3.32 ng
RT: 10.17 min Scan# 751
Delta R.T. -0.25 min
Lab File: BF081429.D
Acq: 4 Sep 2015 20:23

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 8940
Ion Ratio Lower Upper
248 100
250 191.2 78.5 117.7#
141 616.9 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081429.D
Acq: 4 Sep 2015 20:23

Tgt Ion:240 Resp: 191956
Ion Ratio Lower Upper
240 100
120 13.3 16.2 24.2#
236 26.3 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 79.20 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 653113
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 15.0 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. -0.00 min
 Lab File: BF081429.D
 Acq: 4 Sep 2015 20:23

Tgt Ion:264 Resp: 140306
 Ion Ratio Lower Upper
 264 100
 260 24.0 16.7 25.1
 265 22.1 17.2 25.8

