

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
 Data File : BF081438.D
 Acq On : 5 Sep 2015 1:00
 Operator : UM/IZ
 Sample : G3526-08
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 07 01:56:05 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:54:57 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	60761	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	238567	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	110136	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	214444	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	161968	20.00	ng	-0.01
86) Perylene-d12	14.77	264	120820	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.90	112	403665	103.07	ng	0.00
7) Phenol-d6	6.02	99	537078	103.61	ng	-0.01
23) Nitrobenzene-d5	6.94	82	383971	77.65	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	97060	98.97	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	551276	64.14	ng	0.00
78) Terphenyl-d14	12.43	244	454900	65.38	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.94	70	51814	14.69	ng	# 62
49) Dimethylphthalate	9.13	163	79306	9.27	ng	# 97
56) 2,4-Dinitrotoluene	9.38	165	13790	5.58	ng	# 31
66) 4-Bromophenyl-phenylether	10.17	248	7769	3.58	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
Data File : BF081438.D
Acq On : 5 Sep 2015 1:00
Operator : UM/IZ
Sample : G3526-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 07 01:56:05 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:54:57 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.35 min Scan# 417
Delta R.T. -0.01 min
Lab File: BF081438.D
Acq: 5 Sep 2015 1:00

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 60761
Ion Ratio Lower Upper
152 100
150 162.3 124.7 187.1
115 72.4 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 103.07 ng
RT: 4.90 min Scan# 290
Delta R.T. 0.00 min
Lab File: BF081438.D
Acq: 5 Sep 2015 1:00

Tgt Ion:112 Resp: 403665
Ion Ratio Lower Upper
112 100
64 81.5 39.7 59.5#
63 43.5 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 103.61 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081438.D

Acq: 5 Sep 2015 1:00

Instrument :

BNA_F

ClientSampled :





Tot Ion: 99 Resp: 537078

Ion Ratio Lower Upper

99 100

42 24.9 13.7 20.5#

71 37.7 14.2 21.2#



#19

n-Nitroso-di-n-propylamine

Concen: 14.69 ng

RT: 6.94 min Scan# 468

Delta R.T. 0.13 min

Lab File: BF081438.D

Acq: 5 Sep 2015 1:00

Tgt Ion: 70 Resp: 51814




Ion Ratio Lower Upper

70 100

42 52.7 63.8 95.6#

101 0.0 9.2 13.8#

130 1.9 27.3 40.9#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081438.D


Acq: 5 Sep 2015 1:00

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136	Resp:	238567
Ion Ratio	Lower	Upper
136	100	
137	11.5	9.0 13.6
54	13.2	8.2 12.2#
68	6.1	5.8 8.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 77.65 ng


RT: 6.94 min Scan# 468

Delta R.T. -0.01 min

Lab File: BF081438.D

Acq: 5 Sep 2015 1:00



Tgt Ion: 82	Resp:	383971
Ion Ratio	Lower	Upper
82	100	
128	39.8	51.0 76.6#
54	62.4	47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 110136
 Ion Ratio Lower Upper
 164 100
 162 102.5 75.2 112.8
 160 45.0 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#41
 2,4,6-Tribromophenol
 Concen: 98.97 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Tgt Ion:330 Resp: 97060
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.6 114.8
 141 52.8 29.7 44.5#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 64.14 ng
 RT: 8.73 min Scan# 625
 Delta R.T. 0.00 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:172 Resp: 551276
 Ion Ratio Lower Upper
 172 100
 171 36.1 26.1 39.1
 170 24.7 17.4 26.2



#49
 Dimethylphthalate
 Concen: 9.27 ng
 RT: 9.13 min Scan# 660
 Delta R.T. -0.02 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Tgt Ion:163 Resp: 79306
 Ion Ratio Lower Upper
 163 100
 194 3.0 4.4 6.6#
 164 10.2 8.3 12.5






#56
 2,4-Dinitrotoluene
 Concen: 5.58 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.22 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:	165	Resp:	13790
Ion	Ratio	Lower	Upper
165	100		
63	0.0	29.8	44.6#
89	0.0	44.5	66.7#
182	0.0	3.0	4.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.84 min Scan# 810
 Delta R.T. -0.01 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00



Tgt Ion:	188	Resp:	214444
Ion	Ratio	Lower	Upper
188	100		
94	11.4	11.1	16.7
80	14.1	11.0	16.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 3.58 ng
RT: 10.17 min Scan# 751
Delta R.T. -0.25 min
Lab File: BF081438.D
Acq: 5 Sep 2015 1:00

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 7769
Ion Ratio Lower Upper
248 100
250 190.7 78.5 117.7#
141 556.1 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081438.D
Acq: 5 Sep 2015 1:00

Tgt Ion:240 Resp: 161968
Ion Ratio Lower Upper
240 100
120 14.3 16.2 24.2#
236 26.6 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 65.38 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 454900
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 12.6 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081438.D
 Acq: 5 Sep 2015 1:00

Tgt Ion:264 Resp: 120820
 Ion Ratio Lower Upper
 264 100
 260 24.5 16.7 25.1
 265 20.9 17.2 25.8

