

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
 Data File : BF081449.D
 Acq On : 5 Sep 2015 6:37
 Operator : UM/IZ
 Sample : G3526-22
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 07 01:58:25 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:54:57 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	59467	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	227181	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	105565	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	213710	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	168571	20.00	ng	-0.01
86) Perylene-d12	14.77	264	129110	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.90	112	323191	84.32	ng	0.00
7) Phenol-d6	6.02	99	405036	79.83	ng	-0.01
23) Nitrobenzene-d5	6.94	82	319560	67.87	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	91314	97.15	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	489757	59.45	ng	0.00
78) Terphenyl-d14	12.43	244	416656	57.54	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.94	70	42860	12.41	ng	# 59
49) Dimethylphthalate	9.13	163	115383	14.07	ng	# 97
56) 2,4-Dinitrotoluene	9.38	165	13211	5.57	ng	# 33
66) 4-Bromophenyl-phenylether	10.17	248	7164	3.32	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
Data File : BF081449.D
Acq On : 5 Sep 2015 6:37
Operator : UM/IZ
Sample : G3526-22
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 07 01:58:25 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:54:57 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.01 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37

Instrument :

BNA_F

ClientSampleId :


Tot Ion:152 Resp: 59467

Ion Ratio Lower Upper

152 100

150 164.5 124.7 187.1




115 73.2 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 84.32 ng

RT: 4.90 min Scan# 290

Delta R.T. 0.00 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37


Tgt Ion:112 Resp: 323191

Ion Ratio Lower Upper

112 100

64 76.3 39.7 59.5#



63 41.1 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 79.83 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 405036

Ion Ratio Lower Upper

99 100

42 23.8 13.7 20.5#




71 39.0 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 12.41 ng

RT: 6.94 min Scan# 468

Delta R.T. 0.13 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37

Tgt Ion: 70 Resp: 42860


Ion Ratio Lower Upper

70 100

42 48.1 63.8 95.6#

101 0.0 9.2 13.8#

130 1.8 27.3 40.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530


Delta R.T. -0.01 min

Lab File: BF081449.D




Acq: 5 Sep 2015 6:37

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	227181
Ion Ratio	Lower	Upper
136	100	
137	11.1	9.0 13.6
54	12.8	8.2 12.2#
68	5.5	5.8 8.6#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 67.87 ng


RT: 6.94 min Scan# 468

Delta R.T. -0.01 min



Lab File: BF081449.D


Acq: 5 Sep 2015 6:37

Tgt Ion: 82	Resp:	319560
Ion Ratio	Lower	Upper
82	100	
128	40.7	51.0 76.6#
54	59.2	47.5 71.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 105565

Ion Ratio Lower Upper

164 100

162 104.3 75.2 112.8




160 45.6 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 97.15 ng

RT: 10.17 min Scan# 751

Delta R.T. -0.01 min

Lab File: BF081449.D

Acq: 5 Sep 2015 6:37


Tgt Ion:330 Resp: 91314

Ion Ratio Lower Upper

330 100

332 95.6 76.6 114.8



141 47.2 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 59.45 ng
 RT: 8.73 min Scan# 625
 Delta R.T. 0.00 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:172 Resp: 489757
 Ion Ratio Lower Upper
 172 100
 171 35.7 26.1 39.1
 170 24.1 17.4 26.2



#49
 Dimethylphthalate
 Concen: 14.07 ng
 RT: 9.13 min Scan# 660
 Delta R.T. -0.02 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37

Tgt Ion:163 Resp: 115383
 Ion Ratio Lower Upper
 163 100
 194 3.1 4.4 6.6#
 164 10.3 8.3 12.5









#56
 2,4-Dinitrotoluene
 Concen: 5.57 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.22 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	2.2	29.8	44.6#
89	0.0	44.5	66.7#
182	0.0	3.0	4.4#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.84 min Scan# 810
 Delta R.T. -0.01 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37

Tgt Ion	Ratio	Lower	Upper
188	100		
94	10.5	11.1	16.7#
80	12.2	11.0	16.4









#66
4-Bromophenyl-phenylether
Concen: 3.32 ng
RT: 10.17 min Scan# 751
Delta R.T. -0.25 min
Lab File: BF081449.D
Acq: 5 Sep 2015 6:37

Instrument :
BNA_F
ClientSampled :

Tot Ion:248 Resp: 7164
Ion Ratio Lower Upper
248 100
250 205.2 78.5 117.7#
141 488.5 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081449.D
Acq: 5 Sep 2015 6:37

Tgt Ion:240 Resp: 168571
Ion Ratio Lower Upper
240 100
120 12.5 16.2 24.2#
236 25.6 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 57.54 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 416656
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 12.4 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081449.D
 Acq: 5 Sep 2015 6:37

Tgt Ion:264 Resp: 129110
 Ion Ratio Lower Upper
 264 100
 260 23.5 16.7 25.1
 265 20.5 17.2 25.8

